

NAKAYAMA®
GARDEN TOOLS EXPERT



2018
CATALOGUE

Contents

Brushcutters	6
Cutters and Hedgetrimmers	8
Scyth Mowers	10
Lawn Mowers	11
Motor Cultivators	12
Chainsaws	14
Pole Pruners	16
Blowers	17
Harvesters	18
Earth Augers - Shredders	19
Sprayers	20
Submersible Pumps	22
Water Pumps	24
Brushcutter Accessories	26
Chainsaw Accessories	28
Garden Shears	30
Garden Saws	32
Watering Systems	34



NAKAYAMA®
GARDEN TOOLS EXPERT

Branded Performance at affordable price.



THE PLEASURE OF USING A NAKAYAMA

NAKAYAMA brand is continuously growing through the last decades and is today one of the most recognizable brands in Garden tools. We offer a very wide range of garden, forestry and agricultural tools. Above all NAKAYAMA aims to provide the pleasure of using a fine garden tool to the enthusiast.



WE DEVELOP FOR YOU

One of the main reasons we are constantly growing is our philosophy to invest in R&D. Our skilled engineering team is always searching for ways to improve the quality and usage of a tool. We believe that innovation is the way to offer to the consumer what someone expects... a tool with the best value for the money paid!



EXPERT TOOLS FOR EXPERT USERS

This line is dedicated to the consumer with more demands in usage duration as well as in harder environment. We created the EXPERT tools so that someone can rely on them for even better performance and endurance.



QUALITY IS A PRIORITY

Our quality control team is constantly working to improve Design, Functionality and Durability of all NAKAYAMA products. This way we ensure our products quality and minimize the potential flaws. All our tools meet the applicable Regulations and Standards with reliable products as a result. We always believed that a satisfied user is the best advertisement for our tools performance and endurance.



NO PROBLEM

We are not only offering the right tools, but we are also providing the Service. It has always been very important for us to invest in after sales service. Our technical team is continually improving their skills through frequent trainings, so that they can achieve a high level of experience in the repairing process. We aim to keep stock of spare parts for years after every product is launched.



YOU ALWAYS GET WHAT YOU PAYED FOR

Our philosophy is to provide the best possible tool for the money paid. NAKAYAMA provides tools with same performance level as other brands but less cost. That is the reason we are rapidly developing and acquiring higher market shares every year in all countries we are present.



BRING THE USER IN STORE

We at NAKAYAMA are not waiting... we create the business! We are heavily investing in marketing in many ways. Printed and electronic product catalogues, dedicated POS materials, online presence, full page ads in relevant publications are only few of the campaigns we do to support our dealers.

- GR Θάρνοκοπτικά
- D Bürstenschneider
- F Coupe-brosses
- I Tagliatrici a spazzola
- CZ Křovinořezy
- SLO Křovinořezy
- AL Furçat e brushave
- RO Cuttere cu perii
- BG Четки за четки
- MK Четки секачи
- TR Fırça kesiciler
- SRB Чекићи за четке



Grass, weed or bush

Whatever the job you want to complete we have the right tool for you. You can choose from a wide range of electric trimmers from small ones to big ones that can even work with a cutting disk. You need more power or you want to cover bigger fields? Then you can choose a gasoline brush cutter. We have 2-stroke brush cutters up to 62cc, in traditional style with harness, backpacks, even with alloy wheels.



TRIMMERS	ET2500	ET3500	EB9000
Engine		Electric motor	
Voltage/Frequency	220V/50Hz	220V/50Hz	220V/50Hz
Power	250 W	350 W	900 W
Transmission shaft diameter	-	Ø25.4mm	Ø25.4mm
Shaft type	-	telescopic	slpit
Handle	single	single	single
Nylon head	semi-automatic	semi-automatic	semi-automatic
Disc	-	-	3T disc 255mm
Harness	-	-	-
Weight	2.0Kg	2.5Kg	4.7Kg
Article No	014515	014508	009993
EAN Code	5205909014515	5205909014508	5205909009993



EXPERT

TRIMMERS	PB4300	PB5200	PB6200
Engine	Air-cooled, 2-stroke, single cylinder		
Displacement	43cc	52cc	62cc
Power	1.7hp	2.0hp	3.0hp
Transmission shaft diameter	Ø26mm	Ø28mm	Ø28mm
Shaft type	1 piece	1 piece	1 piece
Handle	bicycle	ergo-bicycle	ergo-bicycle/adjustable
Nylon head	semi-automatic	semi-automatic	aluminium multiline
Disc	3T disc 255mm	3T disc 255mm	3T disc 255mm
Clutch	yes	yes	yes
Lubricant ratio	1:40	1:40	1:40
Fuel tank capacity	1250ml	1250ml	1250ml
Harness	single	double	double
Weight	7.1Kg	7.6Kg	8.1Kg
Article No	000396	010166	011682
EAN Code	5205909000396	5205909010166	5205909011682



TRIMMERS	PB5300	PB5500
Engine	Air-cooled, 2-stroke, single cylinder	
Displacement	52cc	52cc
Power	2.0hp	2.3hp
Transmission shaft diameter	Ø26mm	Ø26mm
Shaft type	flexible	on alloy wheels
Handle	single	single
Nylon head	semi-automatic	semi-automatic
Disc	3T disc 255mm	3T disc 255mm
Clutch	yes	yes
Lubricant ratio	1:40	1:40
Fuel tank capacity	1250ml	1250ml
Harness	double	-
Weight	9.0Kg	13.0Kg
Article No	014614	011743
EAN Code	5205909014614	5205909011743

GR Ψαλίδια μπορντούρας
D Heckenscheren
F Tondeuses à haies
I Tagliasiepi
CZ Nůžky na živé ploty
SLO Obrezovalci ščitnikov
AL Hidge Trimmers
RO Hedge Trimmers
BG Храсти за трева
MK Хеџ Тримери
TR Çitler Biçme Makineleri
SRB Хидге Триммерс



Hedgetrimmers

We have all the necessary machines to keep your green enviroment and fences beautiful. Battery powered, electric powered, gasoline powered, all with powerful engines and high quality blades.



NEW



NEW

BATTERY CUTTERS	BS2000	BS1080
Power	7.2V	10.8V
Blade stroke	-	20mm
Cutting diameter	16mm	60mm
Blade type	double	-
Cutting Capacity	Approx.600cuts	60mm
No load speed	-	0-2700rpm
Weight	1.0Kg	1.8Kg
Article No	014768	014751
EAN Code	5205909014768	5205909014751



EXPERT

ELECTRIC HEDGETRIMMERS	EH4500	EH5000	EH7100
Engine	electric motor		
Voltage/Frequency	220V/50Hz	220V/50Hz	220V/50Hz
Power	450 W	500 W	710 W
Blade lenght	410mm	510mm	660mm
Cutting diameter	16mm	16mm	24mm
Blade type	double	double	double
Handle	fixed	fixed	fixed
Weight	3.0Kg	3.2Kg	3.8Kg
Article No	014485	010074	010067
EAN Code	5205909014485	5205909010074	5205909010067



EXPERT

ELECTRONIC SHEAR	BS3000
Power	33V
Rated power	300W
Cutting diameter	28mm
Speed	1 speed
Battery type	Li-ion 4Ah
Charging time	3.5-4.5h
Weight	180° adjustable
Shears weight	0.99Kg
Vest weight	1.33Kg
Autonomy	8h
Article No	014966
EAN Code	5205909014966



EXPERT

GASOLINE	PH2560
Engine	2-stroke, air-cooled, single cylinder
Displacement	25.4cc
Power	1.0hp
Blade lenght	6000mm
Cutting diameter	28mm
Blade type	double
Handle	180° adjustable
Lubricant ratio	1:40
Fuel tank capacity	230ml
Weight	5.0Kg
Article No	010852
EAN Code	5205909010852

GR	Χλοοκοπτικές μηχανές
D	Rasenmäher
F	Tondeuses à gazon
I	Falciatrici
CZ	Sekačky na trávu
SLO	Kosilnice za kosilnice
AL	Lëndë gërshërë
RO	Mașini de tuns iarba
BG	Косачки за трева
MK	Косилки за трева
TR	Çim biçme makineleri
SRB	Косилице за траву



Dream garden

Small or big garden, you can transform it into your dream garden fast and easy. Nakayama has a full range of electric and gasoline lawnmowers to cover all needs, whether handle large surfaces.



GARDEN TRACTORS	PT1020
Engine	Briggs & Stratton 4-stroke, air cooled, single cylinder
Displacement	500cc
Power	13.5hp
Cutting width	102cm
Cutting height adjustment	6 position
Blade type	double
Ignition	electrical
Gears	hydrostatic
Capacity of catch bag	270L
Capacity of fuel tank	7.5L
Article No	014973
EAN Code	5205909014973

SCYTH MOWER	SM9700
Engine	4-stroke, air-cooled, single cylinder, OHV
Displacement	196cc
Power	6.5hp
Cutting width	97cm
Working speed	2.1Km/h
Transmission	belt and gear
Cutting mode	dual- direction
Rated speed	3600rpm
Weight	85Kg
Article No	014843
EAN Code	5205909014843



ELECTRIC LAWNMOWERS	EM3200	EM3600	EM4200	EM4600
Engine	Electric motor			
Voltage/Frequency	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Power	1200 W	1600 W	1200 W	1600 W
Drive type	hand push	hand push	hand push	hand push
Cutting height	25/40/55mm	25-65 mm	25-65 mm	25-65 mm
Cutting height adjustment	3 position	6 position central adj.	6 position central adj.	5 position central adj.
Cutting width	32cm	36cm	42cm	46cm
Deck material	plastic	plastic	plastic	steel
Catcher volume	30L	40L	45L	45L
Wheel dimension (front-rear)	140/140mm	140/198mm	160/215mm	180/200mm
Weight	7.9Kg	12.5Kg	14.0Kg	24.0Kg
Article No	010005	010012	010029	011705
EAN Code	5205909010005	5205909010012	5205909010029	5205909011705



GASOLINE LAWNMOWERS	PM4300	PM4800	PM5300
Engine	4-stroke, air-cooled, single cylinder, OHV		
Displacement	99cc	139cc	173cc
Power	3.0hp	4.0hp	5.5hp
Drive type	hand push	hand push	self propelled
Cutting height	25-75mm	13-60mm	13-60mm
Cutting height adjustment	3 position	8 position central height adjustment	central height adjustment
Cutting width	41cm	46cm	51cm
Deck material	steel	steel	steel
Catcher volume	50L	60L	60L
Wheel dimension (front-rear)	160/180mm	160/180mm	180/280mm
Weight	20.0Kg	29.5Kg	35.5Kg
Article No	014850	014867	014874
EAN Code	5205909014850	5205909014867	5205909014874

GR Σκαπτικά μηχανήματα
D Motorengrubber
F Cultivateur de moteurs
I Coltivatore di motori
CZ Motorni kultivator
SLO Motorni kultivator
AL Kultivues motorik
RO Cultivator de mașini
BG Мотокултиватор
MK Моторни култиватори
TR Motorlu kùltivator
SRB Моторни култиватор



Nothing is impossible

With Nakayama tillers nothing is impossible! Nakayama diesel model MB9000 "LEADER" is top model in many countries for years. You don't need a tiller that big. You can have the same built quality on all models until the smallest "brothers" of the range.



TILLERS	MB2000	MB5000	MB5900	MB6000
Engine	Electric	4-stroke, air cooled, OHV	4-stroke, air cooled, OHV	4-stroke, air cooled, OHV
Voltage/Frequency Displacement	220V/50Hz	139cc	196cc	196cc
Power	1360W	4.0hp	6.5hp	6.5hp
Transmission	driving disc	belt+driving disc	belt+chain	belt+gearbox
Gears	1 forward	1 forward	1 forward + 1 reverse	2 forward + 1 reverse
Handlebars	folding	folding	folding	folding & height adjustable
Working width	400mm	600mm	650-850mm	660-860mm
No of knives	12+12	12+12	12+12	12+12
Transport wheels	twin rear	front	front	inflatable 3.00x4"
Electric start	no	no	no	no
Lights	no	no	no	no
Weight	13.0Kg	36.0Kg	60.0Kg	72.0Kg
Article No	011934	001652	008460	000495
EAN Code	5205909011934	5205909001652	5205909008460	5205909000495



TILLERS	MB7000 CLASSIC	MB7000	MB9000 CLASSIC	MB9000
Engine	4-stroke, air cooled, OHV	4-stroke, air cooled, OHV	Diesel, air cooled, OHV	Diesel, air cooled, OHV
Displacement	196cc	196cc	419cc	419cc
Power	6.5hp	6.5hp	10.5hp	10.5hp
Transmission	gearbox	gearbox	gearbox	gearbox
Gears	2 forward + 1 reverse	2 forward + 1 reverse (controlled from handlebar)	2 forward + 1 reverse	2 forward + 1 reverse (controlled from handlebar)
Handlebars	folding & height adjustable	folding & height+width adjustable	folding & height+width adjustable	folding & height adjustable
Working width	900-1100mm	900-1100mm	1100-1300mm	1300-1500mm
No of knives	12+12	12+12	16+16	20+20
Transport wheels	inflatable 4.00x8"	inflatable 4.00x8"	inflatable 4.00x8"	inflatable 5.00x12"
Electric start	no	no	yes	yes
Lights	no	yes	no	yes
Weight	90.0Kg	95.0Kg	100.0Kg	105.0Kg
Article No	011736	009313	011729	008453
EAN Code	5205909011736	5205909009313	5205909011729	5205909008453



ACCESSORIES FOR TILLERS	MB137	MB138	MB211
Description	Adjustable forrower width 20 x 40cm height 60cm weight 6Kg	Potato digger width 40 x 50cm height 60cm weight 6Kg	Towed trailer with handlebars steering Wheels 4.00 x 12" Max load capacity 600Kg Pedal operated brake Dump box with collapsible tailgate Load box dimensions 100x140cm Load box depth 50cm Cushioned seat
Suitable for models	MB7000, MB7000 CLASSIC, MB9000, MB9000 CLASSIC	MB7000, MB7000 CLASSIC, MB9000, MB9000 CLASSIC	MB7000, MB7000 CLASSIC, MB9000, MB9000 CLASSIC
Article No	012696	012702	012719
EAN Code	5205909012696	5205909012702	5205909012719

- GR Kettensägen
- D Bürstenschneider
- F Tronçonneuses
- I Motoseghe
- CZ Řetězové pily
- SLO Motorne žage
- AL Chainsaws
- RO Ferastrau pe benzina
- BG Верижни триони
- MK Моторни пили
- TR Zincirli
- SRB Моторне тестере



Become a forester

No wood can stand against Nakayama chainsaws. There is always the right model for your job, whether you cut fire woods in the backyard or need to cut a big tree. You can also find in the range the two top selling pruning chainsaws for fast and precise cuts with one hand. Essential accessories such as chain grinders, etc. complete the range.



ELECTRIC CHAINSaws	EC2040	EC2345
Engine	electric	electric
Voltage/Frequency	230V/50Hz	230V/50Hz
Power	2000W	2300W
Guide bar size	40cm - 16"	45cm - 18"
Chain pitch	3/8"LP 1.3mm	3/8"LP 1.3mm
Chain links	57	62
Fuel tank capacity	-	-
Oil tank capacity	170ml	170ml
Chain regulator	front	Tool-free tensioning
Weight	4.4Kg	4.6Kg
Article No	014607	010715
EAN Code	5205909014607	5205909010715



EXPERT

GASOLINE CHAINSAWS	PC2000	PC3000	PC4500	PC5500
Engine	2-stroke, air cooled, single cylinder	2-stroke, air cooled, single cylinder	2-stroke, air cooled, single cylinder	2-stroke, air cooled, single cylinder
Displacement	18.3cc	25.4cc	45cc	55cc
Power	0.8hp	1.3hp	2.4hp	3.4hp
Guide bar size	20cm - 8"	25cm - 10"	45cm - 18"	50cm - 20"
Chain pitch	1/4" - 1.1mm	3/8"LP 1.3mm	.325" 1,3mm	.325" 1,5mm
Chain links	48	40	72	76
Fuel tank capacity	170ml	230ml	550ml	550ml
Oil tank capacity	190ml	210ml	260ml	260ml
Chain regulator	lateral	lateral	front	front
Weight	2.6Kg	2.9Kg	4.9Kg	5.5Kg
Article No	010784	818662	010807	013457
EAN Code	5205909010784	4250116818662	5205909010807	5205909013457



EXPERT



ACCESSORIES FOR CHAINSAWS	ES2001	ES2300	CS1500
Description	Electric chain grinder Voltage/Frequency 230V/50Hz Power 220W Grinding disc 100 x 10mm Including 1x 4.7mm grinding disc	Electric chain grinder Voltage/Frequency 230V/50Hz Power 230W Grinding disc 145 x 22.2mm Including 1x 3.2mm grinding disc	Galvanized steel log cutting saw folding horse stand Upgraded heavy duty stand 150kg max load 6 Non-slip, serrated jaw grips to hold wood securely Lenght 800mm
Article No	010746	014232	014423
EAN Code	5205909010746	5205909014232	5205909014423

- GR Κοπταρονπιοβα
- D Beschneidung Kettensäge
- F Tronçonneuse
- I Motosega di taglio
- CZ Řezná motorová pila
- SLO Obrezovanje žage
- AL Sharrë elektrike me shirit
- RO Tăvălirea cu ferăstrău
- BG Резачка за верижни триони
- MK Градинарска пила
- TR Budama testeresi
- SRB Обрезавање моторне тестере



Reach everywhere

You always wanted to reach a high branch but you couldn't? Do you have a field of trees as olive trees and you need to clean those old branches? No it is easy with, as Nakayama has the right model for you. You can also choose a multi-machine so as to use it for many different tasks.



GASOLINE POLE-PRUNERS	PS2500	PS3000 [4IN1]
Engine	2-stroke, air cooled, single cylinder	2-stroke, air cooled, single cylinder
Displacement	25.4cc	25.4cc
Power	1.1hp	1.1hp
Guide bar / pitch / links	25cm - 10" / 3/8"LP 1.3mm / 40	25cm - 10" / 3/8"LP 1.3mm / 40
Machine length	220cm	220-320cm
Shaft	1-piece 26mm	2-piece 26mm
Fuel tank capacity	230ml	230ml
Oil tank capacity	122ml	122ml
Also included	-	1x 1m extension, 1x hedgetrimmer, 1x brushcutter head with 3T disc & tap'n go head
Weight	6.5Kg	6.5Kg
Article No	010791	013464
EAN Code	5205909010791	5205909013464



ELECTRIC POLE-PRUNERS	ES7100	ES9021 (3IN1)	ES5010 (5IN1)	ES9021 (4IN1)
Engine	electric	electric	electric	electric
Voltage/Frequency	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Power	710W	900W	750W	1200W
Guide bar	25cm - 10"	25cm - 10"	25cm - 10"	25cm - 10"
Machine lenght	230-290cm	max. 270cm	max. 240cm	max. 260cm
Shaft	telescopic	2 piece	telescopic	telescopic
Cutting head	tilting 0-15°	tilting 0-60°	tilting	tilting
Also included	-	-	1x hedtrimmer body with 550W engine and 48cm blade, 1x brushcutter with 380W engine and nylon head	1x hedtrimmer body with 41cm blade, 1x brushcutter
Weight	3.5Kg	4.0Kg	4.0Kg	4.2Kg
Article No	010753	010692	010685	014546
EAN Code	5205909010753	5205909010692	5205909010685	5205909014546



BLOWERS	EB3000 (3IN1)	BL2500	BL5600
Engine	electric	2-stroke, air cooled, single cylinder	2-stroke, air cooled, single cylinder
Voltage/Frequency Displacement	230V/50Hz	25.4cc	56.5cc
Power	3000W	1.0hp	3.2hp
Max air speed	275 km/h	65m/sec	142m/sec
Max air volume	13.2m³/min	10.0m³/min	13,8m³/min
Bag capacity	45L	-	-
Weight	3.6Kg	4.5Kg	-
Article No	014256	013440	014836
EAN Code	5205909014256	5205909013440	5205909014836

GR Παθδιστικά
D Harvester
F Harvesters
I Mietitrici
CZ Kombajny
SLO Harvesters
AL Korrësve
RO Seceratoare
BG Комбайни
MK Жетварите
TR Biçerdöverler
SRB Комбајни



Bring it down

If maximum collectivity and saving your time is your target, then we have the right products for you. Whether you are collecting olives, nuts, pistachio etc, you can do it effortlessly without hurting the plant.



EXPERT



EXPERT



HARVESTER SYSTEM	OH7000	OH9000	OH1023
Description	Palmic harvester "Hedgehog" Steel gears Voltage 12V, Power 200W Consumption 7Ah Beats per minute 1100bpm Productivity 130 Kg/h Lenght 250cm 15m 2x3 cooper cable included	Power generator 12V 5,5hp 4-stroke OHV engine Bosch 70A alternator Belt tensioner Inflatable wheels Electronic voltage regulator Strong trolley Capacity: 3 harvesters	100m reel of 2x3 100% cooper cable
Article No	005735	005759	007241
EAN Code	5205909005735	5205909005759	5205909007241



EARTH AUGERS	PD5220	PD6200
Displacement	52cc	62cc
Power	2.0hp	3.4hp
Fuel tank capacity	1250ml	1200ml
Transmission	Worm gear & shaft design	Worm gear & shaft design
Article No	010616	014805
EAN Code	5205909010616	5205909014805



DRILLS	PD1080	PD1580	PD2080
Lenght	800mm	800mm	800mm
Diameter	100mm	150mm	200mm
Article No	010623	010630	010647
EAN Code	5205909010623	5205909010630	5205909010647

DRILLS	PD2580	PD3080
Lenght	800mm	800mm
Diameter	250mm	300mm
Article No	014812	014829
EAN Code	5205909014812	5205909014829



SHREDDERS	ES2700	GS8000	GS9000	GS10000E
Engine	electric	Air-cooled, 4-stroke, single cylinder		
Displacement	-	196cc	389cc	420cc
Power	2500W	6.5hp	13.0hp	15.0hp
Electric start	no	no	no	yes
Chipping system		Central with 16 blades for small branches and lateral with 2 knives for big branches	Central with 16 blades for small branches and lateral with 2 knives for big branches	Central smashing cylinder with 2 knives
Max. diameter of branch	40mm	76mm	89mm	100mm
Article No	014775	010869	010876	010913
EAN Code	5205909014775	5205909010869	5205909010876	5205909010913

BATTERY CHARGER	BBC1515
Voltage/Frequency	230V/50Hz
Power	200W
Charging current	12/24V
Max charging current	15A
Suitable for batteries	20-150Ah
Slow/Fast selector	yes
Article No	473461
EAN Code	0701197473461



TARPAULIN		
Weight	Dimension	Code
60gr/m ²	2.0x3.0m	014348
60gr/m ²	2.5x3.6m	014355
60gr/m ²	3.0x5.0m	014362
60gr/m ²	4.0x5.0m	014379
60gr/m ²	4.0x6.0m	014386
60gr/m ²	5.0x8.0m	014393
60gr/m ²	6.0x10.0m	014409
60gr/m ²	8.0x12.0m	014416

- GR Ψεκαστικά
- D Sprühgeräte
- F Pulvérisateurs
- I Spruzzatori
- CZ Postřikovače
- SLO Škropilnice
- AL Spërkatësit
- RO Pulverizatoare
- BG Пръскачки
- MK Распрскувачи
- TR Püskürtücüler
- SRB Прскалице



Spraying was never that fun

Nakayama offers the biggest range in spraying machines that exists so as to facilitate you into weed treatments and plant protection. We also have a mist blower so that you can reach that difficult to reach spots. The mist blower can also through dusts.



SPRAYERS	NS1500	NS5000	NS8000	NS1600	NS1612
Tank capacity	1.5L	5L	8L	16L	16L
Description	with adjustable brass nozzle	with shoulder strap	with shoulder strap	knapsack with accessories and repair kit	electric 12V battery included telescopic lance autonomy 3.5h
Article No	010197	010203	010210	010227	010395
EAN Code	5205909010197	5205909010203	5205909010210	5205909010227	5205909010395



EXPERT

SPRAYERS	NS2625	NS2614	NS5500	NS2600
Tank capacity	25L	14L	-	-
Description	Knapsack gasoline sprayer 26cc air-cooled, 2-stroke, single cylinder engine Max. pressure 30bar Max. delivery rate 10L/min Brass pump Weight 10Kg Lance is included	Gasoline mistblower 41.5cc air-cooled, 2-stroke, single cylinder engine Max. coverage 12m Max. liquid delivery 2.3L/min Max. dust delivery 6Kg/min Can also deliver dust with built in dusting kit Weight 10Kg	Electric sprayer Voltage/Frequency 230V~/50Hz Rated power 550W Max. pressure 30bar Max. delivery rate 10L/min 2 piston brass pump	Gasoline sprayer 26cc air-cooled, 2-stroke, single cylinder engine Max. pressure 30bar Max. delivery rate 10L/min Brass pump Steel frame Lance is included
Article No	010302	010173	010289	010296
EAN Code	5205909010302	5205909010173	5205909010289	5205909010296



EXPERT

EXPERT

SPRAYERS	NS2525	NS4500	NS6000
Description	Gasoline sprayer 6.5hp 196cc air-cooled, 4-stroke, single cylinder engine Max. pressure 40bar Max. delivery rate 25L/min 3 piston brass pump Steel frame	Gasoline sprayer 6.5hp 196cc air-cooled, 4-stroke, single cylinder engine Max. pressure 40bar Max. delivery rate 36L/min 3 piston brass pump Steel frame with wheels With metal hose reel, 30m high pressure hose and lance	Gasoline sprayer 6.5hp 196cc air-cooled, 4-stroke, single cylinder engine Max. pressure 40bar Max. delivery rate 36L/min 3 piston brass pump Steel frame with wheels and 50L tank With metal hose reel, 30m high pressure hose and lance
Article No	010425	010272	014881
EAN Code	5205909010425	5205909010272	5205909014881

GR Αντλίες υποβρύχies
D Tauchpumpen
F Pompes submersibles
I Pompa sommersa
CZ Ponorné čerpadla
SLO Rotorne črpalke
AL Pompa zhytëse
RO Pompa submersibilă
BG Потопяеми помпи
MK Потоппи пумпи
TR Dalgıç Pompaları
SRB Потоппене пумпе



Submersible power

Nakayama offers many different models of submersible pumps to cover all your needs at any time. Choose the best for you.



SUBMERSIBLE PUMPS	SP9030	SP1254 INOX	SP9060 INOX
Voltage/Frequency	230V~/50Hz	230V~/50Hz	230V~/50Hz
Rated power	900W	1200W	900W
Max. pump rate	5500L/h	5500L/h	4500L/h
Max. height	36m	54m	60m
Max. depth	5m	5m	5m
Max. grain size	0.5mm	1.5mm	2mm
Diameter of pipe	1" / 1 1/4" / 1 1/2"	1"	1"
Article No	010128	014225	010883
EAN Code	5205909010128	5205909014225	5205909010883

SPECIAL SUB. PUMPS	SP1200	SP5000
Voltage/Frequency	12V	230V~/50Hz
Rated power	50W (7.8A)	50W
Max. pump rate	65L/min	2000L/h
Max. height	5m	2.5m
Diameter of pipe	1"	1/2"
Article No	013051	011873
EAN Code	5205909013051	5205909011873



SUBMERSIBLE PUMPS	SP4000	SP7580	SP9090 INOX
Voltage/Frequency	230V~/50Hz	230V~/50Hz	230V~/50Hz
Rated power	400W	750W	900W
Max. pump rate	7000L/h	12500L/h	13000L/h
Max. height	7.5m	8.5m	9m
Max. depth	5m	5m	5m
Max. grain size	5mm	5mm	5mm
Diameter of pipe	1" / 1 1/4" / 1 1/2"	1" / 1 1/4"	1" / 1 1/4"
Article No	011699	014201	014218
EAN Code	5205909011699	5205909014201	5205909014218



SUBMERSIBLE PUMPS	SP7500	SP9001 INOX	SP2000	SP1312
Voltage/Frequency	230V~/50Hz	230V~/50Hz	230V~/50Hz	230V~/50Hz
Rated power	750W	900W	1.5hp	1.9hp
Max. pump rate	12500L/h	17000L/h	19800L/h	18000L/h
Max. height	8m	7m	9m	12m
Max. depth	5m	5m	5m	5m
Max. grain size	35mm	35mm	-	-
Diameter of pipe	1" / 1 1/4" / 1 1/2"	1" / 1 1/4" / 1 1/2"	2"	2"
Article No	010104	010760	014898	010944
EAN Code	5205909010104	5205909010760	5205909014898	5205909010944

GR Αντλίες επιφανείας
D Wasserpumpen
F Pompes à eau
I Pompa ad acqua
CZ Vodní čerpadla
SLO Vodné čerpadlá
AL Pompat e ujit
RO Pompe de apă
BG Водни помпи
MK Вода пумпи
TR Su pompaları
SRB Водене пумпе



Water everywhere

Nakayama water pump range has all types of pumping systems. Peripheral, jet, centrifugal, 2-stage, multistage, with tank or automatic pressure regulator, even with 2-stroke engine. There is no way not to find the exact for you.



ELECTRIC PUMPS	SP3722	SP7558	SP7542	SP1541
Voltage/Frequency	230V~/50Hz	230V~/50Hz	230V~/50Hz	230V~/50Hz
Rated power	370W	750W	750W	1500W
Pump type	peripheral	peripheral	jet	jet
Max. flow rate	2100L/min	3000L/min	3200L/min	9000L/min
Max. head	30m	58m	42m	41m
Max. grain	1m	1m	1m	1m
Max. suction height	8m	8m	8m	8m
Diameter of pipe	1"	1"	1"	1"
Article No	010937	014164	010890	014157
EAN Code	5205909010937	5205909014164	5205909010890	5205909014157



ELECTRIC PUMPS	SP7536	SP1119	SP1555	SP1058
Voltage/Frequency	230V~/50Hz	230V~/50Hz	230V~/50Hz	230V~/50Hz
Rated power	750W	110W	1500W	1000W
Pump type	centrifugal	centrifugal big flow	centrifugal 2-stage	multi-stage
Max. flow rate	5400L/min	24000L/min	8400L/min	11000L/min
Max. head	36m	19m	55m	58m
Max. grain	1m	1m	1m	1m
Max. suction height	8m	8m	8m	1.5m
Diameter of pipe	1"	1"	1"	1"
Article No	010906	014171	014188	014195
EAN Code	5205909010906	5205909014171	5205909014188	5205909014195



PRESSURE SWITCH	SP1011
Voltage/Frequency	230V~/50Hz
Rated power	1100W
Max work pressure	8.0bar
Article No	011897
EAN Code	5205909011897



AUTOMATIC BOOSTER	SP8038	SP8000
Voltage/Frequency	230V~/50Hz	230V~/50Hz
Rated power	800W	750W
Pump type	jet with filter	jet steel
Max. flow rate	3300L/min	4200L/min
Max. head	38m	50m
Max. grain	1m	1m
Max. suction height	8m	8m
Diameter of pipe	1"	1"
Work pressure	1.5~3.0bar	1.5~3.0bar
Pressure tank volume	20L	20L
Article No	010920	014584
EAN Code	5205909010920	5205909014584



GASOLINE PUMP	SP4200
Engine type	air-cooled, 2-stroke
Displacement/Power	25.4cc/1.0hp
Max. flow rate	250L/min
Max. head	35m
Diameter of pipe	1 1/2"
Article No	011903
EAN Code	5205909011903

GR	Εξαρτήματα Θαμνοκοπτικών
D	Bürstenschneider Zubehör
F	Accessoires coupe-brosse
I	Accessori per la spazzola
CZ	Príslušenství rezačky štětce
SLO	Príslušenstvo krovínorezy
AL	Pajisje për prerësin e furçave
RO	Accesorii pentru frezat cu perie
BG	Акcesoари за ножове за четки
MK	Додатоци за четка за четка
TR	Fırça kesici aksesuarları
SRB	Прибор за сечење четкица



Professional brush cutter accessories

Nakayama brush cutter accessories are made from a selection of the world best manufacturers from Italy, Germany etc. in order to guarantee that your machines will always perform the best way. No weed or bush will stand in your way!



EXPERT

FACE SHIELDS	VSP	VSR	PCSP	PCSR
Description	Professional face screen with polycarbonate shield. Adjustable	Professional face screen with metal net shield. Adjustable	Professional face screen with polycarbonate shield. Quick+Adjustable Extra sun protection	Professional face screen with metal net shield. Quick+Adjustable Extra sun protection
Article No	014904	012610	014911	012627
EAN Code	5205909014904	5205909012610	5205909014911	5205909012627



ELECTRIC PUMPS	PB310	PB320	PB300	PB200	PB100
Description	Universal nylon line head quick lock 100% aluminium 4 nylon exits	Universal nylon line semi-automatic metal cup 2 nylon exits	Universal nylon line head made from 100% aluminium 4-8 nylon exits	Double shoulder strap with waist pad	Super comfort double shoulder strap with waist pad
Article No	014799	014782	011774	011767	011750
EAN Code	5205909014799	5205909014782	5205909011774	5205909011767	5205909011750



NYLON LINES	ROUND	SQUARE	ALUMINIUM	BLACK STORM	TWIST ⁴	CARBON ³ TWIST
Description	Available in sizes 1.30 to 4.00 and in blister/spool of 15m, 1/2Kg, 2Kg	Available in sizes 3.30 to 4.00 and in blister/spool of 1/2Kg, 2Kg also in bag of 30 pcs of 36cm	Available in sizes 3.50 to 4.00 and in blister/spool of 1/2Kg	Available in sizes 3.00 to 4.00 and in blister/spool of 1/2Kg, 2Kg	Available in sizes 4.30 and in blister/spool of 1/2Kg, 2Kg	Available in sizes 3.50 to 4.30 and in blister/spool of 1/2Kg, 2Kg
Article No	for Article No and further information please consult the "Accessories pricelist"					



STEEL BLADES	PB600	PB500	PB400	PB700	PB800
Teeth	3	2	2 mulching	40 carbide	24 chainsaw type
Outside diameter	300mm	300mm	300mm	255mm	255mm
Hole diameter	25.4mm	25.4mm	25.4mm	25.4mm	25.4mm
Thickness	3.0mm	3.0mm	3.0mm	1.4mm body	1.8mm
Article No	011804	011798	011781	013037	013044
EAN Code	5205909011804	5205909011798	5205909011781	5205909013037	5205909013044

GR	Εξαρτήματα αλυσοπρίονων
D	Kettensägen Zubehör
F	Accessoires pour tronçonneuses
I	Accessori per Chainsaw
CZ	Řetězová pila Příslušenství
SLO	Dodatki za motorne žage
AL	Pajisje me sharrë elektrike me zinxhir
RO	Accesorii pt
BG	Акcesoари за верижни триони
MK	Додатоци за моторна пила
TR	Benzinli testereler
SRB	Додатна опрема за моторне тестере



Professional cutting accessories

A wide selection of professional chains made from USA imported steel SAE8660 from 1/4" to .404" matching with professional sprocket nose bars and stellite 6B nose bars and chain sprockets. We cover all brands and models of chainsaws.

We provide replacement bars and chains for all brands and models



*for detailed information please consult the "NAKAYAMA Accessories and parts catalogue"

EXPERT



	Pitch	Thickness	Tooth	Type	Lenght	Links	Article No
	1/4"	0.43" (1.1mm)		fast cut	25 ft 7.6 m	600	EK11-025R
	1/4"	0.50" (1.3mm)		fast cut	25 ft 7.6 m	600	EK13-025R
	1/4"	0.50" (1.3mm)		fast cut	100 ft 30.5 m	2640	EK13-100R
	3/8" LP	0.43" (1.1mm)		no kickback "wing"	100 ft 30.5 m	1640	BG11-S-100R
	3/8" LP	0.50" (1.3mm)		no kickback "wing"	100 ft 30.5 m	1640	BG13-S-100R
	3/8" LP	0.50" (1.3mm)		no kickback CARBIDE	25 ft 7.6 m	410	CA13-S-025R
	.325"	0.50" (1.3mm)		no kickback CARBIDE	25 ft 7.6 m	480	CA325-025R
	.325"	0.50" (1.3mm)		semi-chisel	100 ft 30.5 m	1840	KB13-100R
	.325"	0.58" (1.5mm)		semi-chisel	100 ft 30.5 m	1840	KB15-100R
	.325"	0.50" (1.3mm)		no kickback semi-chisel	100 ft 30.5 m	1840	KB13-S-100R
	.325"	0.58" (1.5mm)		no kickback semi-chisel	100 ft 30.5 m	1840	KB15-S-100R
	.325"	0.50" (1.3mm)		no kickback full-chisel	100 ft 30.5 m	1840	LKB13-S-100R
	.325"	0.58" (1.5mm)		no kickback full-chisel	100 ft 30.5 m	1840	LKB15-S-100R
	3/8"	0.50" (1.3mm)		semi-chisel	100 ft 30.5 m	1640	EP13-100R
	3/8"	0.58" (1.5mm)		semi-chisel	100 ft 30.5 m	1640	EP15-100R
	3/8"	0.50" (1.3mm)		no kickback semi-chisel	100 ft 30.5 m	1640	EP13-S-100R
	3/8"	0.58" (1.5mm)		no kickback semi-chisel	100 ft 30.5 m	1640	EP15-S-100R
	3/8"	0.50" (1.3mm)		no kickback full-chisel	100 ft 30.5 m	1640	LEP13-S-100R
	3/8"	0.58" (1.5mm)		no kickback full-chisel	100 ft 30.5 m	1640	LEP15-S-100R
	404"	0.63" (1.6mm)		semi-chisel	25 ft 7.6 m	370	PM16-025R
	404"	0.63" (1.6mm)		semi-chisel	100 ft 30.5 m	1480	PM16-100R

GR Ψαλίδες κλάδου
D Gartenschere
F Cisailles de jardinier
I Cesoie
CZ Zahradní nůžky
SLO Škarje za vrtove
AL Kopshti gërshërë të mëdha
RO Foarfece de grădină
BG Градински ножици
MK Градинарски ножици
TR Bahçe makası
SRB Врт маказе



The finest cut!

All Nakayama shears are made in Taiwan from the best raw materials. The blades are made for high quality Japanese carbon steel. Depending on the model you can have normal finish, teflon coated or polished finish. The knives are also made from Japanese stainless steel.

**JAPAN
STEEL**



GARDEN SHEARS	SSF810	SSF400	SSF810	SSF420
Description	Aluminium handle Bypass blade made from high carbon Japanese steel Teflon coated Total length 215mm Cutting Ø 25mm	Steel handle Bypass blade made from high carbon Japanese steel Total length 220mm Cutting Ø 20mm	Aluminium drop forged handle Bypass blade made from high carbon Japanese steel Polished Total length 210mm Cutting Ø 25mm	Steel drop forged handle Bypass blade made from high carbon Japanese steel Polished Total length 230mm Cutting Ø 25mm
Article No	012078	012108	012085	013396
EAN Code	5205909012078	5205909012108	5205909012085	5205909013396



GARDEN SHEARS	SSF500	SSF410	SSF200	SSF210
Description	Steel adjustable handle Anvil blade made from high carbon Japanese steel Polished Total length 210mm Cutting Ø 25mm	Nylon/fiberglass handle Bypass blade made from high carbon Japanese steel Polished Total length 230mm Cutting Ø 30mm	Steel vinyl coated handle Straight blade made from high carbon Japanese steel Black finished Total length 184mm Cutting Ø 6mm Special for grapes	Steel vinyl coated handle Curved blade made from high carbon Japanese steel Black finished Total length 165mm Cutting Ø 6mm Special for fruits
Article No	012122	012092	012054	012061
EAN Code	5205909012122	5205909012092	5205909012054	5205909012061



PRUNING SHEARS	SSF700	SSF710
Description	Oval aluminium handle Bypass blade made from high carbon Japanese steel Teflon coated Force multiplier Total length 755mm Cutting Ø 38mm	Oval aluminium handle Anvil blade made from high carbon Japanese steel Teflon coated Force multiplier Total length 740mm Cutting Ø 38mm
Article No	012030	012047
EAN Code	5205909012030	5205909012047



**MADE IN
TAIWAN**



PROTECTIVE VAISON	SSF900	SSF910	SSF920	SSF930
Description	Grafting knife with 2 blades One made from Japanese stainless steel 440A and secondary from nylon/fiberglass Length 165mm	Pruning knife with Japanese stainless steel 440A curved blade Length 180mm	General purpose knife with Japanese stainless steel blade and ergonomic Poly Grip Lenght 210mm	Carbide sharpener with oiling system on the back Lenght 110mm
Article No	012115	013372	013389	013365
EAN Code	5205909012115	5205909013372	5205909013389	5205909013365

GR Χειροπριονα
D Gartensägen
F Scies de jardin
I Seghe da giardino
CZ Zahradní pily
SLO Vrtné žage
AL Sharra Kopshti
RO Ferăstraie de grădină
BG Градински триони
MK Градинарски пили
TR Bahçe testereleri
SRB Гарден савс



Bring it down

Handheld saws that cut twice as fast compared to the standard ones, most made from Japanese steel and are made in Taiwan and Japan. 3D teeth is standard on all models.

**JAPAN
STEEL**

MADE IN JAPAN EXPERT	
MELAMINE SAWS	SSF180
Description	Melamine saw Hardened teeth Japanese steel blade Blade 265mm - 16TPI
Article No	013327
EAN Code	5205909013327



PRUNING SAWS	FPS180	SSF300	SSF100
Description	Folding pruning saw Triple hardened teeth blade Ergonomic soft handle Blade 180mm - 8TPI	Folding pruning saw Triple teeth high carbon Japanese steel blade Ergonomic soft handle Metal lock Blade 180mm - 8TPI	Folding pruning saw Triple teeth high carbon Japanese steel blade Ergonomic soft handle Metal lock Blade 210mm - 8TPI
Article No	011941	013341	013297
EAN Code	5205909011941	5205909013341	5205909013297



PRUNING SAWS	PSL	SSF
Description	Pruning saw with seath Triple teeth steel blade Ergonomic soft handle PSL180 - Blade 180mm - 8TPI (article# 011972) PSL240 - Blade 240mm - 8TPI (article# 011989) PSL240 - Blade 240mm - 12TPI (article# 012016) PSL270 - Blade 270mm - 8TPI (article# 011996) PSL300 - Blade 300mm - 8TPI (article# 012009)	Pruning saw with seath Triple teeth high carbon Japanese steel blade Ergonomic soft handle SSF320 - Blade 250mm - 8TPI (article# 013402) SSF340 - Blade 250mm - 12TPI (article# 013419) SSF330 - Blade 300mm - 8TPI (article# 013426)



POLE PRUNING SAWS	PPS330	SSF110	SSF120
Description	Pole and hand pruning saw Triple teeth curved steel blade Blade 330mm - 8TPI	Pole and hand pruning saw Triple teeth high carbon Japanese curved steel blade Blade 330mm - 7TPI	Pole and hand pruning saw Triple teeth high carbon Japanese curved steel blade Blade 330mm - 7TPI
Article No	011965	013303	013310
EAN Code	5205909011965	5205909013303	5205909013310



PRUNING SAWS	WPS330	CPS330	SSF310
Description	Wooden handle pruning saw Triple hardened teeth curved blade Blade 330mm - 8TPI	Pruning saw Triple teeth high carbon Japanese curved steel blade Ergonomic soft handle Blade 330mm - 8TPI	Pruning saw with seath Triple teeth high carbon Japanese curved steel blade Ergonomic soft handle Blade 330mm - 8TPI
Article No	011941	011958	013297
EAN Code	5205909011941	5205909011958	5205909013297

GR	Πότισμα
D	Bewässerungssystem
F	Système d'arrosage
I	Sistema di irrigazione
CZ	Zavlažovací systém
SLO	Napajalni sistem
AL	Sistemi i Lotimit
RO	Sistemul de udare
BG	Поливна система
MK	Систем за наводнување
TR	Sulama Sistemi
SRB	Систем заливања



Home, garden, garage

Everywhere you need water we have a full selection of the finest articles. 25 years guarantee hose, manual water timer, ABS+TPR connectors and fittings and many more. All built to last made in Taiwan.

0.5
bar min.

12
bar max.

40°C
max.

Ø 1" - 3/4"



EXPERT

Watering hose 5 ply

Made from the best materials to guarantee the maximum durability in time



25 years guarantee



No torsion



Max. use temperature
+60° C
Min. use temperature
-20° C



Durable in extreme weather conditions



Ecologic
100%
Non toxic



Algae free



EXPERT

WATERING TIMERS	NA3000
Description	With metallic filter Compatible with most systems Frequency selector: from 1 to 72 hours or weekly confirmation LED + battery status with automatic shut down Start delay (max. 12 hours) Timing selector: ON/OFF and watering time (from 1 to 120 minutes)
Article No	012603
EAN Code	5205909012603

Article No	Description
012528	POSEIDON 1/2" - 15m
012535	POSEIDON 1/2" - 25m
012542	POSEIDON 1/2" - 50m
012559	POSEIDON 5/8" - 15m
012566	POSEIDON 5/8" - 25m
012573	POSEIDON 5/8" - 50m
012580	POSEIDON 3/4" - 25m
012597	POSEIDON 3/4" - 50m



FITTINGS	NA100	NA101	NA102	NA103	NA106	NA105
Description	Quick fit 1/2" ABS+TBR	Quick fit 3/4" ABS+TBR	Connector 1/2" ABS+TBR	Connector 1/2" to 3/4" ABS+TBR	Double male Quick fit connector	Triple male Quick fit connector
Article No	012306	012313	012306	012337	012368	012351
EAN Code	5205909012306	5205909012313	5205909012306	5205909012337	5205909012368	5205909012351



FITTINGS	NA104	NA107	NA108	NA109	NA110
Description	Male Quick fit 3/4"	Female Quick fit 3/4" - 1/2"	Female Quick fit 1" - 3/4"	Female Connector 3/4" ABS+TBR	Double tap for 1" and 3/4"
Article No	012344	012375	012382	012399	012405
EAN Code	5205909012344	5205909012375	5205909012382	5205909012399	5205909012405



NOZZLES	NA114	NA113	NA112	NA111
Description	Adjustable nozzle ABS+TPR	Soft handle pistol adjustable nozzle	Soft handle pistol 8-pattern nozzle	Metal Soft handle pistol adjustable nozzle
Article No	012443	012436	012429	012412
EAN Code	5205909012405	5205909012405	5205909012405	5205909012405



VARIOUS	NA117	NA116	NA115	NS50	NS120
Description	Hose reel with wheels for 50m (1/2")	Circular sprinkler	Wide range sprinkler	5L watering can	12L watering can
Article No	012498	012467	012450	010401	012418
EAN Code	520590012498 9	5205909012498	5205909012498	5205909012498	5205909012498

2018

CATALOGUE



Exclusive distribution by D. Nikolaou S.A.
Antheon 6 Koropi, Athens Greece

www.nikolaoutools.gr