

NAKAYAMA[®]

PRO



100⁺
TOOLS





NAKAYAMA[®]

PRO

With 40 years of experience, **NAKAYAMA PRO** is a European brand driven by **Japanese Technology** and inspired by a commitment to precision, durability and performance. Our mission is to deliver reliable garden tools and accessories designed for professionals and demanding users.

Our range includes **1,500** products, each certified by **TÜV NORD GERMANY** to ensure maximum safety and outstanding performance. Today, **NAKAYAMA PRO** products are trusted in **60 countries** across 4 continents, supported by **30,000 sq.m.** of warehouse facilities.

As a complete one-stop shop, we offer a full range of garden solutions, reliable after-sales service and a comprehensive selection of spare parts. With a strong customer-first philosophy and continuous development, **NAKAYAMA PRO** remains a trusted partner for professional gardening needs.

Join our global network and experience the power of European quality.



1.500
PRODUCTS




30.000sqm
TOTAL WAREHOUSE



22.000
SPARE PARTS



60
COUNTRIES
OF EXPORTS





B2B

- Ensure stable sales through long-term partnerships.
- Availability of detailed product data logs.
- Presentation of new manual tools product line.
- Support for partners with comprehensive informational material (print & digital).
- Continuous content updates with new presentations.



SCAN HERE

AND TAKE A TOUR
TO OUR FACILITIES

CONTENTS



► Cordless tools

p. 5-16



► Brush cutters ► Pole saws

p. 17-20



► Chainsaws

p. 21-22



► Lawnmower ► Grass chipper

p. 23-25



► Chipper shredder

p. 26



► Tillers ► Motor cultivators ► Trailers

p. 27-31




► Augers ► Blowers ► Trimmers

p. 32-33



► Pumps ► Sprayers

p. 34-39



► HANDTOOLS - ACCESSORIES

p. 40-59





BRUSHLESS
MOTOR



PRUNING
COMBO

SK5 STEEL

EC1221X44T3C | 085492

Set cordless chainsaw
and pruning shear

Chainsaw

Guide bar	20cm
Chain/guide	1/4"x1,1mm/46
Chain speed	8m/s
Lubrication system	Automatic pump
Weight	1.4kg

INCLUDE: Extra chain, charger, tools,
protection glasses

Pruning shear

Cutting capacity (2 positions)	0-22/28mm
Display	HD Digitale
Weight	0.75kg

Extension

Length	1.2-1.9m
Weight	1.0kg

INCLUDE: 2x2.0Ah, 1.5A charger, Safety
Switch, 10ml oil bottle (without oil),
HEX wrench, socket



+OFFER
the Extension



BRUSHLESS
MOTOR



EC1040 | 082453

Cordless mini chainsaw

Guide bar	10cm
Chain/guide	1/4" 1,1mm/28
Chain speed	10m/s
Weight	0.815kg

INCLUDE: Extra chain, charger,
tools, protection glasses



BRUSHLESS
MOTOR



VIDEO



EC1050

EC1050 | 075028

Cordless mini chainsaw

Guide bar	15cm
Chain/guide	1/4"x1,1mm/37
Chain speed	10m/s
Weight	0.825kg

INCLUDE: Extra chain, charger,
protection glasses





**BRUSHLESS
MOTOR**



VIDEO



EC1100

EC1100 | 074991

Cordless mini chainsaw

Guide bar	15cm
Chain/guide	1/4"x1,1mm/37
Chain speed	10m/s
Lubrication system	With pump
Weight	1,1Kg

INCLUDE: Extra chain, charger, tools, protection glasses



**BRUSHLESS
MOTOR**



VIDEO



EC1200

EC1200 | 075004

Cordless mini chainsaw

Guide bar	20cm
Chain/guide	1/4"x1,1mm/46
Chain speed	10m/s
Lubrication system	Automatic pump
Weight	1.4Kg

INCLUDE: Extra chain, charger, tools, protection glasses



**BRUSHLESS
MOTOR**



PRO

VIDEO



EC1520

EC1520 | 082927

Cordless mini chainsaw

Guide bar	20cm
Chain/guide	1/4x1,1mm/47
Chain speed	11m/s
Lubrication system	Automatic pump
Weight	1.5Kg

INCLUDE: Charger, tools



**BRUSHLESS
MOTOR**



PRO

VIDEO



EC1230

EC1230 | 082996

Cordless mini chainsaw

Guide bar	30cm
Chain/guide	1/4" 1,1mm/62
Chain speed	14m/s
Lubrication system	Automatic pump
Weight	1.55 kg

INCLUDE: Extra chain, charger, tools, protection glasses





NEW

EC1740X22T3 | 086185

Cordless garden combo, blower, hedge trimmer, brushcutter

Leaf blower

Maximum Air Volume	245 m³/min
Maximum Air Speed	241 Km/h
Load speed	11000/13500rpm
Weight	1.1kg

Hedge trimmer

Load speed	1550spm
Guide bar	46cm
Cutting Length	44cm
Cutting Capacity	16mm
Rotating Handle	0/±45/±90°
Protective Guard	
Weight	2.2kg

Brushcutter

Cutting Width	300mm
Load speed	8000rpm
Telescopic Shaft	487 - 890mm
With adjustable guard, rotating head from 0° to 90°	
Weight	1.7Kg



Rotating Handle



NEW

EC1660X4CA | 086307

Cordless washer

Maximum Pressure	30bar
Water Flow Rate	300lt/h
Operating Time	16'
6 Settings nozzle	
Weight	1,1Kg

INCLUDE: 1x5m water hose
quick-connect nozzle head with 6 spray settings, water inlet filter, 1/2" quick connector, lance extension, detergent tank 4.0 Ah battery, 2A charger



NIKOLAOU
FORCE
21V

1x 2.0Ah

1x 4.0Ah

PRUNING
COMBO

SK5 STEEL

NEW

Rotating handle

EC1750X24T4 | 086277

Cordless garden combo, blower, brushcutter, pruning shear, hedge trimmer

Leaf blower

Air Volume	570 m³/n
Air Speed	144Km/h
Load speed	13000/16000rpm
Switch with Safety Lock	
Weight	2.1kg

Pruning shear

Cutting capacity	0-28mm
Display	HD Digital
Weight	0.75Kg

Brushcutter

Disk Diameter	300mm
Load speed	8000rpm
Split Shaft / Telescopic	487 - 890mm
With adjustable guard, rotating head from 0° to 90°	
Weight	1.7Kg

Hedge trimmer

Load speed	1550spm
Guide bar	46cm
Cutting Length	44cm
Cutting Capacity	16mm
Rotating Handle	0/±45/±90°
Protective Guard	
Weight	2.2kg



PRO

BRUSHLESS
MOTOR



EC1615 | 083092

Telescopic pole saw

Blade Length	20cm
Chain-Guides/Links	1/4x1,1mm /47
Chain Speed	10m/s
Lubrication system	Automatic pump
Reciprocating Saw	180,0-300,0cm
Weight	2.7kg



PRO

BRUSHLESS
MOTOR

SOLO



EC1620 | 078043

Telescopic pole saw

Blade Length	20cm
Chain-Guides/Links	1/4x1,1mm/48
Chain Speed	8m/s
Lubrication system	Automatic pump
Reciprocating Saw	150,0-300,0cm
Weight	2.4Kg




PRO

BRUSHLESS
MOTOR

SK5 STEEL

SOLO



THE
LIGHTEST
IN THEIR
CLASS

EC1630 | 079026

Extension pruner

Cutting Diameter (2STEPS)	0-22/0-35mm
Height	2,2m
Weight	1.9Kg

PRO

EC1605 | 071723

Connecting wire
for batteries
for EC1600



PRO

EC1505 | 071525

Work fanny pack





BRUSHLESS
MOTOR



PRO

VIDEO



EC1600



EC1600 | 061694

Cordless chainsaw

Guide bar	20cm
Chain/guide	1/4x1,1mm/47
Chain speed	15m/s
Lubrication system	Automatic pump
Weight	1,5Kg

INCLUDE: Charger, tools



BRUSHLESS
MOTOR

42V(21+21)



PRO

NEW

EC1711X44 | 085294

Cordless chainsaw

Guide bar	40cm(16")
Chain/guide	3/8LP", 1.1mm/57
Chain speed	15/25 m/s
Selection keypad	2 speeds
Lubrication system	Automatic pump
Chain tensioner	
Weight	3.8Kg

INCLUDE: 4A Dual fast-charger, tools



NIKOLAOU
FORCE
21V

BRUSHLESS
MOTOR

42V(21+21)

2x 4.0Ah

NEW

EC4611x44 | 086406

Brush cutter

Trimmer Line Diameter	300mm
Split Shaft	
Speed	5500-7500rpm
Shaft Diameter	26mm
Weight	6.2Kg

INCLUDE: Disc 3T,
nylon line, belt



NIKOLAOU
FORCE
21V



Telescopic extension rod

MODEL	EC1020	EC1525
CODE	075011	085256
Lenght	1,2-1,9m	1,3-2,5m
Weight	1Kg	1.4Kg

NIKOLAOU
FORCE
21V

1x 4.0Ah

PRO

NEW



EC1651x4 | 086390

Hedge trimmer

Load speed	1550spm
Bar Length	46cm
Cutting Capacity	16mm
Rotate Handle	0/±45/±90°
Weight	2.2kg



BRUSHLESS
MOTOR

SK5 STEEL

VIDEO



EC1250



EC1250 | 075035

Cordless pruning shears

Cutting capacity (2 positions)	0-22/28mm
Display	HD Digital
Weight	0.75Kg

INCLUDE: Charger, tools



BRUSHLESS
MOTOR

SK5 STEEL

VIDEO



EC1435

EC1435 | 082903

Cordless pruning shears

Cutting capacity (2 positions)	0-15/35mm
Progressive cutting	
Display	HD Digital
Weight	0.85Kg

INCLUDE: Charger, tools



PRO



BRUSHLESS
MOTOR

SK5 STEEL

VIDEO



EC1440

EC1440 | 082910

Cordless pruning shears

Cutting capacity (2 positions)	0-15/40mm
Progressive cutting	
Display	HD Digital
Weight	0.9Kg

INCLUDE: Charger, tools



PRO

NI-Li-ion
FORCE
21V

1x 4.0Ah

PRO



EC1641X4 | 086383

Cordless blower

Air Volume	570m³/h
Air Speed	144km/h
Load speed	13000-16000rpm
Weight	2.1kg

INCLUDE: Charger

NEW

NI-Li-ion
FORCE
21V

BRUSHLESS
MOTOR

2x 4.0Ah

PRO

42V(21+21)

4+1
TURBO



EC1719X44 | 085331

Cordless mini chainsaw

Air Volume	1020 m³/h
Air Speed	240Km/h
Speed options	4+1 Turbo
Load speed	9000-23000rpm
Weight	3.1kg

INCLUDE: 4A Dual fast-charger,
double hook strap

NEW

NI-Li-ion
FORCE
21V

BRUSHLESS
MOTOR

2x 4.0Ah

PRO

42V(21+21)

4+1
TURBO



2 to 1

EC1715X44 | 085317

Cordless blower vacuum cleaner

Air Volume	650 m³/h
Air Speed	240Km/h
Speed options	4+1 Turbo
Load speed	17000rpm
Collection Bag Capacity	45Lt
Weight	3.4kg

INCLUDE: 4A Dual fast-charger,
single harness, collection bag

NEW

NI-Li-ion
FORCE
21V

BRUSHLESS
MOTOR

2x 4.0Ah

PRO

42V(21+21)

4+1
TURBO



EC1723X44 | 085379

Cordless blower

Air Volume	1100m³/h
Air Speed	252 Km/h
Speed options	4+1 Turbo
Load speed	9000-23000rpm
Weight	5.6Kg

INCLUDE: 4A Dual fast-charger

NEW



BRUSHLESS
MOTOR



PRO

42V(21+21)

NEW



EC1726X44 | 085393

Cordless lawn mower

Cutting width	43cm
Cutting height	2.5-7.5cm
Load speed	3300rpm
Basket volume	50Lt
Wheel size front/rear(Φ)	180/250mm
Deck	Plastic
Mulching, rear bag and side discharge	
Weight	13.8Kg

INCLUDE: 4A Dual fast-charger



BRUSHLESS
MOTOR



PRO

42V(21+21)

NEW



EC1730X44 | 085416

Cordless lawn mower

Cutting width	47cm
Cutting height	3.0-7.5cm
Load speed	3300rpm
Basket volume	65Lt
Wheel size front/rear(Φ)	200/280mm
Deck	Steel
Mulching, rear bag and side discharge	
Weight	26.3Kg

INCLUDE: 4A Dual fast-charger



ALL 21V TOOLS HAVE A COMMON BATTERY CONNECTOR



EC1631 | 079033

Charger 1.5A

For EC1600, EC1620,
EC1630



EC1201 | 075776

Battery 2Ah

For EC1050, EC1100,
EC1200, EC1250



EC1101 | 075042

Battery 4Ah

For EC1600, EC1620,
EC1630



EC1102 | 075783

Charger 1A

For EC1050, EC1100,
EC1200, EC1250

CHARGING
INDICATOR
LIGHT

EC1608 | 078074

Battery (backpack)
20Ah

For EC1600, EC1620,
EC1630



EC1609 | 078081

Charger 3A

For EC1608



16.8V

BRUSHLESS
MOTOR

1x 2.0Ah

EC1500 | 053101

Cordless mini chainsaw

Guide bar	13cm
Chain/guide	1/4" 1,1mm/32
Chain speed	11m/s
Lubrication system	With pump
Weight	0,74Kg
LED battery Indicator	

INCLUDE: Charger, tools



16.8V

BRUSHLESS
MOTOR

1x 2.0Ah

SK5 STEEL

EC1350 | 055648

Cordless pruning shears

Cutting capacity (2 positions)	0-25/0-32mm
Progressive cutting	
Weight	0,74Kg
LED battery Indicator	

INCLUDE: Charger, tools



PRO

EC1501 | 053118

Battery 16,8V

For EC1500/EC1350



PRO

EC1500EXT | 065227

Telescopic extension bar 1,5-2,1m

For EC1500 & EC1350



PRO

EC1503 | 073994

Connection wire

For EC1350 & EC1500



BRUSHLESS
MOTOR

1x 2.0Ah

EC1550 | 055655

Cordless mini chainsaw

Guide bar	20cm
Chain/guide	1/4" 1,1mm/48
Chain speed	11m/s
Lubrication system	With pump
Weight	1,5Kg
LED battery Indicator	

INCLUDE: Charger, tools



BRUSHLESS
MOTOR

1x 2.0Ah

SK5 STEEL

EC1400 | 053088

Cordless pruning shears

Cutting capacity (2 positions)	0-30/40mm
Progressive cutting	
Display	HD Digital
Weight	0,97Kg

INCLUDE: Charger, tools



PRO

EC1405 | 073987

Connection wire

For EC1400



PRO

EC1401 | 053095

Battery 21V

For EC1400/EC1550



PRO

EC1402 | 055662

Battery 21V

For EC1550/EC1400



16.8V

BRUSHLESS
MOTOR



2x **2.0Ah**

PRO

EC1510 | 077411

Cordless mini chainsaw

Guide bar	15cm
Chain/guide	1/4", 1,1/36mm
Chain speed	8m/s
Lubrication system	Automatic pump
Weight	0,96Kg
LED battery Indicator	

INCLUDE: Charger, tools



16.8V

BRUSHLESS
MOTOR



1x **2.0Ah**

SK5 STEEL

PRO

EC1300 | 053064

Cordless mini chainsaw

Cutting capacity (2 positions)	0-22/0-28mm
Weight	0.69Kg

INCLUDE: Charger, tools

VIDEO



EC1300



PRO

EC1510EXT | 077459

Telescopic extension bar 1,5-2,1m
For EC1510

EC1301 | 053071

Battery 16.8V, 2.0Ah
For EC1300, EC1510



PRO

16.8V

BRUSHLESS
MOTOR



2x **2.0Ah**

SK5 STEEL

PRO

NEW

EC1428 | 084969

Cordless pruning shears

Cutting capacity (2 positions)	0-22/28mm
Progressive cutting	
Weight	0.69Kg

INCLUDE: Charger, tools



20V

BRUSHLESS
MOTOR

SOLO

PRO

VIDEO



EC3000



EC3000 | 042099

Cordless chainsaw

Guide bar	25cm with gear
Chain/guide	1/4x1,1mm/58
Chain speed	11m/s
Lubrication system	Automatic pump
Weight	1.9 Kg

EC3005 | 042105

Battery 20V
per EC3000



PRO

EC3010 | 042112

Charger 20V
per EC3000



PRO



2STROKE

EASY
START

PB4320 | 066606

Gasoline brush cutter

Engine Displacement	43cc
Max Power	1.8Hp
Load speed	6500rpm
Fuel Tank	1200ml
Shaft Diameter	26mm
Weight	7.4kg

INCLUDE: Harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank



PB4320

2STROKE

EASY
START

PB5221 | 033783

Gasoline brush cutter

Engine Displacement	52cc
Max Power	2.0Hp
Load speed	6500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
Weight	7.6kg

INCLUDE: Double harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank



2STROKE

EASY
START

PB5228 | 078906

Gasoline brush cutter

Engine Displacement	52cc
Max Power	2.0Hp
Load speed	6500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
Split shaft	
Weight	7.6kg

INCLUDE: Double harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank carburante



2STROKE

EASY
START

PB6210 | 024255

Gasoline brush cutter

Engine Displacement	62cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
Weight	7.9kg

INCLUDE: Double harness, 3T metal disc, aluminium trimmet head with 4 exits, Service tools, Fuel tank

VIDEO



PB6210



2STROKE

EASY
START

PB6310 | 024248

Brush cutter

Engine Displacement	63cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
With anti-vibration system	
Weight	9.0Kg

INCLUDE: Reinforced double harness, 40T metal disc, aluminium trimmet head with 4 exits, Service tools, Fuel tank



2STROKE

EASY
START

PB7230 | 066484

Gasoline brush cutter

Engine Displacement	72cc
Max Power	3.8Hp
Load speed	10000rpm
Fuel Tank	1200ml
Shaft Diameter	28mm

With anti-vibration steering system

Weight 8.6kg

INCLUDE: Reinforced double harness, 40C metal disc, aluminium trimmet head with 4 exits, Service tools, Fuel tank



PRO 2STROKE

EASY
START

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PB5450 | 033967

Gasoline brush cutter

Engine Displacement	52cc
Max Power	2.0Hp
Load speed	10000rpm
Fuel Tank	900ml
Shaft Diameter	28mm
Weight	7.6kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank



PB1000 | 015611

Tiller for brush cutter

25cm for axis 28mm



FT2000 | 014300

Fuel tank

Metal construction 20lt



2STROKE

EASY
START

ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PRO

PB5600 | 033790

Gasoline brush cutter

Engine Displacement	52cc
Max Power	2.3Hp
Load speed	10000rpm
Fuel Tank	900ml
Shaft Diameter	28mm
With anti-vibration system	
Weight	9.2Kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank

VIDEO



PB5600



2STROKE

EASY
START

ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PRO

PB7500 | 033813

Gasoline brush cutter

Engine Displacement	63.3cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
Weight	8.8kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank



2STROKE

EASY
START

PRO

ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PB7700 | 033806

Gasoline brush cutter


Engine Displacement	63.3cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
With anti-vibration system	
Weight	10.8kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank

VIDEO



PB7700



2STROKE

EASY
START

PRO


ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PS5105 | 036500

Multi-functional tool 4 in 1

Engine Displacement	25.4cc
Max Power	1Hp
Load speed	10000rpm
Fuel Tank	700ml
Albero divisibile	
Shaft Diameter	26mm
Length of scissors	395mm
Guide bar	25cm
Blade with gear	
Chain/guide	1/4", 1.1mm /56
Total length	2.2m
Weight	11.3Kg

INCLUDE: Double harness, Trimmer head, 3T metal disc, Service tools, Fuel tank



PS5105EXT | 036524

Extension pole

For PS2500, PS2600
26mmx76cm



PRO

ET6100 | 034278

Electric grass trimmer

Power	550W
Load speed	8800rpm
Total length	98-120cm
Diameter of Trimmer Line	320mm
Weight	3.85Kg

INCLUDE: Automatic trimmer head, Service tools



PRO

EB1010 | 053033

Electric brush cutter

Power	1000W
Load speed	7500rpm
Max. cutting width	350mm
Split shaft	
Shaft Diameter	26mm
Weight	5.6Kg

INCLUDE: Harness, 3T metal disc, Trimmer head, Service tools



PRO


NEW

EB1012 | 084587

Electric brush cutter

Power	1400W
Load speed	7500rpm
Max. cutting width	380mm
Split shaft	
Shaft Diameter	26mm
Protection against overheating	
Weight	4.6Kg

INCLUDE: Bicycle handle, 3T blade, spool, Aluminum tube



2STROKE

PS5170 | 054115

Gasoline multitool 4 in 1

Engine Displacement	51.7cc
Max Power	2.1Hp
Load speed	8500rpm
Fuel tank	1200ml
Shaft Diameter	26mm
Hedge Trimmer cutting length	39,5cm
Blade	25cm
Chain/guide	3/8"LP 1.3mm/39
Extension Shaft	1m
Length without extension	2,2m
Weight	13Kg

INCLUDE: Nylon Head, 3T Blade, Double Belt




PS2600 | 029113

Gasoline pole saw

Engine Displacement	25.4cc
Max Power	1.1Hp
Blade with gear	
Load speed	10000rpm
Chain/guide	1/4" 1.1mm/58
Guide bar	25cm
Fuel tank	700ml
Length chainsaw	2m
Weight	5.3Kg

INCLUDE: Bar, Chain, Belt, Service tools, Fuel tank



PRO

ES7250 | 034339

Electric pole saw

Power	750W
Load speed	6000rpm
Blade with gear	
Chain/guide	3/8"LP, 1.3mm /33
Guide bar	20cm
Hedge Trimmer cutting length	2.0-2.8m
Angle Adjustable Position	0, 15, 30°
Weight	3.0Kg

INCLUDE: Belt, Bar, Chain, Lubrication oil



PS2500EXT | 012801

Pole extension

Per PS2600 100cm, Weight 0.35Kg



2STROKE



PC3100 | 029052

Gasoline chainsaw

Engine Displacement	25cc
Max Power	1.3Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	230ml
Guide bar	25cm
Blade with gear	
Chain/guide	3/8"LP, 1.3mm/40
Oil Chain Tank	160ml
Weight	2.9Kg



INCLUDE: Bar, Chain, Harness,
Service tools, Fuel tank

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

2STROKE

EASY
START

PRO



PC2525 | 068228

Gasoline chainsaw

Engine Displacement	25cc
Max Power	1.4Hp
Lubrication system	Automatic pump
Load speed	3400rpm
Fuel tank	190ml
Guide bar	25cm
Blade with gear	
Chain/guide	1/4", 1.1mm/56
Oil Chain Tank	140ml
Weight	2.5Kg



INCLUDE: Bar, Chain, Harness,
Service tools, Fuel tank

2STROKE

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

EASY
START



PRO



PC3530 | 030652

Gasoline chainsaw

Engine Displacement	25.4cc
Max Power	1.35Hp
Carving blade	25cm
Load speed	3000rpm
Fuel tank	230ml
Guide bar	25cm
Blade with gear	
Chain/guide	1/4" 1.1mm/60
Oil Chain Tank	160ml
Weight	2.9Kg

2STROKE



PC4600 | 029069

Gasoline chainsaw

Engine Displacement	45cc
Max Power	2.45Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	550ml
Guide bar	45cm
Blade with gear	
Chain/guide	0.325" 1.3mm/72
Oil Chain Tank	260ml
Weight	4.5Kg



2STROKE



PC5600 | 029076

Gasoline chainsaw

Engine Displacement	50cc
Max Power	2.6Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	550ml
Guide bar	50cm
Blade with gear	
Chain/guide	0.325" 1.5mm/76
Oil Chain Tank	260ml
Weight	5.0Kg



INCLUDE: Bar, Chain, Service tools, Fuel tank

2STROKE



PC6700 | 029083

Gasoline chainsaw

Engine Displacement	56.3cc
Max Power	3.8Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	550ml
Guide bar	55cm
Blade with gear	
Chain/guide	0.325" 1.5mm/84
Oil Chain Tank	260ml
Weight	5.4Kg



INCLUDE: Bar, Chain, Service tools, Fuel tank

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

2STROKE

EASY
START

PRO

PC4100 | 036456

Gasoline chain saw

Engine Displacement	39.6cc
Max Power	2.0Hp
Lubrication system	Automatic pump
Load speed	3700rpm
Fuel tank	410ml
Guide bar	40cm
Blade with gear	
Chain/guide	0.325", 1.3mm/56
Oil Chain Tank	140ml
Weight	4.3Kg

INCLUDE: Bar, Chain, Service tools, Fuel tank



ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

2STROKE

PRO

PC4610 | 036463

Gasoline chain saw

Engine Displacement	39.6cc
Max Power	2.0Hp
Lubrication system	Automatic pump
Load speed	3700rpm
Fuel tank	520ml
Guide bar	45cm
Blade with gear	
Chain/guide	0.325", 1.3mm/56
Oil Chain Tank	260ml
Weight	4.9Kg

INCLUDE: Bar, Chain, Service tools, Fuel tank



EASY
START



ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

2STROKE

PRO

PC5610 | 036470

Gasoline chain saw

Engine Displacement	54.6cc
Max Power	3.5Hp
Lubrication system	Automatic pump
Load speed	3700rpm
Fuel tank	450ml
Guide bar	50cm
Blade with gear	
Chain/guide	0.325", 1.5mm/78
Oil Chain Tank	260ml
Weight	5.2Kg

INCLUDE: Bar, Chain, Service tools, Fuel tank



EASY
START



EC2035 | 042600

Gasoline chain saw

Power	1800W
Guide bar	35cm
Load speed	7500rpm
Chain speed	14m/s
Blade with gear	
Chain/guide	3/8LP", 1.3mm/52
Oil Chain Tank	120ml
Weight	3.8Kg

INCLUDE: Bar, Chain, Service tools, Fuel tank



EC2350 | 034322

Electric chain

Power	2400W
Guide bar	45cm
Load speed	7600rpm
Chain speed	14m/s
Blade with gear	
Chain/guide	3/8LP", 1.3mm/62
Oil Chain Tank	250ml
Weight	4.5Kg

INCLUDE: Bar, Chain, Service tools



PRO

ES2310 | 036289

Electric chain grinder

Power	230W
Disc Ø	145mm
Working light	



PRO

ES3010 | 049241

Electric chain grinder

Power	220W
Disc Ø	100mm



CS1500 | 014423

Cutting saw standdel legno

Maximum weight 150Kg



IRON MESH

PB970 | 031833

Face shield visor




EM3221 | 084365

Electric lawnmower

Power	1200W
Cutting width	32cm
Cutting height	25-65mm (3 positions)
Bucket Capacity	25Lt
Wheel size front/rear	Ø 140/140mm
Frame	Plastic
Weight	7kg


EM3220 | 066361

Electric lawnmower

Power	1200W
Cutting width	32cm
Cutting height	25-65mm (3 positions)
Bucket Capacity	25Lt
Wheel size front/rear	Ø 140/140mm
Frame	Plastic
Weight	7kg


PRO
EM3410 | 032342

Electric lawnmower

Power	1400W
Cutting width	34cm
Cutting height	25-65mm (5 positions)
Bucket Capacity	35Lt
Wheel size front/rear	Ø 140/140mm
Frame	Plastic
Weight	9.3kg


PRO
VIDEO


EM4010

EM4010 | 032359

Electric lawnmower

Power	1600W
Cutting width	38cm
Cutting height	20-70mm (5 positions)
Bucket Capacity	40Lt
Wheel size front/rear	Ø 160/200mm
Frame	Plastic
Weight	9.8kg


PRO
**INDUCTION
MOTOR**
EM4016 | 084389

Electric lawnmower

Power	1600W
Cutting width	38cm
Cutting height	25-75mm (5 positions)
Bucket Capacity	40Lt
Wheel size front/rear	Ø 150/200mm
Frame	Plastic
Weight	17.6kg


PRO
EM4021 | 084372

Electric lawnmower

Power	1800W
Cutting width	43cm
Cutting height	25-75mm (5 positions)
Bucket Capacity	45Lt
Wheel size front/rear	Ø 178/255mm
Frame	Plastic
Weight	12.6kg

PRO



EM4020 | 032366

Electric lawnmower

Power	1800W
Cutting width	42cm
Cutting height	25-75mm (11 positions)
Bucket Capacity	50Lt
Wheel size front/rear	Ø 170/210mm
Frame	Plastic
Weight	13.0Kg

PRO

4STROKE

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION



PM5460 | 084075

Push gasoline lawnmower

Engine Displacement	149cc
Max Power	3Hp
Load speed	3000rpm
Cutting width	460mm
Cutting height	25-75mm (7 positions)
Cutting Functions: 3 in 1 (Collecting, Mulching, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 175/250mm
Weight	26Kg

PRO

4STROKE

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION



PM5465 | 084082

Push gasoline lawnmower

Engine Displacement	147cc
Max Power	3Hp
Load speed	3000rpm
Cutting width	460mm
Cutting height	25-75mm (7 positions)
Cutting Functions: 3 in 1 (Collecting, Mulching, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 180/250mm
Weight	26Kg

PRO
4STROKE

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION



PM4830 | 032397

Push gasoline lawnmower

Engine Displacement	145cc
Max Power	3.5Hp
Load speed	3600rpm
Cutting width	460mm
Cutting height	25-75mm (7 positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	1Lt
Oli Type/Capacity	10W30/0.5Lt
Basket volume	65Lt
Wheel size front/rear	Ø 180/230mm
Weight	26Kg

PRO
4STROKE

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION



PM5510 | 084099

Push gasoline lawnmower

Engine Displacement	169cc
Max Power	5Hp
Load speed	3000rpm
Cutting width	510mm
Cutting height	25-75mm (7 positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Basket volume	60Lt
Wheel size front/rear	Ø 180/250mm
Weight	30Kg

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PRO
4STROKE



PM5810



PM5810 | 032410

Push gasoline lawnmower

Engine Displacement	199cc
Max Power	6.5Hp
Load speed	3600rpm
Cutting width	530mm
Cutting height	25-75mm (6 positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Start System	Manual
Fuel Capacity	1Lt
Oli Type/Capacity	10W30/0.6Lt
Basket volume	65Lt
Wheel size front/rear	Ø 200/280mm
Weight	39Kg

ENGINE EURO5
 UP TO
-40%
 LESS EXHAUST GAS
 CONSUMPTION

4STROKE

PRO

NEW
PM5530 | 084105

Self propelled gasoline lawnmower

Engine Displacement	196cc
Max Power	6.5Hp
Load speed	3000rpm
Cutting width	530mm
Cutting height	30-80 (8 positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 180/230mm
Weight	26Kg

 ENGINE EURO5
 UP TO
-40%
 LESS EXHAUST GAS
 CONSUMPTION

4STROKE

PRO

NEW
PM5560 | 084112

Self propelled gasoline lawnmower

Engine Displacement	196cc
Max Power	6.5Hp
Load speed	3000rpm
Cutting width	560mm
Cutting height	30-80 (8 positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	1Lt
Oli Type/Capacity	10W-30/0.5Lt
Basket volume	60Lt
Bucket Capacity	Ø 200/250mm
Weight	35.5Kg

4STROKE

PRO

PB8600 | 074779

Self-propelled gasoline grass chipper

Engine Displacement	6.5Hp
Start System	Manual
Transmission Belt for blades/Gears for movement	
Speed	2 forwards + 1 backwards
Working width	60cm
Cutting drum speed	3200rpm
Number of blades	48 pcs (16x3)
Knife Type	Flail blade
Fuel tank	3.6L
Oil tank	0.5L
Maximum working speed	4.4km/h
Rear wheel	Ø 300mm
Adjustable distance of the handle from the ground: (Maximum 80cm)	
Weight	94Kg

4STROKE

PRO

NEW
PB8900 | 085744

Self-propelled gasoline grass chipper

Engine Displacement	6.5Hp
Start System	Manual
Transmission Belt for blades/Gears for movement	
Speed	2 forwards + 1 backwards
Working width	90cm
Cutting drum speed	2600rpm
Number of blades	46 pcs (23x2)
Knife Type	Flail blade
Fuel tank	6.8L
Oil tank	1.1L
Maximum working speed	2.4km/h
Rear wheel	Ø 355mm
Adjustable distance of the handle from the ground: (Maximum 80cm)	
Weight	175Kg

4STROKE

PRO

GS8600 | 029168

Gasoline chipper shredder

Engine Displacement	196cc
Power	6,5Hp
Starting system	Manual
Chipping Diameter	76mm
Blade Speed	2800rpm
Blade	2pcs
Weight	85Kg



4STROKE

PRO

GS8700 | 069478

Gasoline chipper shredder

Engine Displacement	212cc
Power	7Hp
Starting system	Manual
Chipping Diameter	60mm
Cutting length	50-100mm
Blade Speed	400rpm
Blade	6pcs
Weight	110Kg



4STROKE

PRO

GS9600 | 029175

Gasoline chipper shredder

Engine Displacement	420cc
Power	15Hp
Starting system	Starter/Manual
Chipping Diameter	120mm
Blade Speed	2800rpm
Blade	2pcs
With towing kit	
Weight	170Kg



PRO

ES2510 | 053057

Blade shredder

Power	2500W
Cutting capacity	40mm
Load speed	5000rpm
Weight	10,25Kg



SM9800 | 043034

Gasoline skythe mower

Engine Displacement	196cc
Power	6.5Hp
Speed	1 forwards + 1 backwards
Starting system	Manual
Transmission	Belt
Working width	100cm
Adjusted Height	1-8cm
Weight	158Kg



PRO

NEW

2STROKE



MB2120 | 084594

Electric tiller

Power	1500W
Speed	1 forwards
Transmission	Gears
Working Width	45cm
Working Depth	18cm
Blades/Knives	12+12
Handlebar/Steering	by hand
Weight	12.9Kg



MB2510 | 033080

Electric tiller

Engine Displacement	52cc
Power	2.2Hp
Speed	1 forwards
Transmission	Gears
Working Width	30cm
Working Depth	10cm
Starting system	Manual
Blades/Knives	8+8
Fuel tank	1.2Lt
Handlebar/Steering	Foldable
Weight	14Kg

2STROKE



MB2620 | 066507

Electric tiller

Engine Displacement	62cc
Power	2.8Hp
Speed	1 forwards
Transmission	Gears
Working Width	40cm
Working Depth	20cm
Starting system	Manual
Blades/Knives	12+12
Fuel tank	1.2Lt
Handlebar/Steering	Foldable
Weight	16.5Kg

4STROKE

MB5005 | 053736

Gasoline tiller

Engine Displacement	139cc
Power	4Hp
Speed	1 forwards
Starting system	Manual
Transmission	Belt drive
Working Width	36/60cm
Max. Working Depth	26cm
Depth Adjustment	3 positions
Knives	12+12
Handlebar/Steering	Foldable
Weight	32Kg



12+12
BLADES

4STROKE

MB5800 | 078548

Gasoline tiller

Engine Displacement	208cc
Power	7Hp
Speed	1 forwards + 1 backwards
Starting system	Manual
Transmission	Belt drive
Working Width	36/60cm
Max. Working Depth	26cm
Depth Adjustment	3 positions
Knives	12+12
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø 260mm
Weight	72Kg



12+12
BLADES
INCLUDED

4STROKE

MB6000 | 000495

Motor cultivator

Engine Displacement	196cc
Power	6.5Hp
Speed	2 forwards + 1 backwards
Starting system	Manual
Transmission	Belt drive
Working Width	85cm
Max. Working Depth	25cm
Depth Adjustment	3 positions
Knives	12+12
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø 260mm
Weight	72Kg



12+12
BLADES

INCLUDED

4STROKE

MB7000Classic | 011736

Motor cultivator

Engine Displacement	212cc
Power	7Hp
Speed	2 forwards + 1 backwards
Starting system	Manual
Transmission	Gears
Working Width	90/100cm
Max. Working Depth	25cm
Depth Adjustment	3 positions
Knives	12+12
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø400mm
Weight	86Kg



4STROKE

PRO

MB7100 | 036302

Motor cultivator

Engine Displacement	212cc
Power	7,5Hp
Speed	3 forwards + 1 backwards
Starting system	Manual
Transmission	Belt drive
Working Width	90/100cm
Max. Working Depth	30cm
Depth Adjustment	3 positions
Knives	12+12
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø 400mm
Weight	90Kg



MB6510 | 053743

Gasoline cultivator

Engine Displacement	212cc
Power	7Hp
Speed	3 forwards + 1 backwards
Starting system	Manual
Transmission	gears
Working Width	58cm (with blades)
Max. Working Depth	30cm
Depth Adjustment	3 positions
Lame	12+12
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø 400mm
Weight	73Kg



4STROKE

PRO



MB6512 | 070771

Ditching blades

for MB6510



MB6511 | 070764

2 pcs set metalic wheels Ø 320mm

For MB6510



4STROKE

MB9000Classic | 011729

Diesel tiller

Engine Displacement	196cc
Power	10Hp
Speeds	2 forwards 1 backwards
Starting system	Manual
Transmission	gears
Working Width	90/110cm
Max. Working Depth	30cm
Depth Adjustment	3 posizioni
Blades	16+16
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø 550mm
Weight	144Kg



4STROKE

MB9005 | 033288

Diesel tiller

Engine Displacement	418cc
Power	10Hp
Speeds	2 forwards 1 backwards
Starting system	Manual
Transmission	gears
Working Width	90/110cm
Max. Working Depth	30cm
Depth Adjustment	3 posizioni
Blades	16+16
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø 550mm
Weight	158Kg



PRO



MB211 | 012719

Trailer 500Kg

For MB9000, MB9005

Total Size of Trailer	270x105x100cm
Usable Loading Space	120x80x30cm
Maximum Load Capacity	500Kg
Wheels	Ø 500mm
Weight	112Kg



MB138 | 012702


Potato digger
for tillers



MB137 | 012696

Adjustable plough
for tillers

PRO



MB9300 | 070740

Mini cultivator / tractor

Engine Displacement	389cc
Power	11Hp
Drive	4WD/2WD drive
Speeds	3 forwards 1 backwards
Starting system	Manual/recoil
Transmission	gears
Working Width	90/105cm
Working depth	15cm
Depth Adjustment	3 posizioni
Blades	16+16
Air filter	
Handlebar	Adjustable / Foldable
Max. Working Depth	Ø 400/Ø550mm
Weight	267Kg
With Rear mirror	
With ROPS rollover protection system	
With 1 set 4x8 & 5x12 Rubber wheel	
Con 1 set di ruote in ferro 19"	



PRO



MB9305 | 070801

Trailer for MB9300

Dimensions	120x80x25cm
Max load	300Kg
Wheels	Ø 500mm
Weight	75Kg

PRO



MB9303 | 070788

Single ditcher
adjustable
(for MB9300)
30-50cm
12Kg

PRO



MB9304 | 070795

Double ditcher
adjustable
(for MB9300)
100cm
20Kg

2STROKE



PD5230 | 043256

Auger

Engine Displacement	52cc
Power	2Hp
Fuel tank	1000ml
Speed	6500rpm
Accessories not included	
Weight	8.8Kg

2STROKE



PD6330 | 078203

Auger

Engine Displacement	62cc
Power	2.8Hp
Fuel tank	1200ml
Speed	9000rpm
Accessories not included	
Weight	9.1Kg

Auger drill per PD6330/PD5230

MODEL	CODE	DESCRIPTION
PD1150	043263	ø15x80cm
PD1200	043270	ø20x80cm
PD1250	043287	ø25x80cm
PD1300	043294	ø30x80cm



Auger drill per pd6330

MODEL	CODE	DESCRIPTION
PD1590	038092	ø15x80cm
PD2090	038108	ø20x80cm
PD2590	038115	ø25x80cm



3 Function:
Blower
Vaccum
Chipper



EB3500 | 020356

Electric blower

Power	3000W
Air speed	792 m³/h
Air volume	270Km/h
Load speed	15000rpm
Collection Bag	35Lt
Weight	3.1kg

EB3600 | 034285

Electric blower

Power	2600W
Air speed	720m³/h
Air volume	288Km/h
Load speed	15000rpm
Collection Bag	45Lt
Weight	4.1kg



2STROKE



BL2510 | 053378

Gasoline blower

Engine Displacement	25.4cc
Power	1Hp
Fuel tank	450ml
Speed	148Km/h
Air flow rate	720m³/h
Weight	5.5Kg

2STROKE



BL6005 | 078197

Gasoline blower shoulder carried

Engine Displacement	63cc
Power	3.5Hp
Fuel tank	450ml
Speed	280Km/h
Air flow rate	864m³/h
Weight	10.7Kg

SSF050 | 055679



SSF101 | 073970

Grafting tool



PRO

EH4510 | 053040

Electric hedge trimmer

Power	450W
Speed	3800spm
Tooth Space	28mm
Guide bar	500mm
Weight	2.15Kg



PRO

EH7750 | 043089

Hedge trimmer

Power	710W
Speed	3300spm
Tooth Space	24mm
Guide bar	710mm
Handle Rotary	-90°+90°
Weight	3.8Kg



Rotating handle

LASER CUT

PH2570 | 054108

Hedge trimmer

Engine Displacement	25,4cc
Power	1,2Hp
Speed	3000spm
Tooth Space	28mm
Guide bar	700mm
Handle Rotary	-90° +90°
Weight	5.8Kg



Rotating handle

Splitting axe

Carbon steel head

MODEL	CODE	HANDLE	WEIGHT
BSA1050	028338	35cm	650gr
BSA1100	028345	45cm	950gr
BSA1150	028352	71cm	1.7kg



SSF560 | 056485

Splitting maul with wooden handle

Weight	2Kg
Length	90cm
Steel head	carbon



BSA1000 | 028321

Splitting axe

Weight	2.5Kg
Length	90cm
Fibre glass handle	
Carbon steel head	



SSF558 | 056478

Splitting maul with wooden handle

Weight	3Kg
Length	90cm
Wooden handle	
Carbon steel head	



SSF277 | 054641

Gear function bypass loppe

Length	675-925mm
Blade	SK5
Teflon coated	
Cutting width	45mm



PRO

SSF519 | 036166

Telescopic gear bypass lopper

Length	540-755mm
Blade	SK5
Teflon coated	
Cutting width	45mm



PRO

SSF521 | 036173

Hedge shear w/telescopic handle

Length	530-745mm
Blade	SK5
Teflon coated	
Cutting width	45mm



PRO

SSF523 | 036180

Hedge shear w/ telescopic handle

Length	665-885mm
Blade	SK5
Teflon coated	
Cutting width	45mm



PRO

NP2105 | 034674

Automatic Pressure Pump

Power	800W
Maximum Flow Rate	3500Lt/h
Manometro max	38m
Outlet (Pipe Diameter)	1"
Tank Capacity	19Lt
Maximum Pressure	3Bar
Cable Length	1m
Weight	10.7Kg



PRO

NP2108 | 036043

Automatic Pressure Pump

Power	750W
Maximum Flow Rate	3000Lt/h
Manometro max	45m
Outlet (Pipe Diameter)	1"
Tank Capacity	24Lt
Maximum Pressure	5Bar
Cable Length	1.5m
Weight	17Kg



PRO

NP2115 | 034681

Automatic Pressure Pump

Power	1100W
Maximum Flow Rate	4100Lt/h
Manometro max	45m
Outlet (Pipe Diameter)	1"
Tank Capacity	24Lt
Maximum Pressure	5Bar
Cable Length	1.5m
Weight	16.5Kg



PRO

NP2150 | 081203

Water pressure pump

Power	1300W
Maximum Flow Rate	6000 Lt/h
Manometro max	53m
Outlet (Pipe Diameter)	1"
Maximum Pressure	5Bar
Display	LCD
Cable Length	1.5m
Weight	11.0Kg



PRO

NP2120 | 035152

Automatic Pressure Pump

Power	1100W
Maximum Flow Rate	4200Lt/h
Manometro max	45m
Outlet (Pipe Diameter)	1"
Maximum Pressure	4.5Bar
Cable Length	1m
Weight	9.2Kg



4STROKE PRO

SP9800 | 042815

Gasoline pump

Engine Displacement	97cc
Power	2.5Hp
Maximum Flow Rate	170 lt/min
Manometro max	15m
Outlet (Pipe Diameter)	1.5"
Fuel tank	1Lt
Pump Type	Aluminum
Weight	9.8Kg



INCLUDE: 3 Hose Connectors

PRO

NP2085 | 049807

Electronic pressure switch

Starting pressure	1,5-6Bar
Degree of protection	IP65
Spout	1"x1"
Weight	1.2Kg



Suitable for use
with pumps up to 1500W
and pressure up to 6 bar

PRO

Water Pump

MODEL	NP2015	NP2025
CODE	036029	036036
Power	370W	750W
Maximum Flow Rate	2100Lt/h	2700Lt/h
Manometro max	40m	70m
Outlet (Pipe Diameter)	1"	
Water Temperature	90°C	
Impeller	Brass	
Pump Body Cast Iron		
Weight	4.5Kg	9.0Kg



PRO

NP2035 | 034636

Centrifugal pump

Power	800W
Maximum Flow Rate	3500 lt/h
Manometro max	38m
Outlet (Pipe Diameter)	1"
Water Temperature	40°C
Weight	5.9Kg



PRO

NP2095 | 036067

Multistage pump

Power	950W
Maximum Flow Rate	6600Lt/h
Manometro max	52m
Outlet Pipe Diameter	1"
Water Temperature	90°C
Impeller	Brass
Pump Body	Cast Iron
Weight	19.2Kg



PRO

NP2075 | 036050

Centrifugal pump high flow

Power	1100W
Maximum Flow Rate	24000lt/min
Manometro max	20m
Outlet Pipe Diameter	2"
Water Temperature	90 °C
Impeller	Brass
Pump Body	Cast Iron
Weight	19.0Kg



PRO

NP2065 | 069461

Centrifugal pump 2 stages

Power	1500W
Maximum Flow Rate	8400lt/min
Manometro max	50m
Water Temperature	90°C
Impeller	Brass
Pump Body Cast Iron	
Weight	23.5Kg



PRO

SP1210 | 038207

Water Pump

Power	80W
Manometro max	5m
Maximum Flow Rate	4000L/h
Shaft	1"
Pump Dimensions	13x10x23cm
Weight	0.8Kg



PRO



NP1160 | 024729

Water Pump

Volatge	12DCV
Maximum Flow Rate	4.180Lt/h
Manometro max	4m
Shaft	29mm
Pump Dimensions	16x6.5cm
Weight	0,25Kg

SP1500 | 011927

Metallic oil pump for barrel

Pump Body	110mm
Manometro max	4m
Maximum Flow Rate	22Lt/min
Weight	2.7Kg



PRO

NP1150 | 020004

Stainless submerible

Power	75W
Maximum Flow Rate	2.600Lt/h
Manometro max	2.6m
Shaft	1"
Weight	2.8Kg



PRO



NP1010 | 019862

Clean water submersible pump

Power	400W
Maximum Flow Rate	7000Lt/h
Manometro max	8m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	24x22x28cm
Weight	4.0Kg

PRO



NP1020 | 019879

Clean water submersible pump

Power	750W
Maximum Flow Rate	12500Lt/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	24x22x28cm
Weight	4.3Kg

PRO



NP1050 | 019909

Clean water stainless submersible inox pump

Power	550W
Maximum Flow Rate	8500Lt/h
Manometro max	7.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	15x15x32cm
Weight	5Kg

PRO



NP1070 | 019923

Clean water submersible pump with floter

Power	750W
Maximum Flow Rate	13000 L/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	24x16x38cm
Weight	5.0Kg



NP1115 | 070542

Submersible pump with floater

Power	550W
Maximum Flow Rate	17000 L/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	1mm
Pump Dimensions	10m
Weight	32x21x18cm
Weight	6.0Kg

PRO



NP1030 | 019886

Dirty water submersible pump

Power	550W
Maximum Flow Rate	10000Lt/h
Manometro max	7m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	23x17.5x33.5cm
Weight	5.0Kg

PRO



NP1040 | 019893

Dirty water submersible pump

Power	900W
Maximum Flow Rate	14000Lt/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	23x24x36cm
Weight	5.5Kg

PRO



NP1100 | 019954

Dirty water submersible pump

Power	1100W
Maximum Flow Rate	15500L/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	24x17x43
Weight	6.0Kg

PRO



NP1130 | 019985

Dirty water pump inox

Power	1300W
Maximum Flow Rate	25000L/h
Manometro max	11m
Maximum Pump Submersion	7m
Outlet	1"-1/2"/ 2"
Maximum Particle Size	40mm
Cable Length	10m
Pump Dimensions	22x23x40
Weight	7.6Kg

PRO

NP1060 | 019916

Dirty water stainless submersible pump

Power	1100W
Maximum Flow Rate	16500Lt/h
Manometrico max	10.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	22x18x42cm
Weight	7.5Kg

PRO

NP1080 | 019930

Dirty water submersible pump

Power	900W
Maximum Flow Rate	15500Lt/h
Manometrico max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	24x17x43cm
Weight	5.5Kg

PRO

SP1115 | 078425

Dirty water submersible pump

Power	1100W
Maximum Flow Rate	15000Lt/h
Manometrico max	10m
Maximum Pump Submersion	7m
Outlet	2"
Cable Length	8m
Pump Dimensions	35x18x40cm
Weight	17.8Kg

PRO

SP1315 | 051848

Dirty water submersible pump

Power	1300W
Maximum Flow Rate	18000Lt/h
Manometrico max	12m
Maximum Pump Submersion	7m
Outlet	2"
Cable Length	8m
Pump Dimensions	42x37x20cm
Weight	18.0Kg

PRO

NP1180 | 030362

Submersive pump

Power	1000W
Maximum Flow Rate.	6000Lt/h
Manometrico max	45m
Maximum Pump Submersion	12m
Outlet	1"
Maximum Particle Size	1mm
Cable Length	15m
Pump Dimensions	15x15x53cm
Automatic 4-stage operation	
Flow sensor for automatic start and stop	
Dry-run protection (water shortage sensor)	
Weight	15.5Kg

PRO

NP1120 | 019978

Submersive pump inox

Power	1000W
Maximum Flow Rate	6500Lt/h
Manometrico max	40m
Maximum Pump Submersion	7
Outlet	1"
Maximum Particle Size	1mm
Cable Length	10m
Pump Dimensions	15x15x45cm
Weight	8.5Kg

PRO

NP1185 | 030614

Well inox pump

Power	1200W
Maximum Flow Rate.	5500Lt/h
Manometrico max	54m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	1.5mm
Cable Length	10m
Pump Dimensions	18x18x50cm
Weight	12Kg

PRO

NP1190 | 030621

Well inox pump

Power	900W
Maximum Flow Rate.	4500Lt/h
Manometrico max	60m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	1.0mm
Cable Length	20m
Pump Dimensions	18x18x50cm
Weight	11Kg


PRO

SP6200 | 015925

4 Inox submersible pump

Power	1.5Hp
Portata massima max	5400Lt/h
Manometrico max	96m
Maximum Pump Submersion	80m
Outlet	4"
Cable Length	20m
Control Box	
Pump Dimensions	112x13x10cm
Weight	16.5Kg





NP2200 | 080039

Photovoltaic peripheral pump

Power	210W
Voltage	24V
Manometro max	25m
Maximum Flow Rate	2000Lt/h
Maximum Pump Submersion	3m
Outlet	1"
Total panel power	450W
Panel dimensions	191x113x3cm
Panel weight	24Kg

INCLUDE: Panel, cable set black/red 10m, connection accessories



NP2220 | 080053

Photovoltaic well pump

Power	400W
Voltage	48V
Manometro max	55m
Maximum Flow Rate	3800Lt/h
Maximum Pump Submersion	18m
Outlet	1.25"
Total panel power	700W
Panel dimensions	153x113x3cm
Panel weight	20Kg

INCLUDE: Panel, cable set black/red 10m, connection accessories



NP2230 | 080107

Photovoltaic well pump

Power	700W
Voltage	96V
Manometro max	95m
Maximum Flow Rate	3800Lt/h
Maximum Pump Submersion	18m
Outlet	1.25"
Total panel power	1650W
Panel dimensions	228x113x3cm
Panel weight	3x28Kg

INCLUDE: Panel, cable set black/red 40m, pump cable 20m, connection parts, support set



ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PRO

NS2640 | 038153

Gasoline sprayer

Engine Displacement	26cc
Power	1Hp
Operating Pressure	25Bar
Flow Rate	5-8Lt/min
Fuel Tank Capacity	0.65Lt
Tank Capacity	15Lt
Weight	9Kg

2STROKE



NS2635 | 032854

2 Stroke backpack gasoline sprayer

Engine Displacement	26cc
Power	1Hp
Operating Pressure	25Bar
Flow Rate	5-8Lt/min
Fuel Tank Capacity	0.65Lt
Tank Capacity	15Lt
Weight	9Kg

3 Different nozzles




NS2631 | 035992

Battery sprayer

Voltage	6V
Tank Capacity	5+1L
Maximum autonomy	up to 40h
Weight	11,5Kg

PRO



PRO

NS2520 | 053569

Power Sprayer

Pressure	21-45Bar
Flow Rate	15-22lt/min
Load speed	1200rpm
Pump Type	Plunger pump
Pistons	3x22mm
Weight	7.1Kg



PRO

NS3610 | 042501

Power sprayer

Pressure	21-45B
Flow Rate	30-45lt/min
Load speed	1200rpm
Pump Type	Plunger pump
Pistons	3x30mm
Weight	9Kg

2STROKE



NS2610 | 032892

2 Stroke sprayer

Engine Displacement	26cc
Power	1Hp
Maximum pressure	15-25Bar
Flow rate	3-8lt/min
Fuel tank capacity	0.65Lt
Weight	9Kg

INCLUDE: 20m hose and 60cm spray gun



2STROKE



NS5210 | 032908

2stroke gasoline sprayer

Engine Displacement	26cc
Power	1Hp
Maximum pressure	15-25Bar
Flow Rate	3-8lt/min
Hose Length	30m
Tank Capacity	50Lt
Fuel Capacity	0.65Lt
Weight	32.9Kg

INCLUDE: Adjustable spray lance 85cm with brass head, detachable lance with 3 fixed non-adjustable nozzles (135cm long, 75cm without extension), wheels



High Pressure Spray Hose

MODEL	NS1050	NS1100
CODE	043041	043058
Diameter	8,5mm	
Maximum Pressure	120Bar	
Length	50m	100m

4STROKE



NS4010 | 032861

Gasoline sprayer

Engine Displacement	196cc
Power	6.5Hp
Maximum pressure	25-40Bar
Flow Rate	14-22lt/min
Pump Type	Plunger pump
Fuel Capacity	3.6Lt
Weight	24Kg

INCLUDE: Suction and return pipes, suction filter, anti-vibration mounts, oil sensor

VIDEO



NS4010



4STROKE



NS4510 | 032885

Gasoline Sprayer

Engine Displacement	196cc
Power	6.5Hp
Operating Pressure	25-35Bar
Flow Rate	30-45lt/min
Pump Type	Plunger pump
Fuel Capacity	3.6Lt
Rubber band and lumen	30m
Weight	44Kg

INCLUDE: Hose reel, 30m hose, and 60cm spray gun



NS1619 | 077992

Knapsack battery sprayer

Battery	12V 8Ah
Capacity	16Lt
Pressure	6.8Bar
Liquid supply	4lt/min
Weight	4.95Kg

INCLUDE: 4 spare parts nozzle, Pump handle

4STROKE




NS6200 | 025276

4-Stroke gasoline sprayer 196cc

Engine Displacement	196cc
Power	6.5Hp
Maximum pressure	40Bar
Flow rate	36lt/min
Pump Type	Plunger pump
Hose Length	30m
Tank Capacity	160Lt
Weight	45Kg

INCLUDE: Wheels, Hose Reel, Hose, 3 Pistons Brass Pump



NS100 | 010319

Hose reel

Up to 100m hose



NS5000 | 010203

Pressure sprayer

Tank Capacity	5Lt
---------------	-----





NAKAYAMA[®]

PRO

HANDTOOLS - ACCESSORIES



Shaping outdoor life.

• 1:50

2 STROKE ENGINE OIL ANTI-SMOKING TECHNOLOGY

CODE	MODEL	CAPACITY	PACKING
034988	LB1000	100ml	48



• 1:50

2 STROKE NO SMOKE PRE-MIX OIL WITH MEASURER

CODE	MODEL	CAPACITY	PACKING
034995	LB1050	1Lt	12



• 1:50

2 STROKE ENGINE OIL ANTI-SMOKING TECHNOLOGY

CODE	MODEL	CAPACITY	PACKING
036821	LB1060	5Lt	4



• 10W-30

4 STROKE ENGINE OIL

CODE	MODEL	CAPACITY	PACKING
078111	LB1120	1Lt	12



• 20W-50

4 STROKE ENGINE OIL

CODE	MODEL	CAPACITY	PACKING
078135	LB1250	1Lt	12
078159	LB1255	5Lt	4



BIODEGRADABLE CHAIN OIL

CODE	MODEL	CAPACITY	PACKING
035015	LB1150	1Lt	12
035022	LB1200	5Lt	4



• Metal construction

FUEL TANK

CODE	MODEL	CAPACITY
014300	FT2000	20Lt



NYLON THREAD ROUND

CODE	MODEL	DIMENSIONS
065630	NC1030	1.60mm-15m
065647	NC1031	2.00mm-15m
065654	NC1032	2.40mm-15m
065661	NC1033	2.40mm-87m
065678	NC1034	3.00mm-56m
065685	NC1035	3.50mm-41m
065692	NC1036	2.4mm-262m
065708	NC1037	3.00mm-168m
065715	NC1038	3.50mm-124m



NYLON THREAD CARBON 3 TWIST

CODE	MODEL	DIMENSIONS
033585	NC1000	3,00mm-50m
033592	NC1001	3,50mm-36m
033608	NC1002	4,00mm-28m
033615	NC1003	4,30mm-23m
033622	NC1004	4,70mm-19m
033639	NC1005	4,00mm-80m
033646	NC1006	4,30mm-70m
033653	NC1007	4,30mm-113m



MEΣINEZA ALUMINIUM SQUARE

CODE	MODEL	DIMENSIONS
033714	NC1013	3.00mm x 48m
033721	NC1014	3.50mm x 35m
033738	NC1015	4.00mm x 24m
033745	NC1016	3.00mm x 140m
033769	NC1018	4.00mm x 80m



NYLON THREAD ROUND TWIST

CODE	MODEL	DIMENSIONS
065562	NC1040	3.50mm-41m
066064	NC1041	4.00mm-32m
066071	NC1042	4.30mm-27m
066088	NC1043	4.70mm-23m




NYLON THREAD SQUARE TWIST

CODE	MODEL	DIMENSIONS
043225	NC1019	1.6mm-15m
043232	NC1020	2.0mm-15m
043249	NC1021	2.4mm-15m
062851	NC1022	2.4mm-87m
065579	NC1023	3.00mm-56m
065586	NC1024	3.50mm-41m
065593	NC1025	4.00mm-32m
065609	NC1026	3.00mm-168m
065616	NC1027	3.50mm-124m
065623	NC1028	4.00mm-95m



- Aluminum
- 4 Exits



TRIMMER HEAD

CODE	MODEL
011774	PB300

- Semi-Automatic
- 2 Exits



TRIMMER HEAD

CODE	MODEL
014782	PB310

- Universal
- Aluminum
- 4 / 8 Exits



TRIMMER HEAD

CODE	MODEL
023937	PB340

- 4 Exits
- Universal
- Material: Aluminum, plastic



TRIMMER HEAD

CODE	MODEL
071655	PB440

- Easy to install
- Universal
- 2 Exits



TRIMMER HEAD

CODE	MODEL
014799	PB320

- Thickness 3mm
- Teeth 2T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
011781	PB400	30cm

- Thickness 3mm
- Teeth 40T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
013037	PB700	25.5m

- Thickness 3mm
- Teeth 2T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
011798	PB500	30cm

- Thickness 3mm
- Teeth 3T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
011804	PB600	30cm

- 25cm
- For axis 28mm



TILLER FOR BRUSH CUTTER

CODE	MODEL
015611	PB1000

- ABS



EAR MUFF

CODE	MODEL	NNR
051695	PB920	25dB

- With ratchet adjustment and black mesh



HEADGEAR

CODE	MODEL
018155	PB900

- Face shield visor
- ABS + Metal Screen



FACE SHIELD VISOR

CODE	MODEL
031833	PB970

SHOULDER HARNESS

CODE	MODEL
011767	PB200



- It has protective pads and a quick release safety system

SHOULDER HARNESS

CODE	MODEL
011750	PB100



Compatible blades and chains with Nakayama models

MODEL	BLADE	BLADE CODE	CHAIN	CHAIN CODE
Gasoline chainsaws				
PC2000	PO - 8" (20cm)	010975	1/4" 1.3mm - 48 LINKS	EK13-S-048
PC2525 PC3600	AT RIVET - 10" (25cm)	XSW10-43GE	1/4" 1.1mm - 56 LINKS	EK11-M-056
PC2700 PC3000 PC3100	PO - 10" (25cm)	P010-50SR 50160098R P010-50SR0R	3/8"LP 1.3mm - 40 LINKS	0290521002 BG13-S-040 CA13-040
PC3500 (3/8"LP)	PO CARVING - 10" (25cm)	P010-50CA 9999950903 AT10-50	3/8"LP 1.3mm - 42 LINKS	BG13-S-042
PC3500 (1/4")	PO CARVING - 10" (25cm)	P010-50CA 0306520151 9999950903 AT10-50	1/4" 1.3mm - 60 LINKS	EK13-S-060 PC3521
PC4100	POH - 16" (40cm)	0364560163	3/8"LP 1.3mm - 56 LINKS	BG13-S-060
PC4600 PC4610	POH - 18" (45cm)	POH18-50TH 0364630207	.325" 1.3mm - 72 LINKS	KB13-S-072 CA325-072
PC5500 PC5600 PC6600	POH - 20" (50cm)	POH20-58WHNA POH20-58WH	.325" 1.5mm - 76 LINKS	AB316 KB15-S-076
PC5610	POH - 20" (50cm)	0364700206	.325" 1.5mm - 78 LINKS	KB15-S-078
PC6600 PC6700	POH - 22" (55cm)	AB314 0265907002	.325" 1.5mm - 86 LINKS	KB15-S-086 0265907004
Electric chainsaws				
EC2040	PO - 16" (40cm)	P016-50SR	3/8"LP 1.3mm - 56 LINKS	BG13-S-056
EC2345	QUICK FIT - 18" (45cm)	0107150305	3/8"LP 1.3mm - 62 LINKS	BG13-S-062
EC2350	QUICK FIT - 18" (45cm)	0343220008	3/8"LP 1.3mm - 62 LINKS	
Gasoline pole saws				
PS2300, PS2500, PS2700 PS2800, PS3500	M10 - 10" (25cm)	AK044	3/8"LP 1.3mm - 39 LINKS	BG13-S-039
PS2600	M10 - 10" (25cm)	0291033004	1/4" 1.3mm - 58 LINKS	0291033003 EK13-S-058
PS2605	M10 - 10" (25cm) 1.1mm	0364870034	1/4"LP 1.1mm - 58 LINKS	BG11-S-040
PS3100 PS5000 PS5100	M10 - 10" (25cm)	0291063004	3/8"LP 1.3mm - 40 LINKS	0290521002 0291063003 EPS005 BG13-S-040 CA13-040
PS3000 PS4001	M10 - 12" (30cm)		3/8"LP 1.3mm - 45 LINKS	BG13-S-045
Electric pole saws				
ES1200 ES7200	PO - 8" (20cm)	0173940008	3/8"LP 1.1mm - 33 LINKS	BG11-S-033
ES9021	M10 - 10" (25cm)	0291063004	3/8"LP 1.3mm - 40 LINKS	0290521002 BG13-S-040 CA13-040

1/4" CHAINSAW CHAINS / SPEED CUT

CODE	MODEL	PITCH	WIDTH	LINKS
082170	EK11-M-028	1/4" MINI	(.043") 1,1mm	28
072812	EK11-M-032	1/4" MINI	(.043") 1,1mm	32
072829	EK11-M-047	1/4" MINI	(.043") 1,1mm	47
072836	EK11-M-048	1/4" MINI	(.043") 1,1mm	48
031413	EK11-M-056	1/4" MINI	(.043") 1,1mm	56
038252	EK11-M-058	1/4" MINI	(.043") 1,1mm	58
049562	EK11-M-060	1/4" MINI	(.043") 1,1mm	60
EK11-M-064	EK11-M-064	1/4" MINI	(.043") 1,1mm	54
038269	EK11-M-072	1/4" MINI	(.043") 1,1mm	72
013525	EK13-S-052	1/4"	(.050") 1,3mm	52
030959	EK13-S-058	1/4"	(.050") 1,3mm	58
025344	PC3521	1/4"	(.050") 1,3mm	60
038214	EK13-S-060	1/4"	(.050") 1,3mm	60

3/8"LP CHAINSAW CHAINS / ANTI-VIBRATION FAN

CODE	MODEL	PITCH	WIDTH	LINKS
038276	BG11-S-033	3/8"LP	(.043") 1,1mm	33
038283	BG11-S-034	3/8"LP	(.043") 1,1mm	34
9999951777	BG11-S-039	3/8"LP	(.043") 1,1mm	39
038290	BG11-S-040	3/8"LP	(.043") 1,1mm	40
038306	BG11-S-044	3/8"LP	(.043") 1,1mm	44
031499	BG11-S-050	3/8"LP	(.043") 1,1mm	50
038320	BG11-S-055	3/8"LP	(.043") 1,1mm	55
9999951786	BG11-S-057	3/8"LP	(.043") 1,1mm	57
038337	BG13-S-034	3/8"LP	(.050") 1,3mm	34
031512	BG13-S-039	3/8"LP	(.050") 1,3mm	39
013594	BG13-S-040	3/8"LP	(.050") 1,3mm	40
031529	BG13-S-042	3/8"LP	(.050") 1,3mm	42
BG13-S-044	BG13-S-044	3/8"LP	(.050") 1,3mm	44
BG13-S-045	BG13-S-045	3/8"LP	(.050") 1,3mm	45
038344	BG13-S-047	3/8"LP	(.050") 1,3mm	47
031550	BG13-S-050	3/8"LP	(.050") 1,3mm	50
031567	BG13-S-052	3/8"LP	(.050") 1,3mm	52
BG13-S-053	BG13-S-053	3/8"LP	(.050") 1,3mm	53
031581	BG13-S-055	3/8"LP	(.050") 1,3mm	55
031598	BG13-S-056	3/8"LP	(.050") 1,3mm	56
BG13-S-057	BG13-S-057	3/8"LP	(.050") 1,3mm	57
038368	BG13-S-060	3/8"LP	(.050") 1,3mm	60
031604	BG13-S-061	3/8"LP	(.050") 1,3mm	61
BG13-S-062	BG13-S-062	3/8"LP	(.050") 1,3mm	62

.325" CHAINSAW CHAINS / WITH ANTI-VIBRATION

CODE	MODEL	PITCH	WIDTH	LINKS
KB13-S-066	KB13-S-066	.325"	(.050") 1,3mm	66
031635	KB13-S-072	.325"	(.050") 1,3mm	72
KB15-S-072	KB15-S-072	.325"	(.058") 1,5mm	72
KB15-S-076	KB15-S-076	.325"	(.058") 1,5mm	76
031666	KB15-S-078	.325"	(.058") 1,5mm	78
038443	KB15-S-086	.325"	(.058") 1,5mm	86
038450	KB16-S-062	.325"	(.063") 1,6mm	62
038467	KB16-S-067	.325"	(.063") 1,6mm	67
038474	KB16-S-068	.325"	(.063") 1,6mm	68
038481	KB16-S-074	.325"	(.063") 1,6mm	74



3/8" CHAINSAW CHAINS / WITH ANTI-VIBRATION

CODE	MODEL	PITCH	WIDTH	LINKS
038504	EP13-S-067	3/8"	(.050") 1,3mm	67
038511	EP13-S-070	3/8"	(.050") 1,3mm	70
EP13-S-072	EP13-S-072	3/8"	(.050") 1,3mm	72
BG13-S-072	BG13-S-072	3/8"	(.050") 1,3mm	72
038528	EP15-S-056	3/8"	(.058") 1,5mm	56
038535	EP15-S-060	3/8"	(.058") 1,5mm	60
038542	EP15-S-064	3/8"	(.058") 1,5mm	64
EP15-S-072	EP15-S-072	3/8"	(.058") 1,5mm	72
038566	EP15-S-084	3/8"	(.058") 1,5mm	84
038573	EP16-S-060	3/8"	(.063") 1,6mm	60

404" CHAINSAW CHAINS / SPEED CUT

CODE	MODEL	PITCH	WIDTH	LINKS
038610	PM16-060	.404"	(.063") 1,6mm	60

CARBIDE CHAINSAW CHAINS

CODE	MODEL	PITCH	WIDTH	LINKS
CA13-040	CA13-040	3/8"	(.050") 1,3mm	40
CA13-057	CA13-057	3/8"	(.050") 1,3mm	57
CA325-072	CA325-072	3/8"	(.050") 1,3mm	72

CHAINS IN 1:1

(place the chain on top of the photo to easily find its step)


1/4" (6,35mm)

Available in: 0,043" (1,1mm) & 0,050" (1,3mm)




3/8"LP (9.525mm) low profile

Available in: .043" (1,1mm) & .050" (1,3mm)




.325" (8.255mm)

Available in: .050" (1,3mm), .058" (1,5mm), .063" (1,6mm)



3/8" (9.525mm)

Available in: .050" (1,3mm), .058" (1,5mm), .063" (1,6mm)



CHAINSAW BARS NAKAYAMA

CODE	MODEL	TYPES TAIL	LENGTH	PITCH	WIDTH CHAIN	LINKS	EDGE	COMPATIBLE
0265907002	0265907002	POH	22"(55CM)	1/4"	1.5mm	86	RIVET-4N	PC6700
0291033004	0291033004	M		1/4"	1.3mm	58	RIVET-1S	PS2600
0291039004	0291039004	M	10"(25CM)	1/4"	1.3mm	58	CARVING	PS2600
0291063004	0291063004	M	10"(25CM)	3/8	1.3mm	40	RIVET-1S	PS2600/PS3100
0343150120	0343150120	PO	16"(40CM)	3/8"LP	1.3mm	57	RIVET-1S	EC2050
0364560163	0364560163	PO	16"(40CM)	3/8"LP	1.3mm	56	RIVET-4S	PC4100
0364630207	0364630207	POH	18"(45CM)	3/8"LP	1.3mm	72	RIVET-4S	PC4610
0364700206	0364700206	POH	20	.325"	1.5mm	78	RIVET-4S	PC5610
0364870034	0364870034	M	10"	3/8"LP	1.1mm	40	RIVET-1S	PS2605/PS5105
0364870334	0364870334	M	10"	1/4"	1.1mm	58	AT CARVING	PS2605 (2023)

CHAINSAW BARS

CODE	MODEL	TYPES TAIL	LENGTH	PITCH	WIDTH CHAIN	LINKS	EDGE
049579	AT10-43	AT	10" (25Cm)	1/4"	0.43" 1.1mm	60	CARVING
031703	AT10-50	AT	10" (25Cm)	1/4"	0.50" 1.3mm	60	CARVING
038634	AT10-50SR	AT	10" (25Cm)	1/4"	0.43" 1.1mm	58	RIVET-1S
060239	M10-41SR	M10	(10") 25cm	1/4"	1.1mm	56	RIVET-1S
038702	M10-1443SR	M10	10" (25Cm)	1/4"	0.43" 1.1mm	58	RIVET-1S
038672	PO8-50TE	PO	8" (25cm)	1/4"	1.3mm	48	RIVET-1S
PO10-50SR	PO10-50SR	PO	10" (25Cm)	3/8"LP	0.50" 1.3mm	40	RIVET-1S
PO12-50SR	PO12-50SR	PO	12" (30Cm)	3/8"LP	0.50" 1.3mm	44	RIVET-1S
PO16-50SR	PO16-50SR	PO	16" (40Cm)	3/8"LP	0.50" 1.3mm	56	RIVET-1S
PO16-50NR	PO16-50NR	PO	16" (40Cm)	3/8"LP	0.50" 1.3mm	57	RIVET-4N
PO16-50EH	PO16-50EH	PO	16" (40Cm)	.325"	0.50" 1.3mm	66	RIVET-6N
PO16-58EH	PO16-58EH	PO	16" (40Cm)	.325"	0.58" 1.5mm	66	RIVET-6N
POH16-50NR	POH16-50NR	POH	16" (40Cm)	3/8"LP	0.50" 1.3mm	57	RIVET-4N
POH18-58WH	POH18-58WH	POH	18" (45Cm)	.325"	0.58" 1.5mm	72	RIVET-6N
038689	POH20-58	POH	20" (50Cm)	.325"/ 3/8"LP	0.58" 1.5mm	76/ 72	STELLITE-6B
031697	POH18-50NM	POH	18" (45Cm)	.325"	0.50" 1.3mm	72	RIVET-4N
SW14-43SR	SW14-43SR	SW	14" (35Cm)	3/8"LP	0.43" 1.1mm	50	RIVET-1S
038665	M10-50SRNM	M10	10" (25Cm)	3/8"LP	0.50" 1.3mm	39	RIVET-1S



BATTERY CHAINSAW BLADES

CODE	MODEL	PITCH	WIDTH CHAIN	LINKS	LENGTH	COMPATIBLE
0531010037	0531010037	1/4"	1.1mm	32	5" (13cm)	EC1500
0556550047	0556550047	1/4"		48	8" (20cm)	EC1550
075721	EC1103	1/4"	1.1mm	37	6" (15cm)	WITH GEAR EC1100 & EC1050
075738	EC1203	1/4"	1.1mm	46	8" (20cm)	GEAR EC1200
083818	EC1521	1/4"	1.1mm	47	8"(20cm)	EC1520
083115	EC1616	1/4"	1.1mm	47	8"(20cm)	EC1615
077428	EC1512	1/4"	1.1mm	38	6" (15cm)	EC1510
064725	EC3008	1/4"	1.1mm	58	10" (25cm)	EC3000
078579	EC1613	1/4"	1.1mm	48	8" (20cm)	EC1620



BATTERY CHAINSAW CHAINS







CODE	MODEL	WIDTH	LINKS	COMPATIBLE
064718	EC3007	1/4" 1.1mm	58	EC3000
075745	EC1105	(.043") 1.1mm	37	EC1050
077565	EC1106	(.043") 1.1mm	37	EC1100
075752	EC1205	(.043") 1.1mm	46	EC1200
072850	EK11-S-058	1/4" (.043") 1.1mm	58	EC3000
077435	EC1513	(.043") 1.1mm	38	EC1510
078586	EC1614	(.043") 1.1mm	48	EC1620
0420990002	0420990002	3/8"LP 1.1mm	33	EC3000



FIX BLADE


CODE	MODEL	COMPATIBLE
0750350017	0750350017	EC1250
0530640004	0530640004	EC1300
0556480005	0556480005	EC1350
0530880009	0530880009	EC1400
0790260029	0790260029	EC1630
083788	EC1437	EC1435
083801	EC1442	EC1440





PUSH BOARD+GUIDE BAR 18" SET

CODE	MODEL	PITCH	WIDTH CHAIN	LINKS	LENGTH	COMPATIBLE
0343220008	EC2351	3/8" LP	1.3mm	57	18" (45cm)	EC2350



SHARPENER DISC

CODE	MODEL	DIAMETER	CENTER	WIDTH
028635	ES9100	Ø145mm	22.2mm	3.2mm
028642	ES9150	Ø100mm	22.2mm	3.2mm
049265	ES3011	Ø100mm	10mm	3.2mm



WORK FANNY PACK

CODE	MODEL
071525	EC1505



CODE	MODEL
0360740002	SSF501-S

UPPER BLADE ONLY FOR SSF501

CODE	MODEL
0360740001	SSF501-B



BATTERY SCISSORS BLADE

CODE	MODEL	COMPATIBLE
075769	EC1253	EC1250
083771	EC1436	EC1435
083795	EC1441	EC1440
0530640003	0530640003	EC1300
082965	EC1302	EC1300
0556480004	0556480004	EC1350
0530880007	EC1403	EC1400
079040	EC1632	EC1630


**GARDEN HOSE ATLAS
 3 COATINGS 15M**

CODE	MODEL	DESCRIPTION
024002	GH4100	15M 1/2"
024019	GH4200	25M 1/2"
024026	GH4300	50M 1/2"
024033	GH4400	15M 5/8"
024040	GH4500	25M 5/8"
024057	GH4600	50M 5/8"
032427	GH4700	25M 3/4"
072164	GH4710	25M 1"

**10
 YEARS
 WARRANTY**

POSEIDON HOSE 5 LAYERS

CODE	MODEL	DESCRIPTION
012528	GH1215	15m 1/2"
012535	GH1225	25M 1/2"
012542	GH1250	50M 1/2"
012559	GH5815	15M 5/8"
012566	GH5825	25M 5/8"
012573	GH5850	50M 5/8"
012580	GH3425	25m 3/4"

**25
 YEARS
 WARRANTY**

TITAN HOSE 3 LAYERS

CODE	MODEL	DESCRIPTION
019299	GH6100	15M 1/2"
019305	GH6200	25M 1/2"
019312	GH6300	50M 1/2"
019329	GH6400	15M 5/8"
019336	GH6500	25M 5/8"
019343	GH6600	50M 5/8"
072171	GH6610	50M 3/4"

**15
 YEARS
 WARRANTY**


HERCULES HOSE 6 LAYERS

CODE	MODEL	DESCRIPTION
032434	GH5900	15M 1/2"
032441	GH5905	25M 1/2"
032458	GH5910	50M 1/2"

**30
 YEARS
 WARRANTY**

PLASTIC HOSE HANGER

CODE	MODEL
062837	GH9242


HOSE COIL SET 15M

CODE	MODEL	TUBE LENGTH
062844	GH9244	3/4"



• With hose connector, hose connector with stop and tap adaptor

GARDENING SET, 4 PC

CODE	MODEL	TUBE LENGTH
062707	GH9216	3/4"



• 7 patterns with hose connector, hose connector with stop and tap adaptor

GARDENING SET, 4 PC

CODE	MODEL	TUBE LENGTH
062691	GH9214	3/4"


WATER TIMER

CODE	MODEL	SETTING	TAP ADAPTORS
062608	GH9190	0-120 min	3/4" & 1"


**WATER REEL WITH
 PISTOL & RUBBER**

CODE	MODEL	DIMENSIONS
024736	GH1000	1/2"x10m



• 7 patterns with hose connector, hose connector with stop and tap adaptor

GARDENING SET, 4 PC

CODE	MODEL	TAP ADAPTORS
062714	GH9218	3/4"


TWO-WAY HOSE COUPLING

CODE	MODEL
062752	GH9226





ADJUSTABLE SPRAY GUN

CODE	MODEL
062639	GH9202



3 PATTERN SPRAY GUN

CODE	MODEL
062646	GH9204



7 PATTERN SPRAY GUN

CODE	MODEL
062660	GH9208



7 PATTERN SPRAY GUN

CODE	MODEL
062684	GH9212



6 PATTERN SPRAY GUN

CODE	MODEL
062653	GH9206



ADJUSTABLE METAL SPRAY GUN

CODE	MODEL
062622	GH9200



7 PATTERN METAL SPRAY GUN

CODE	MODEL
062677	GH9210



METAL HANDSPRAYER

CODE	MODEL
044642	GH9085



HANDSPRAYER - SPRINKLER

CODE	MODEL
044659	GH9090

FOUR WAY TAP CONNECTOR

CODE	MODEL	SIZE
062721	GH9220	3/4"



2 WAY TAP CONNECTOR

CODE	MODEL
062738	GH9222



HOSE CONNECTOR 1/2"

CODE	MODEL	SIZE
062783	GH9232	1/2"
062677	GH9230	3/4"



HOSE CONNECTOR 1/2" WITH STOP

CODE	MODEL	SIZE
062806	GH9236	1/2"
062790	GH9234	3/4"



HOSE MENDER 1/2"

CODE	MODEL	SIZE
062820	GH9240	1/2"
062813	GH9238	3/4"



THREE-WAY HOSE COUPLING

CODE	MODEL
062745	GH9224



TAP ADAPTOR 1/2" & 3/4"

CODE	MODEL
062769	GH9228



REVOLVING SPRINKLER WITH SPIKE

CODE	MODEL	MAX COVERAGE
062585	GH9180	125m ²



For EC1428

BLADE

CODE	MODEL
084945	EC1426



For EC1428

FIXED BLADE

CODE	MODEL
084952	EC1427



For EC1428

BATTERY 16,8V

CODE	MODEL
085003	EC1424

For EC1428

CHARGER 16,8V

CODE	MODEL
085010	EC1425



For EC1440

BLADE

CODE	MODEL
083795	EC1441

FIXED BLADE

CODE	MODEL
083801	EC1442



For EC1435

BLADE

CODE	MODEL
083771	EC1436

FIXED BLADE

CODE	MODEL
083788	EC1437



For EC1710

CHAIN

CODE	MODEL
085942	EC1708

BLADE

CODE	MODEL
085959	EC1709



For EC1734

CHAIN

CODE	MODEL
086321	EC1798

BLADE

CODE	MODEL
086338	EC1799



For EC1615/BBP4220

CHAIN BAR

CODE	MODEL
083115	EC1616



For EC1520

CHAIN BAR

CODE	MODEL
083818	EC1521



DOUBLE CHARGER 21V

CODE	MODEL
085461	EC1523



CHARGER 21V

CODE	MODEL
084853	EC1617



For MB7000/MB7005/MB9000/MB9005

KNIFE RIGHT

CODE	MODEL
077176	MB7001

KNIFE LEFT

CODE	MODEL
077183	MB7002



ALUMINUM TRIMMER HEAD 4 OUTPUTS HEAVY DUTY

CODE	MODEL
9083924	PB305

SEMI-AUTOMATIC TRIMMER HEAD

CODE	MODEL
083931	PB315



CHAIN BAR 20"

CODE	MODEL
083443	PC5611



CHAIN BAR 22"

CODE	MODEL
083672	PC6703



CHAIN BAR RIVET-4N 20"

CODE	MODEL
082613	POH20-58WH-78



CHAIN BAR RIVET-4N 20"

CODE	MODEL
082620	POH22-58WH

- Suitable for 1/2" hose up to 60m
- Without rubber & accessories

HOSE CART

CODE	MODEL
062561	GH9170



- Rubber 15m
- 1/2" & 4 fittings

AUTO REWIND HOSE REEL

CODE	MODEL	ROTATION
062547	GH9160	180°



- Possibility of manual operation
- IP54
- Watering Frequency from 1 to 72 hours and 1 to 7 days
- 11 programs



DOUBLE KNOB BATTERY WATER TIMER WITH ONE OUTPUT

CODE	MODEL	WATERING DURATION
073826	GH9139	3min-2 h 3/4" & 3/4"

- Operating Pressure: 8bar
- Bursting Pressure: 24bar
- Hose cover: 100% high tenacity polyester thread
- Hose Material: PVC 0,6mm



FIRE HOSE WITH STORZ COUPLING HOSE JACKET

CODE	MODEL	DIMENSIONS
074540	GH6770	1", 20m
074557	GH6771	1", 30m
074564	GH6772	1,5", 20m
074571	GH6773	1,5", 30m
074588	GH6774	2", 20m
074595	GH6775	2", 30m
074601	GH6776	2,5", 20m
074618	GH6777	2,5", 30m
074625	GH6778	3", 20m
074632	GH6779	3", 30m

- Suitable for 1/2" hose up to 60m
- Without rubber & accessories
- Telescopic arm

TELESCOPIC HOSE CART WITH WHEELS

CODE	MODEL
062554	GH9165



- LCD screen
- IPX4
- Watering Frequency 1 to 12 hours and 1 to 7 days

BATTERY WATER TIMER WITH ONE OUTPUT

CODE	MODEL	WATERING DURATION
073819	GH9138	1min -4 h 3/4" & 3/4"



OSCILLATING SPRINKLER

CODE	MODEL	NOZZLES	MAX COVERAGE
062578	GH9175	17	270M²



- Easily Transform A Female Adaptor to Male
- Sold per 5 pieces



TAP ADAPTOR

CODE	MODEL	DIAMETER
044550	GH9040	Ø3/4"

- Circle or part circle operation

REVOLVING SPRINKLER WITH SPIKE

CODE	MODEL	MAX COVERAGE
062592	GH9185	380m²



WATERING CAN

CODE	MODEL	CAPACITY
054719	GH9150	5L
054726	GH9152	8L



- Material: Aluminum
- On/Off switch



ALUMINIUM FIRE NOZZLE

CODE	MODEL	DIMENSIONS
074694	GH6785	2,5"

- Material: Aluminum
- Non-adjustable



ALUMINIUM FIRE NOZZLE

CODE	MODEL	DIMENSIONS
074649	GH6780	1,5"
074656	GH6781	2"
074663	GH6782	2,5"

ALUMINIUM FIRE ADAPTOR STORZ

CODE	MODEL	DIMENSIONS
074748	GH6790	3"





SPRAYER

CODE	MODEL	CAPACITY
062615	GH9195	1Lt



PRESSURE SPRAYER

CODE	MODEL	CAPACITY
010210	NS8000	8Lt



PRESSURE SPRAYER

CODE	MODEL	CAPACITY
053576	NS1602	16Lt

BACKPACK SPRAYER

CODE	MODEL	CAPACITY
037538	NS1610	16Lt



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010357	NS106	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010340	NS105	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032915	NS130	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032922	NS131	90cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010432	NS108	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010333	NS104	60cm




PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032939	NS132	30cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032946	NS133	60cm



HIGH PRESSURE SPRAY HOSE

CODE	MODEL	DIMENSION
043041	NS1050	50M X 8,5mm
043058	NS1100	100M X 8,5mm



- Ergonomic Handle
- 2 Ingredients
- Japanese blade
- In Plastic Case



PRUNING SAW

CODE	MODEL	BLADE
013402	SSF320	250mm - 8TPI 1.0mm



- Ergonomic Handle
- 2 Ingredients
- Japanese blade
- In Plastic Case



PRUNING SAW

CODE	MODEL	BLADE
013419	SSF340	250mm 12TPI 0.8mm



- Ergonomic Handle
- 2 Ingredients
- Japanese blade
- In Plastic Case



PRUNING SAW

CODE	MODEL	BLADE
013426	SSF330	300mm - 8TPI 1.0mm



- 3 angle teeth
- 2 component handle
- Foldable
- Triple teeth



FOLDING HAND SAW

CODE	MODEL	BLADE
013341	SSF300	180mm 8TPI 1.3mm



- 3 angle teeth
- 2 component handle



PRUNING SAW, STRAIGHT BLADE

CODE	MODEL	BLADE	BLADE THICKNESS
055518	SSF350	250mm-7TPI 1.0mm	12



- 3 angle teeth
- 2 component handle

PRUNING SAW, STRAIGHT BLADE

CODE	MODEL	BLADE
055549	SSF353	300mm-7TPI 1.0mm



- 3 angle teeth
- Ergonomic handle



CURVED PRUNING SAW

CODE	MODEL	BLADE	RECEIVER DIAMETER
055525	SSF351	330mm-7TPI 1.0mm	Ø18



- 3 angle teeth
- 2 component handle



FOLDING SAW WITH METAL LOCK

CODE	MODEL	BLADE	BLADE THICKNESS
055532	SSF352	210mm-7TPI 1.2mm	0.65mm



INCLUDES POLE 1.2-2.4m TELESCOPIC PRUNING SAW

CODE	MODEL	BLADE
055556	SSF355	330mm-7TPI 1.0mm





- Curved Japanese Steel Folding Blade

GARDEN KNIFE

CODE	MODEL	LENGTH
013372	SSF910	180mm



- High Carbon Steel blade
- fiberglass handle

PRUNING SHEAR

CODE	MODEL	DIMENSIONS
012092	SSF410	230mm



- In Plastic Case
- Stainless Steel Blade

MULTIFUNCTIONAL KNIFE

CODE	MODEL	LENGTH
054665	SSF915	225mm



DIE-CASTING BY-PASS ALUMINUM PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054627	SSF275	200mm



BY-PASS PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054580	SSF271	200mm



- Forged blade
- Ergonomic Aluminum Handle

BY-PASS PRUNER

CODE	MODEL	DIMENSIONS
054573	SSF270	200mm



ANVIL PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054610	SSF274	200mm



ANVIL PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054634	SSF276	200mm



STRAIGHT GRAPE PRUNER

CODE	MODEL	DIMENSIONS
054597	SSF272	190mm



CURVE GRAPE PRUNER

CODE	MODEL	DIMENSIONS
054603	SSF273	165mm

- Telescopic
- Blade high carbon steel
- Aluminium handle
- With ratchet



GEAR FUNCTION BYPASS LOPPE

CODE	MODEL	DIMENSIONS	DIAMETER CUT
054641	SSF277	675-925mm	45mm



- Telescopic
- Blade high carbon steel
- Aluminium handle
- With anvil



HEDGE SHEAR W/ TELESCOPIC HANDLE

CODE	MODEL	DIMENSIONS	DIAMETER CUT
036173	SSF521	540-755mm	45mm



- Telescopic
- Blade high carbon steel
- Aluminium handle
- With ratchet



TELESCOPIC GEAR BYPASS LOPPER

CODE	MODEL	DIMENSIONS	DIAMETER CUT
036166	SSF519	540-755mm	45mm



- Telescopic
- Blade high carbon steel
- Aluminium handle



HEDGE SHEAR W/ TELESCOPIC HANDLE

CODE	MODEL	DIMENSIONS
036180	SSF523	665-885mm



METAL RAKE WITH PLASTIC HANDLE

CODE	MODEL
055914	SSF682



METAL TROVEL WITH PLASTIC HANDLE

CODE	MODEL
055891	SSF680



METAL CULTI HOE WITH PLASTIC HANDLE

CODE	MODEL
055907	SSF681



- Stainless steel
- Wooden handle
- Leather Strap



HAND RAKE

CODE	MODEL
036142	SSF515




- Stainless steel
- Wooden handle
- Leather Strap



CULTIVATOR

CODE	MODEL
036128	SSF511



NARROW HOE HEAD

CODE	MODEL	DIMENSIONS
051503	SSF630	70x260mm



NARROW HOE HEAD

CODE	MODEL	DIMENSIONS
051510	SSF635	100x275mm



2 PRONG DOUBLE HEART HOE HEAD

CODE	MODEL	DIMENSIONS
051527	SSF640	110x285mm



HOE HEAD WITH WOODEN HANDLE 60cm

CODE	MODEL
056034	SSF637




**MINI HOE + PRONG
WITH WOODEN HANDLE**

CODE	MODEL	LENGTH
056584	SSF564	60cm



**2 TEETH HOE PRONG
WITH WOODEN HANDLE**

CODE	MODEL	LENGTH
056577	SSF562	60cm



ROUND SHOVEL HEAD

CODE	MODEL	DIMENSIONS	WEIGHT
051442	SSF600	250x281x348mm (No2)	0.9Kg
051459	SSF605	267x300x365mm (No3)	1Kg



CURVED SHOVEL HEAD

CODE	MODEL	DIMENSIONS	WEIGHT
051466	SSF610	270x300x352mm (No3)	1.2Kg




DIGGING SHOVEL HEAD NO2

CODE	MODEL	DIMENSIONS	WEIGHT
051473	SSF615	270x295x380mm (No2)	0.95Kg



**"THESSALONIKI"
TYPE SHOVEL HEAD**

CODE	MODEL	DIMENSIONS	WEIGHT
051497	SSF625	255x315 508mm(No3)	1.5Kg



"CRETA" TYPE SHOVEL HEAD

CODE	MODEL	DIMENSIONS	WEIGHT
051480	SSF620	250x270x325mm (No2)	1.1Kg



• With grade hardwood handle

**SHOVEL HEAD A GRADE
HARDWOOD HANDLE**


CODE	MODEL	DIMENSIONS	WEIGHT
051565	SSF660	240x290x1020mm	1.2Kg



• With grade hardwood handle

**SHOVEL HEAD A GRADE
HARDWOOD HANDLE**

CODE	MODEL	DIMENSIONS	WEIGHT
051572	SSF665	220x290x1020mm	1,1Kg



**SHOVEL HEAD
WITH WOODEN HANDLE**

CODE	MODEL	LENGTH
056010	SSF662	152cm



**PLASTIC
SNOW SHOVEL SCOOP**

CODE	MODEL	DIMENSIONS
051589	SSF670	340x450mm/32mm



**WOODEN HANDLE
FOR SSF670**

CODE	MODEL
055921	SSF671



FOLDED SHOVEL 3 IN 1

CODE	MODEL	LENGTH
059462	SSF629	46m



**METAL RAKE
WITH 12 TEETH**

CODE	MODEL	TEETH
055976	SSF643	12
055983	SSF644	14



**TWIST METAL RAKE
WITH 14 TEETH**

CODE	MODEL	TEETH
055969	SSF642	12
055952	SSF641	14



SPADING FORK WITH 4 TEETH

CODE	MODEL	DIMENSIONS
055990	SSF647	28.5cm x 19cm



4 PRONG FORK

CODE	MODEL	DIMENSIONS
SSF645	SSF645	217x325x445mm



METAL MACHETE

CODE	MODEL	DIMENSIONS	BLADE
056058	SSF676	120x360mm	3.9mm



MACHETE HEAVY DUTY

CODE	MODEL	DIMENSIONS	BLADE
051596	SSF675	155x495mm	3.6mm



CUTTER MATTOCK TOOL

CODE	MODEL	DIMENSIONS	WEIGHT
056027	SSF651	55x390mm	2Kg



PICK AXE

CODE	MODEL	DIMENSIONS	WEIGHT
051541	SSF650	50x500mm	2Kg



NARROW HOE

CODE	MODEL	DIMENSIONS	WEIGHT
056317	SSF685	70x150mm	350gr



ROUND HOE

CODE	MODEL	DIMENSIONS	WEIGHT
056324	SSF686	170x190mm	1050gr
056331	SSF687	190x200mm	1170gr



CRETA HOE

CODE	MODEL	DIMENSIONS	WEIGHT
056348	SSF688	165x160x90mm	1050gr



MUD HOE

CODE	MODEL	DIMENSIONS	WEIGHT
056355	SSF689	140x160x150mm	825gr



SQUARE HOE

CODE	MODEL	DIMENSIONS	WEIGHT
056362	SSF690	170x200x170mm	1275gr



SQUARE POTATO HOE

CODE	MODEL	DIMENSIONS	WEIGHT
056379	SSF691	145x205x145mm	1180gr




NARROW HOE

CODE	MODEL	DIMENSIONS	WEIGHT
056386	SSF692	80x200mm	810gr



PLASTIC LEAF RAKE WITH WOODEN HANDLE

CODE	MODEL	DIMENSIONS
055938	SSF678	78x58x120cm



METAL LEAF RAKE FOR TUBE Ø23

CODE	MODEL	DIMENSIONS
056003	SSF679	39x43x6cm



- Material Abs, Metal
- Plating Nickel

TAPETOOL FOR PLANTS

CODE	MODEL
055679	SSF050


GRAFTING TOOL

CODE	MODEL
073970	SSF101


STAPLES FOR TAPETOOL

CODE	MODEL
055693	SSF052


TAPE FOR TAPETOOL PLANTS 20PCS

CODE	MODEL
055686	SSF051-20


BLADE FOR TAPETOOL

CODE	MODEL
055709	SSF053


SPRING FOR TAPETOOL

CODE	MODEL
055716	SSF054


TAPE FOR GRAFTING TOOL TRANSPARENT

CODE	MODEL	DIMENSIONS
074007	SSF102	100x3mm


BLADE FOR GRAFTING TOOL FOR SSF101

CODE	MODEL
074014	SSF103


PLASTIC FENCE 20cmX9m, GREEN

CODE	MODEL	DIMENSIONS
076858	PF900	20cm x 9m



SPLITTING AXE

CODE	MODEL	HANDLE	WEIGHT
028338	BSA1050	35cm	650gr
028345	BSA1100	45cm	950gr
028352	BSA1150	71cm	1.7kg



KITCHEN AXE WITH WOODEN HANDLE

CODE	MODEL	LENGTH	WEIGHT
056430	SSF550	33cm	600gr
056447	SSF552	36cm	800gr
056454	SSF554	70cm	1,25Kg
056461	SSF556	90cm	1,8Kg



SPLITTING MAUL WITH WOODEN HANDLE

CODE	MODEL	LENGTH	WEIGHT
056478	SSF558	90cm	3Kg



SPLITTING MAUL WITH WOODEN HANDLE

CODE	MODEL	LENGTH	WEIGHT
056485	SSF560	90cm	3Kg



SPLITTING AXE

CODE	MODEL	LENGTH	WEIGHT
028321	BSA1000	90cm	2.5kg



NAKAYAMA[®]

PRO

www.nakayamatools.com

info@nakayamatools.com



International Office: Steiermärker Straße 3-5, 70469 Stuttgart, Germany
Head Office - Distribution Center: Markopoulo Industrial Zone, 19003 Athens, Greece
www.nikolaoutools.com