

NAKAYAMA[®]

PRO

**N^{III} Li-ion
FORCE
21V**

**150⁺
TOOLS**



DRIVEN BY
**JAPANESE
TECHNOLOGY**
 **SINCE 1975**



NEW 60V Battery Platform... for



BRUSHLESS
MOTOR



1+1
TURBO

PRO



NEW

from 05/11/26

EC6010X8 | 087908

Cordless chainsaw

Bar length	40cm (16")
Chain	1.3mm 3/8LP"
Guides	57
Chain speed	19/25m/s
2 Speed selection keypad	
Chain tensioner	
Chain lubrication	with Pump
Led Light	
Weight	4.1Kg

INCLUDE: Charger, Bar and chain



BRUSHLESS
MOTOR



PRO



NEW

from 28/10/26

EC6015X4 | 087922

Cordless blower

Maximum Air Speed	260Km/h
Maximum Air Volume	1200m³/h
Variable Speed	
Load Speed	9000-25000±10%rpm
Weight	2.5Kg

INCLUDE: Charger, double hook strap, air tube assembly



petrol performance... without the petrol!


60V SUMO

PRO

NEW

from 05/11/26

EC6003 | 087984

Charger



Input	230-240V ~ 50Hz
Output	4.0A
Charging indicator lights	
Weight	1.0Kg

NEW

from 05/11/26

EC6004 | 087991

Battery 4Ah



Charging Indicator Lights	
Weight	1.5Kg

NEW

from 05/11/26

EC6008 | 088004

Battery 8Ah



Charging Indicator Lights	
Weight	2.8Kg

60V SUMO
BRUSHLESS
MOTOR

1x 4.0Ah

SPLIT SHAFT

NEW

from 05/11/26

EC6020X4 | 087946

Cordless brushcutter

Disc Diameter	420mm
Split Shaft	
Shaft Diameter	26mm
Head Thread	M10x1.25L
Weight	3.8Kg

INCLUDE: Charger, 3-tooth blade, nylon line, belt



PRO

60V SUMO
BRUSHLESS
MOTOR

1x 4.0Ah

NEW

from 05/11/26

EC6025X4 | 087960

Cordless hedgetrimmer

No load speed	1600rpm
Bar Length	65cm
Cutting Capacity	30mm
Weight	3.7Kg

INCLUDE: Charger, protector cover



Rotate Handle
0/±45/±90°

PRO

PRO

NEW
EC1740X22T3 | 086185
Cordless garden combo, blower, hedge trimmer, brushcutter
Leaf blower

Maximum Air Volume	245m³/h
Maximum Air Speed	241 Km/h
Load speed	2
Weight	11000/13500rpm
Weight	1.1kg

Hedge trimmer

Load speed	1550rpm
Guide bar	46cm
Cutting Length	44cm
Cutting Capacity	16mm
Rotating Handle	0/±45/±90°
Protective Guard	
Weight	2.2kg

Brushcutter

Cutting Width	300mm
Load speed	487 - 890mm
Telescopic Shaft	26mm
With adjustable guard, rotating head from 0° to 90°	
Weight	1.7Kg

INCLUDE: 2x2.0Ah batteries, Charger

**BRUSHLESS
MOTOR**

SK5 STEEL
PRO
NEW
EC1750X24T4 | 086277
Cordless garden combo, blower, brushcutter, pruning shear, hedge trimmer
Leaf blower

Air Volume	570m³/h
Air Speed	144Km/h
Load speed	13000-16000rpm
Switch with Safety Lock	
Weight	2.1kg

Hedge trimmer

Load speed	1550rpm
Guide bar	46cm
Cutting Length	44cm
Cutting Capacity	16mm
Rotating Handle	0/±45/±90°
Protective Guard	
Weight	2.2kg

Brushcutter

Disk Diameter	300mm
Load speed	8000rpm
Split Shaft / Telescopic	487 - 890mm
With adjustable guard, rotating head from 0° to 90°	
Weight	1.7Kg

Pruning shear

Cutting capacity	0-28mm
Display	HD Digital
Weight	0.75Kg


INCLUDE: 1x2.0Ah & 1x4.0Ah batteries, Charger



BRUSHLESS
MOTOR



PRUNING
COMBO

Sk5 STEEL

EC1221X44T3C | 085492

Set cordless chainsaw and pruning shear

Chainsaw

Guide bar	20 cm
Chain/guide	1/4"x1,1mm/46
Chain speed	8m/s
Lubrication system	with pump
Weight	1.4kg

INCLUDE: Extra chain, charger, tools, protection glasses

Pruning shear

Cutting capacity (2 positions)	0-22/28mm
Display	HD Digital
Weight	0.75kg

Extension

Length	1.2-1.9m
Weight	1.0kg

INCLUDE: 2x2.0Ah, 1.5A charger, Safety Switch, 10ml oil bottle (without oil), HEX wrench, socket



+OFFER
the Extension



BRUSHLESS
MOTOR



EC1040 | 082453

Cordless mini chainsaw

Guide bar	10cm
Chain/guide	1/4" 1,1mm/28
Chain speed	10m/s
Weight	0.815kg

Compatible with the EC1020 extension

INCLUDE: Charger, tools, protection glasses



BRUSHLESS
MOTOR



EC1050 | 075028

Cordless mini chainsaw

Guide bar	15cm
Chain/guide	1/4"x1,1mm/37
Chain speed	10m/s
Weight	0.825kg

Compatible with the EC1020 extension

INCLUDE: Extra chain, charger, tools, protection glasses





BRUSHLESS
MOTOR



EC1100 | 074991

Cordless mini chainsaw

Guide bar	15cm
Chain/guide	1/4"x1,1mm/37
Chain speed	10m/s
Lubrication system	With pump
Weight	1,1Kg

Compatible with the EC1020 extension

INCLUDE: Extra chain, charger, tools, protection glasses



BRUSHLESS
MOTOR



NEW

from 28/10/26

EC1117X22C | 088615

Cordless mini chainsaw

Guide bar	15cm
Chain/guide	1/4"x1,1mm/37
Chain speed	10m/s
Lubrication system	Automatic pump
Weight	1.1Kg

Compatible with the EC1020 extension

INCLUDE: Extra chain, charger, tools, protection glasses



BRUSHLESS
MOTOR



EC1200 | 075004

Cordless mini chainsaw

Guide bar	20cm
Chain/guide	1/4"x1,1mm/46
Chain speed	10m/s
Lubrication system	Automatic pump
Weight	1.4Kg

Compatible with the EC1020 extension

INCLUDE: Extra chain, charger, tools, protection glasses



BRUSHLESS
MOTOR



NEW

from 11/11/26

EC1214X44C | 087175

Cordless mini chainsaw

Guide bar	20cm
Chain/guide	1/4"x1,1mm/47
Chain speed	13m/s
Lubrication system	Automatic pump
Weight	1.3Kg

Compatible with the EC1525 extension

INCLUDE: Charger, batteries, tools



**NFI Li-ion
FORCE
21V**
**BRUSHLESS
MOTOR**
PRO
2x 5.0Ah

EC1520 | 082927
Cordless mini chainsaw

Guide bar	20cm
Chain/guide	1/4x1,1mm/47
Chain speed	11m/s
Lubrication system	Automatic pump
Weight	1.5Kg

Compatible with the EC1525 extension

INCLUDE: Charger, tools


**NFI Li-ion
FORCE
21V**
**BRUSHLESS
MOTOR**
2x 4.0Ah

EC1230 | 082996
Cordless mini chainsaw

Guide bar	30cm
Chain/guide	1/4" 1,1mm/62
Chain speed	14m/s
Lubrication system	Automatic pump
Weight	1.55 kg

INCLUDE: Extra chain, charger, tools, protection glasses


**NFI Li-ion
FORCE
21V**
**BRUSHLESS
MOTOR**
1x 4.0Ah
PRO

EC1600 | 061694
Cordless chainsaw

Guide bar	20cm
Chain/guide	1/4x1,1mm/47
Chain speed	15m/s
Lubrication system	Automatic pump
Weight	1,5Kg

INCLUDE: Charger, tools


**NFI Li-ion
FORCE
21V**
**BRUSHLESS
MOTOR**
2x 4.0Ah
PRO
42V(21+21)
EC1711X44 | 085294
Cordless chainsaw

Guide bar	40cm(16")
Chain/guide	3/8LP", 1.1mm/57
Chain speed	15/25 m/s
Selection keypad	2 speeds
Lubrication system	Automatic pump
Chain tensioner	
Weight	3.8Kg

 INCLUDE:
4A Dual fast-charger, tools


NI-Li-ion
FORCE
21V

PRO

BRUSHLESS
MOTOR

2x 4.0Ah



EC1615 | 083092

Telescopic pole saw

Blade Length	20cm
Chain-Guides/Links	1/4x1,1mm/47
Chain Speed	12m/s
Lubrication system	Automatic pump
Reciprocating Saw	180,0-300,0cm
Weight	2.7kg

INCLUDE: Charger

NI-Li-ion
FORCE
21V

PRO

BRUSHLESS
MOTOR

2x 4.0Ah



NEW

EC1621X44 | 088394

Telescopic pole saw

Blade Length	20cm
Chain-Guides/Links	1/4x1,1mm/48
Chain Speed	8m/s
Lubrication system	Automatic pump
Reciprocating Saw	150,0-300,0cm
Weight	2.3kg

INCLUDE: Charger

NI-Li-ion
FORCE
21V

PRO

BRUSHLESS
MOTOR

2x 5.0Ah



NEW

from 11/11/26

EC1625X55C | 087168

Telescopic pole saw

Blade Length	20cm
Chain-Guides/Links	1/4x1,1mm/47
Chain Speed	15m/s
Lubrication system	Automatic pump
Reciprocating Saw	19500-18000-16000 rpm/min
Reciprocating Saw	200-300cm
Weight	2.7Kg

INCLUDE:
Charger, tools

NI-Li-ion
FORCE
21V

PRO

BRUSHLESS
MOTOR

2x 4.0Ah



NEW

THE
LIGHTEST
IN THEIR
CLASS

EC1635X44 | 088608

Telescopic
cordless pole saw


Cutting capacity (2 positions)	22/35mm
Length	2.2m
Weight	1.9Kg

INCLUDE: fast charger


BRUSHLESS
MOTOR
SK5 STEEL
EC1250 | 075035
Cordless pruning shears

Cutting capacity (2 positions)	0-22/28mm
Display	HD Digital
Weight	0.75Kg

Compatible with the EC1020 extension

INCLUDE: Charger, tools

EC1020 | 075011
Telescopic extension rod

Lenght	1,2-1,9m
Weight	1Kg

 For EC1100, EC1200,
 EC1250, EC1050

BRUSHLESS
MOTOR
SK5 STEEL
EC1435 | 082903
Cordless pruning shears

Cutting capacity (2 positions)	0-15/35mm
Progressive cutting	
Display	HD Digital
Weight	0.85Kg

Compatible with the EC1525 extension

INCLUDE: Charger, tools

PRO

BRUSHLESS
MOTOR
SK5 STEEL
EC1440 | 082910
Cordless pruning shears

Cutting capacity (2 positions)	0-15/40mm
Progressive cutting	
Display	HD Digital
Weight	0.9Kg

Compatible with the EC1525 extension

INCLUDE: Charger, tools

PRO

EC1525 | 085256
Telescopic extension rod

Lenght	1,4-2,5m
Weight	1.4Kg

 For EC1440,
 EC1435, EC1520

**NI-Li-ion
FORCE
21V**
1x 4.0Ah
PRO

NEW
EC1660X4CA | 086307
Cordless washer

Maximum Pressure	30bar
Water Flow Rate	300lt/h
Operating Time	16min
6 Settings nozzle	
Weight	1.1kg

INCLUDE:

1x5m water hose
quick-connect nozzle head with 6 spray
settings, water inlet filter, 1/2" quick
connector, lance extension, detergent tank
4.0 Ah battery, 2A charger


**NI-Li-ion
FORCE
21V**
**BRUSHLESS
MOTOR**
PRO
42V(21+21)
2x 4.0Ah
EC4611X44 | 086406
Brushcutter

Max cutting width	300mm
Split Shaft	
Speed	5500-7500rpm
Shaft Diameter	26mm
Weight	6.2Kg

INCLUDE: Disc 3T,
Trimmer line, harness, fast charger


**NI-Li-ion
FORCE
21V**
1x 4.0Ah
PRO
EC1651X4 | 086390
Hedge trimmer

Load speed	1550spm
Bar Length	46cm
Cutting Capacity	16mm
Rotate Handle	0/±45/±90°
Weight	2.2kg

INCLUDE: Fast charger


**NI-Li-ion
FORCE
21V**
2x 4.0Ah
PRO
EC1717X44 | 087885
Hedge trimmer

Load speed	1550spm
Bar Length	60cm
Rotate Handle	0/±45/±90°
Weight	4kg

INCLUDE: Dual fast charger


NEW
from 05/11/26



PRO



EC1641X4 | 086383

Cordless blower

Air Volume	570m³/h
Air Speed	144km/h
Load speed	13000-16000rpm
Weight	2.1kg

INCLUDE: Fast charger



BRUSHLESS
MOTOR



PRO

42V(21+21)

4+1
TURBO



EC1719X44 | 085331

Cordless blower

Air Volume	1020 m³/h
Air Speed	240km/h
Speed options	4+1 Turbo
Load speed	9000-23000rpm
Weight	3.1kg

INCLUDE: 4A Dual fast-charger,
double hook strap



BRUSHLESS
MOTOR



PRO

42V(21+21)

4+1
TURBO



2 in 1

EC1715X44 | 085317

Cordless blower vacuum cleaner

Air Volume	650 m³/h
Air Speed	288km/h
Speed options	4+1 Turbo
Load speed	17000rpm
Collection Bag Capacity	45Lt
Weight	3.4kg

INCLUDE: Dual fast charger,
single harness, collection bag



BRUSHLESS
MOTOR



PRO

42V(21+21)

4+1
TURBO



EC1723X44 | 085379

Backpack Cordless blower

Air Volume	1100m³/h
Air Speed	252 Km/h
Speed options	4+1 Turbo
Load speed	9000-23000rpm
Weight	5.6kg

INCLUDE: Dual fast-charger

NFORCE
21V
BRUSHLESS
 MOTOR

 2x **4.0Ah**
PRO
42V(21+21)

EC1726X44 | 085393

Cordless lawn mower

Cutting width	43cm
Cutting height	2.5-7.5cm
Load speed	3300rpm
Basket volume	50Lt
Wheel size front/rear(Φ)	180/250mm
Deck	Plastic
Mulching, rear bag and side discharge	
Weight	13.8Kg

INCLUDE: Dual fast charger


NFORCE
21V
BRUSHLESS
 MOTOR

 2x **4.0Ah**
PRO
42V(21+21)

NEW
EC1730X44
| 085416

Cordless lawn mower Self-propelled

Cutting width	47cm
Cutting height	3.0-7.5cm
Load speed	3300rpm
Basket volume	65Lt
Wheel size front/rear(Φ)	200/280mm
Deck	Metal
Mulching, rear bag and side discharge	
Weight	26.3Kg

INCLUDE: Dual fast charger


PRO


EC1604 | 071716

 Dual battery
 waist pouch

PRO

EC1605 | 071723

 Extension wire
 Length: 1,5m

PRO

EC1505 | 071525

Tool belt pouch

NFORCE
21V
ALL 21V TOOLS HAVE A COMMON BATTERY CONNECTOR
PRO
NEW

from 15/10/26


EC1618 | 087977

 Charger 21V,
 Li-Ion, 4A
 NFORCE

PRO

 For EC1600
 EC1620
 EC1630

EC1601 | 071693

 Battery 21V,
 Li-Ion, 10Ah
 NFORCE

PRO
NEW

from 05/11/26


EC1626 | 088042

 Battery 21V,
 Li-Ion, 5.0Ah
 NFORCE

PRO
NEW

from 05/11/26


EC1628 | 088011

 Battery 21V,
 Li-Ion, 8.0Ah
 NFORCE

PRO
EC1631
| 079033

Charger 1,5A

 For EC1600, EC1620,
 EC1630

EC1102
| 075783

Charger 1A

 For EC1050, EC1100,
 EC1200, EC1250,
 EC1520

CHARGING
INDICATOR
LIGHT
EC1608
| 078074

 Backpack
 battery 20Ah

 For EC1600
 EC1620 EC1630

PRO
PRO
EC1609
| 078081

Charger 3A

For EC1608



16.8V
**BRUSHLESS
MOTOR**
1x 2.0Ah
EC1500 | 053101
Cordless mini chainsaw

Guide bar	13cm
Chain/guide	1/4" 1,1mm/32
Chain speed	11m/s
Lubrication system	With pump
Weight	0,74Kg
LED battery Indicator	

INCLUDE: Charger, tools

16.8V
**BRUSHLESS
MOTOR**
1x 2.0Ah
SK5 STEEL
EC1350 | 055648
Cordless pruning shears

Cutting capacity (2 positions)	0-25/0-32mm
Progressive cutting	
Weight	0,74Kg
LED battery Indicator	

INCLUDE: Charger, tools

PRO
EC1501 | 053118
Battery 16,8V
 For EC1500/EC1350

PRO
EC1500EXT | 065227
**Telescopic extension
bar 1,5-2,1m**
 For EC1500 & EC1350

EC1503 | 073994
PRO
Connection wire
 For EC1350 & EC1500

**BRUSHLESS
MOTOR**
1x 2.0Ah
EC1550 | 055655
Cordless mini chainsaw

Guide bar	20cm
Chain/guide	1/4" 1,1mm/48
Chain speed	11m/s
Lubrication system	With pump
Weight	1,5Kg
LED battery Indicator	

INCLUDE: Charger, tools

**BRUSHLESS
MOTOR**
1x 2.0Ah
SK5 STEEL
EC1400 | 053088
Cordless pruning shears

Cutting capacity (2 positions)	0-30/40mm
Progressive cutting	
Display	HD Digital
Weight	0,97Kg

INCLUDE: Charger, tools

PRO
**EC1400EXT
053125**
**Telescopic
extension bar
1,5-2,1m**
 for EC1400

EC1405 | 073987
PRO
**Connection
wire**
 Length: 1.2m
 For EC1400

EC1401 | 053095
Battery 21V
 For EC1400/EC1550

PRO

EC1402 | 055662
Battery 21V
 For EC1550/EC1400

PRO

16.8V
BRUSHLESS
 MOTOR

2x 2.0Ah
EC1510 | 077411

Cordless mini chainsaw

Guide bar	15cm
Chain/guide	1/4", 1,1/36mm
Chain speed	8m/s
Lubrication system	Automatic pump
Weight	0,96Kg
LED battery Indicator	

INCLUDE: Charger, tools


PRO
16.8V
BRUSHLESS
 MOTOR

1x 2.0Ah
SK5 STEEL
EC1300 | 053064

Cordless mini chainsaw

Cutting capacity (2 positions)	0-22/0-28mm
Weight	0.69Kg

INCLUDE: Charger, tools


PRO
EC1510EXT | 077459

 Telescopic extension bar
 1,5-2,1m
 For EC1510

PRO
PRO
EC1301 | 053071

 Battery 16.8V, 2.0Ah
 For EC1300, EC1510

16.8V
BRUSHLESS
 MOTOR

2x 2.0Ah
SK5 STEEL
EC1428 | 084969

Cordless pruning shears

Cutting capacity (2 positions)	0-22/28mm
Progressive cutting	
Weight	0.69Kg

INCLUDE: Charger, tools


PRO
4V
SK5 STEEL
PRO
NEW

from 30/10/26

EC1012 | 088028

Cordless pruning shears

Cutting capacity (2 positions)	12mm
Progressive cutting	
Weight	0.7Kg

 INCLUDE: Blade protective cover,
 USB Type-C charging cable

20V
BRUSHLESS
 MOTOR

SOLO
EC3000 | 042099

Cordless chainsaw

Guide bar	25cm with gear
Chain/guide	1/4x1,1mm/58
Chain speed	11m/s
Lubrication system	with pump
Weight	1.9 Kg


PRO

EC3005 | 042105

 Battery 20V,
 Li-Ion 4.0Ah

EC3010 | 042112

 Charger 20V
 For EC3000

2STROKE
**EASY
START**

PB4320 | 066606
Gasoline brush cutter

Engine Displacement	43cc
Max Power	1.8Hp
Load speed	6500rpm
Fuel Tank	1200ml
Shaft Diameter	26mm
Weight	7.4kg

INCLUDE: Harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank


2STROKE
**EASY
START**

PB5221 | 033783
Gasoline brush cutter

Engine Displacement	52cc
Max Power	2.0Hp
Load speed	6500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
Weight	7.6kg

INCLUDE: Double harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank


2STROKE
**EASY
START**

PB5228 | 078906
Gasoline brush cutter

Engine Displacement	52cc
Max Power	2.0Hp
Load speed	6500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
Split shaft	
Weight	7.6kg


INCLUDE: Double harness, Semi-automatic trimmer head, 3T metal disc, Service tools, Fuel tank carburante


2STROKE
**EASY
START**

PB6210 | 024255
Gasoline brush cutter

Engine Displacement	62cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
Weight	7.9kg

INCLUDE: Double harness, 3T metal disc, aluminium trimmer head with 4 exits, Service tools, Fuel tank


2STROKE
**EASY
START**

PB6310 | 024248
Gasoline brush cutter

Engine Displacement	63cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
With anti-vibration system	
Weight	9.0Kg

INCLUDE: Reinforced double harness, 40T metal disc, aluminium trimmer head with 4 exits, Service tools, Fuel tank



2STROKE **EASY**
 START

**Features a decompressor
for easy starting**

PB7230 | 066484

Gasoline brush cutter

Engine Displacement	72cc
Max Power	3.8Hp
Load speed	10000rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
With anti-vibration steering system	
Weight	8.6kg

INCLUDE: Reinforced double harness, 40C metal disc, aluminium trimmer head with 4 exits, Service tools, Fuel tank


2STROKE **STAGE V** **EASY**
 START

PRO
PB5450 | 033967

Gasoline brush cutter

Engine Displacement	52cc
Max Power	2Hp
Load speed	10000rpm
Fuel Tank	900ml
Shaft Diameter	28mm
Weight	7.6kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank


2STROKE **STAGE V** **EASY**
 START

PRO
PB5600 | 033790

Gasoline brush cutter

Engine Displacement	52cc
Max Power	2.3Hp
Load speed	10000rpm
Fuel Tank	900ml
Shaft Diameter	28mm
With anti-vibration system	
Weight	9.2Kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank


2STROKE **STAGE V** **EASY**
 START

PRO
PB7500 | 033813

Gasoline brush cutter

Engine Displacement	63.3cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
With anti-vibration system	
Weight	8.8kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank



2STROKE

STAGE V
PRO
EASY
START
PB7700 | 033806
Gasoline brush cutter

Engine Displacement	63.3cc
Max Power	3.0Hp
Load speed	7500rpm
Fuel Tank	1200ml
Shaft Diameter	28mm
With anti-vibration system	
Weight καθαρό	10.8kg

INCLUDE: Reinforced double harness, 255/3T metal disc, Semi-automatic Head with 4 exits, Service tools, Fuel tank


PRO
EB1012 | 084587
Electric brush cutter

Power	1400W
Load speed	7500rpm
Max. cutting width	380mm
Split shaft	
Shaft Diameter	26mm
Protection against overheating	
Weight	4.6Kg

INCLUDE: Bicycle handle, 3T blade, spool, Aluminum tube


ET6100 | 034278
Electric grass trimmer

Power	550W
Load speed	8800rpm
Total length	98-120cm
Diameter of Trimmer Line	320mm
Weight	3.85Kg

INCLUDE: Automatic trimmer head, Service tools

PB1000 | 015611
Tiller for brush cutter

Working width	25cm
Knives	8+8

For brush cutters with shaft diameter: 28 / 9T

For PB6210, 6310, PB7230


CS1500
| 014423
Cutting saw standdel legno

Maximum weight 150Kg


PRO

ES2310 | 036289
Electric chain grinder

Power	230W
Disc Ø	145mm
Working light	


ES3010 | 049241
Electric chain grinder

Power	220W
Disc Ø	100mm

IRON MESH
PB970
| 031833
Face shield visor

FT2000
| 014300
Fuel tank

Metal construction 20lt

2STROKE
PS5170 | 054115
Gasoline multitool 4 in 1

Engine Displacement	51.7cc
Max Power	2.1Hp
Load speed	8500rpm
Fuel tank	1200ml
Shaft Diameter	26mm
Hedge Trimmer cutting length	39,5cm
Blade	25cm
Chain/guide	3/8"LP 1.3mm/40
Extension Shaft	1m
Length without extension	2,2m
Weight	13Kg

INCLUDE: Nylon Head, 3T Blade, Double Belt 14,5kg, tools


2STROKE

STAGE V
**EASY
START**
PRO
PS5105 | 036500
Multi-functional tool 4 in1


Engine Displacement	25.4cc
Max Power	1Hp
Load speed	10000rpm
Fuel Tank	700ml
Split shaft	
Shaft Diameter	26mm
Length of scissors	395mm
Guide bar	25cm
Blade with gear	
Chain/guide	1/4", 1.1mm /56
Total length	2.2m
Weight	11.3Kg

INCLUDE: Double harness, Trimmer head, 3T metal disc, Service tools, Fuel tank


2STROKE
PS2600 | 029113
Gasoline pole saw

Engine Displacement	25.4cc
Max Power	1.1Hp
Blade with gear	
Load speed	10000rpm
Chain/guide	1/4" 1.1mm/58
Guide bar	25cm
Fuel tank	700ml
Length chainsaw	2m
Weight	5.3Kg

INCLUDE: Bar, Chain, Belt, Service tools, Fuel tank


PS5105EXT | 036524
Pole extension

For PS5105, PS2600
26mmx76cm


PRO
ES7250 | 034339
Electric pole saw

Power	750W
Load speed	6000rpm
Blade with gear	
Chain/guide	3/8"LP, 1.3mm /33
Guide bar	20cm
Hedge Trimmer cutting length	2.0-2.8m
Angle Adjustable Position	0, 15, 30°
Weight	3.0Kg

INCLUDE: Belt, Bar, Chain, Lubrication oil


PRO
PS2500EXT | 012801
Pole extension

For PS2600 100cm,
Weight 0.35Kg



4STROKE

 cc **STAGE V**
PRO
NEW

from 24/09/26

PB8060 | 087090

Gasoline wheeled brush cutter

Engine Displacement	180cc
Max Power	6.0Hp
Load speed	3100rpm
Fuel Tank	1000ml
Shaft Diameter	25mm
Throttle integrated shutdown	
Weight καθαρό	37kg

INCLUDE:

6 pcs trimmer line, 1 set hex key, 1 pc spark plug socket


4STROKE

PB8600 | 074779

Self-propelled gasoline grass chipper

Engine Displacement	6,5Hp
Start System	Manual
Transmission Belt for blades/Gears for movement	
Speed	2 forwards + 1 backwards
Working width	60cm
Cutting drum speed	2 - 80mm
Number of blades	3200rpm
Knife Type	48τμx (16x3)
Fuel tank	3.6L
Oil tank	0,5L
Maximum working speed	4.4xλμ/ώρα
Rear wheel	Ø 300mm
Adjustable distance of the handle from the ground: (Maximum 80cm)	
Weight	94Kg


4STROKE
PRO
PB9700 | 079859

Remote controlled flail lawn mower

Single cylinder, 4-stroke, air-cooled

Engine Displacement	420cc
Max Power	12Hp
Drive motor	2x800W
Start	Recoil
Working speed	2,5 km/h
Maximum slope	45°
Drum speed	3600rpm
Cutting width	70cm
Cutting height	2-8cm
Cutting height adjustment	Manual
Number of hammers	48
Fuel consumption	3,0L/h
Remote control range	300m
Weight	260kg



2STROKE

PC3100 | 029052
Gasoline chainsaw

Engine Displacement	25cc
Max Power	1.3Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	230ml
Guide bar	25cm
Blade with gear	
Chain/guide	3/8"LP, 1.3mm/40
Oil Chain Tank	160ml
Weight	2.9Kg

INCLUDE: Bar, Chain, Harness,
Service tools, Fuel tank


2STROKE
STAGE V
PRO
**EASY
START**

PC2525 | 068228
Gasoline chainsaw

Engine Displacement	25cc
Max Power	1.4Hp
Lubrication system	Automatic pump
Load speed	3400rpm
Fuel tank	190ml
Guide bar	25cm
Blade with gear	
Chain/guide	1/4", 1.1mm/56
Oil Chain Tank	140ml
Weight	2.5Kg

INCLUDE: Bar, Chain, Harness,
Service tools, Fuel tank


2STROKE

PC4600 | 029069
Gasoline chainsaw

Engine Displacement	45cc
Max Power	2.45Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	550ml
Guide bar	45cm
Blade with gear	
Chain/guide	0.325" 1.3mm/72
Oil Chain Tank	260ml
Weight	4.5Kg


2STROKE

PC5600 | 029076
Gasoline chainsaw

Engine Displacement	50cc
Max Power	2.6Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	550ml
Guide bar	50cm
Blade with gear	
Chain/guide	0.325" 1.5mm/76
Oil Chain Tank	260ml
Weight	5Kg

INCLUDE: Bar, Chain, Belt, Service tools, Fuel tank


2STROKE

PC6700 | 029083
Gasoline chainsaw

Engine Displacement	56.3cc
Max Power	3.8Hp
Lubrication system	Automatic pump
Load speed	3200rpm
Fuel tank	550ml
Guide bar	55cm
Blade with gear	
Chain/guide	0.325" 1.5mm/86
Oil Chain Tank	260ml
Weight	5.4Kg

INCLUDE: Bar, Chain, Service tools, Fuel tank



2STROKE

STAGE V

PRO

EASY
START



PC4100 | 036456

Gasoline chain saw

Engine Displacement	39.6cc
Max Power	2.0Hp
Lubrication system	Automatic pump
Load speed	3700rpm
Fuel tank	410ml
Guide bar	40cm
Blade with gear	
Chain/guide	0.325", 1.3mm/56
Oil Chain Tank	240ml
Weight	4.3Kg



INCLUDE: Bar, Chain, Service tools, Fuel tank

2STROKE

STAGE V

PRO

EASY
START



PC4610 | 036463

Gasoline chain saw

Engine Displacement	39.6cc
Max Power	2.0Hp
Lubrication system	Automatic pump
Load speed	3700rpm
Fuel tank	520ml
Guide bar	45cm
Blade with gear	
Chain/guide	0.325", 1.3mm/56
Oil Chain Tank	260ml
Weight	4.9Kg



INCLUDE: Bar, Chain, Service tools, Fuel tank

2STROKE

STAGE V

PRO

EASY
START



PC5610 | 036470

Gasoline chain saw

Engine Displacement	54.6cc
Max Power	3.5Hp
Lubrication system	Automatic pump
Load speed	3700rpm
Fuel tank	450ml
Guide bar	50cm
Blade with gear	
Chain/guide	0.325", 1.5mm/78
Oil Chain Tank	260ml
Weight	5.2Kg



INCLUDE: INCLUDE:



PRO

EC2350 | 034322

Gasoline chain saw

Power	2400W
Guide bar	45cm
Load speed	7600rpm
Chain speed	14m/s
Blade with gear	
Chain/guide	3/8LP", 1.3mm/62
Oil Chain Tank	250ml
Weight	4.5Kg

INCLUDE: Bar, Chain, Service tools, Fuel tank



EC2035 | 042600

Gasoline chain saw

Power	1800W
Guide bar	35cm
Load speed	7500rpm
Chain speed	14m/s
Blade with gear	
Chain/guide	3/8LP", 1.3mm/52
Oil Chain Tank	120ml
Weight	3.8Kg

INCLUDE: Bar, Chain, Service tools, Fuel tank

4STROKE
PRO
GS8600
| 029168

Gasoline chipper shredder

Engine Displacement	196cc
Power	6,5Hp
Starting system	Manual
Chipping Diameter	76mm
Blade Speed	2800rpm
Blade	2 pcs
Weight	85Kg


4STROKE
PRO
GS9600 | 029175

Gasoline chipper shredder

Engine Displacement	420cc
Power	15Hp
Starting system	Starter/Manual
Chipping Diameter	120mm
Blade Speed	2800rpm
Blade	2 pcs
With towing kit	
Weight	170Kg


PRO
ES2510 | 053057

Blade shredder

Power	2500W
Cutting capacity	40mm
Load speed	50 00rpm
Weight	11,30g


4STROKE
PRO
GS8700 | 069478


Gasoline chipper shredder

Engine Displacement	212cc
Power	7Hp
Starting system	Manual
Chipping Diameter	60mm
Cutting length	50-100mm
Blade Speed	400rpm
Blade	6 pcs
Weight	110Kg


Olive net

MODEL	CODE	DIMENSIONS
SN7000	028567	90GR 6X10m
SN7050	028574	90GR 6X12m
SN7100	028581	90GR 7X12m
SN7150	028598	90GR 7X14m
SN7200	028604	90GR 8X12m
SN7250	028611	90GR 8X14m

Material	HDPE
Density	90gsm
UV protection	


2STROKE
PRO
GB1310 | 036197

2stroke inverter power generator

Displacement	69cc
Output Voltage Low/High	14/18V
Starting system	Manual
Speed	3600rpm
Max Output	50A
Fuel Tank	2.2Lt
Weight	12Kg
Suitable for use with 3 olive harvesters (12V)	



4STROKE
PRO

GB1330 | 036197
Wheeled olive harvester inverter generator DC

Displacement	196cc
Output Voltage Low/High	3x12V
Starting system	Manual
Speed	3000rpm
Max Output	100A
Fuel Tank	5.6Lt
Weight	24Kg
Suitable for use with 3 olive harvesters (12V)	

INCLUDE: 3x12V charging cable, maintenance tools

SM9800 | 043034
Gasoline skythe mower

Engine Displacement	196cc
Power	6.5Hp
Speed	1 forwards + 1 backwards
Starting system	Manual
Transmission	Belt
Working width	100cm
Adjusted Height	1-8cm
Weight	158Kg


PRO
MB2120 | 084594
Electric tiller

Power	1500W
Speed	1 forwards
Transmission	Gears
Working Width	45cm
Working Depth	18cm
Blades/Knives	12+12
Handlebar/Steering	by hand
Weight	12.9Kg


**12+12
BLADES**
2STROKE
MB2510 | 033080
Gasoline tiller

Engine Displacement	52cc
Power	2.2Hp
Speed	1 forwards
Transmission	Gears
Working Width	30cm
Working Depth	10cm
Starting system	Manual
Blades/Knives	Foldable
Fuel tank	8+8
Handlebar/Steering	1.2Lt
Weight	14Kg


**8+8
BLADES**
2STROKE
**12+12
BLADES**
MB2620 | 066507
Gasoline tiller

Engine Displacement	62cc
Power	2.8Hp
Speed	1 forwards
Transmission	Gears
Working Width	40cm
Working Depth	20cm
Starting system	Manual
Blades/Knives	Foldable
Fuel tank	12+12
Handlebar/Steering	1.2Lt
Weight	16.5Kg


4STROKE
**12+12
BLADES**
MB5005 | 053736
Gasoline tiller

Engine Displacement	139cc
Power	4Hp
Speed	1 forwards
Starting system	Manual
Transmission	Belt drive
Working Width	36/60cm
Max. Working Depth	26cm
Depth Adjustment	3 positions
Knives	12+12
Handlebar/Steering	Foldable
Weight	32Kg



4
STROKE
MB5800 | 078548
Gasoline tiller

Engine Displacement	208cc
Power	7Hp
Speed	1 forwards + 1 backwards
Starting system	Manual
Transmission	Belt drive
Working Width	75/90cm
Max. Working Depth	20cm
Depth Adjustment	3 positions
Knives	12+12
Air filter	
Handlebar	Adjustable / Foldable
Rear wheel size	Ø 260mm
Weight	72Kg



12+12
BLADES
 INCLUDED

4
STROKE
MB6000 | 000495
Gasoline tiller

Engine Displacement	196cc
Power	6.5Hp
Speed	2 forwards + 1 backwards
Starting system	Manual
Transmission	Belt drive
Working Width	85-100cm
Max. Working Depth	25cm
Depth Adjustment	3 positions
Knives	12+12
Oil bath air filter	
Handlebar	Adjustable / Foldable
Rear wheel size	Ø 260mm
Weight	72Kg



12+12
BLADES

 INCLUDED

4
STROKE
MB7000Classic | 011736
Gasoline tiller

Engine Displacement	212cc
Power	7Hp
Speed	2 forwards + 1 backwards
Starting system	Manual
Transmission	Belt drive
Working Width	90/100cm
Max. Working Depth	25cm
Depth Adjustment	3 positions
Knives	12+12
Oil bath air filter	
Handlebar	Adjustable / Foldable
Rear wheel size	Ø 400mm
Weight	86Kg



12+12
BLADES
 INCLUDED

4STROKE
MB7100 | 036302

Gasoline tiller

Engine Displacement	212cc
Power	7.5Hp
Speed	3 forwards 1 backwards
Starting system	Manual
Transmission	Gears
Working Width	90/100cm
Max. Working Depth	30cm
Depth Adjustment	3 positions
Knives	12+12
Oil bath air filter	
Handlebar	Adjustable / Foldable
Rear wheel size	Ø 400mm
Weight	90Kg


PRO

12+12
BLADES

INCLUDED
4STROKE
NEW

from 14/11/26

MB6515 | 087540

Motor cultivator

Engine Displacement	212cc
Power	7Hp
Speed	1 forwards 1 backwards
Working width	58cm (with blades)
Working depth	10cm
Working depth adjustment guide	
Knives	6+6 (3x2)
Choice of knife rotation direction	
Drive with gears on both the wheels and the tiller	
Weight	73Kg


PRO
4STROKE
MB6510 | 053743

Gasoline engine tiller

Engine Displacement	212cc
Power	7Hp
Speed	1 forwards 1 backwards
Starting system	1 forwards Neutral 1 backwards
Transmission	Manual
Working Width	With gears
Max. Working Depth	58cm (with blades)
Depth Adjustment	30cm
Lame	3 positions
Knives	12+12
Oil bath air filter	
Choice of knife rotation direction	
Rear wheel size	Ø 400mm
Weight	73Kg

3-in-1 CULTIVATOR

- Tiller / Rotavator (front-tine drive)
- Cultivator (rear-tine drive)
- Furrower / Ridger (Requires MB6512 and optionally MB6511)


PRO

12+12
BLADES
INCLUDED

WATCH VIDEO
MB6512 | 070771

Ditching blades set for MB6510


MB6511 | 070764

 2 pcs set metallic wheels
 Ø 320mm for MB6510


4STROKE

MB9000Classic | 011729

Diesel tiller

Engine Displacement	418cc
Power	10Hp
Speeds	2 forwards 1 backwards
Starting system	Manual
Transmission	Gears
Working Width	90/110cm
Max. Working Depth	30cm
Depth Adjustment	3 positions
Blades	16+16
Oil bath air filter	
Handlebar	Adjustable / Foldable
Rear wheel size	Ø 550mm
Weight	144Kg


4STROKE

MB9005 | 033288

Diesel tiller

Engine Displacement	418cc
Power	10Hp
Speeds	2 forwards 1 backwards
Starting system	Manual
Transmission	Gears
Working Width	90/110cm
Max. Working Depth	30cm
Depth Adjustment	3 positions
Blades	16+16
Oil bath air filter	
Handlebar	Adjustable / Foldable
Rear wheel size	Ø 550mm
Weight	158Kg


PRO

MB211 | 012719

Trailer 500Kg

Total Size of Trailer	270x105x100cm
Usable Loading Space	120x80x30cm
Maximum Load Capacity	500Kg
Wheels	Ø 500mm
Weight	112Kg

For MB9000, MB9005


MB137

| 012696

 Adjustable plough
for tillers

MB138

| 012702

 Potato digger
for tillers


4STROKE

PRO

NEW

from 01/10/26

MB9320 | 086154

Mini cultivator/tractor

Engine Displacement	456cc
Power	11Hp
Speeds	3 forwards+1 backwards changes
Drive	4WD/2WD
Starting system	starter/manual
Transmission	Gears
Tilling Depth	105cm
Tilling Width	30cm
Blades	16+16
4-4 (32 pcs) without side disc	
Weight	225Kg
With safety belt	
With Rear mirror	
With ROPS Roll Over Protection System	
With 2 set Rubber wheel 4.00-8 & 5.00-12	
With 1 set Iron wheel Ø480mm	

INCLUDE: Blades, Iron wheels



PRO



MB9305 | 070801

Trailer for MB9300

Dimensions	120x80x25cm
Max load	300Kg
Wheels	Ø 500mm
Weight	75Kg

PRO



MB9304 | 070795

Double ditcher adjustable

(for MB9300)
100cm
20Kg


EM3221 | 084365

Electric lawnmower

Power	1200W
Cutting width	32cm
Cutting height	25-65mm (3 positions)
Bucket Capacity	25Lt
Wheel size front/rear	Ø 140/140mm
Frame	Plastic
Weight	7kg


EM3220 | 066361

Electric lawnmower

Power	1200W
Cutting width	32cm
Cutting height	25-65mm (3 positions)
Bucket Capacity	25Lt
Wheel size front/rear	Ø 140/140mm
Frame	Plastic
Weight	7kg


PRO
EM3410 | 032342

Electric lawnmower

Power	1400W
Cutting width	34cm
Cutting height	25-65mm (5 positions)
Bucket Capacity	35Lt
Wheel size front/rear	Ø 140/140mm
Frame	Plastic
Weight	9.3kg


PRO

EM4010 | 032359

Electric lawnmower

Power	1600W
Cutting width	38cm
Cutting height	20-70mm (5 positions)
Bucket Capacity	40Lt
Wheel size front/rear	Ø 160/200mm
Frame	Plastic
Weight	9.8kg


PRO

 INDUCTION
MOTOR

EM4016 | 084389

Electric lawnmower

Power	1600W
Cutting width	38cm
Cutting height	25-75mm (5 positions)
Bucket Capacity	40Lt
Wheel size front/rear	Ø 150/200mm
Frame	Plastic
Weight	17.6kg


PRO
EM4020 | 032366

Electric lawnmower

Power	1800W
Cutting width	42cm
Cutting height	25-75mm (11 positions)
Bucket Capacity	50Lt
Wheel size front/rear	Ø 170/210mm
Frame	Plastic
Weight	13.0Kg


PM4830 | 032397
Push gasoline lawnmower

Engine Displacement	149cc
Max Power	3.5Hp
Load speed	3600rpm
Cutting width	460mm
Cutting height	25-75mm (7 Positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	1Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	65Lt
Wheel size front/rear	Ø 180/230mm
Weight	26Kg


PM5460 | 084075
Push gasoline lawnmower

Engine Displacement	149cc
Max Power	3Hp
Load speed	3000rpm
Cutting width	460mm
Cutting height	25-75mm (7 Positions)
Cutting Functions: 2 in 1 (Collecting, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 175/250mm
Weight	26Kg


PM5465 | 084082
Self-propelled gasoline lawn mower

Engine Displacement	149cc
Max Power	3Hp
Load speed	3000rpm
Cutting width	460mm
Cutting height	25-75mm (7 Positions)
Cutting Functions: 3 in 1 (Collecting, Mulching, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 180/250mm
Weight	26Kg


PM5510 | 084099
Self-propelled gasoline lawn mower

Engine Displacement	169cc
Max Power	5Hp
Load speed	3600rpm
Cutting width	510mm
Cutting height	25-75mm (7 Positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 180/250mm
Weight	30Kg


PM5530 | 084105
Self-propelled gasoline lawn mower

Engine Displacement	196cc
Max Power	6.5Hp
Load speed	3600rpm
Cutting width	530mm
Cutting height	30-80 (8 Positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	0.9Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 180/230mm
Weight	26Kg


PM5560 | 084112
Self-propelled gasoline lawn mower

Engine Displacement	196cc
Max Power	6.5Hp
Load speed	3600rpm
Cutting width	560mm
Cutting height	30-80 (8 Positions)
Cutting Functions: 4 in 1 (Collecting, Mulching, Side-discharge, Rear-discharge)	
Frame	Metal
Start System	Manual
Fuel Capacity	1Lt
Oli Type/Capacity	10W-30/0.5Lt
Bucket Capacity	60Lt
Wheel size front/rear	Ø 200/250mm
Weight	35.5Kg

2STROKE

PD5230 | 043256
Auger

Engine Displacement	52cc
Power	2Hp
Fuel tank	1000ml
Speed	6500rpm
Accessories not included	
Weight	8.8Kg

2STROKE

PD6330 | 078203
Auger

Engine Displacement	62cc
Power	2.8Hp
Fuel tank	1200ml
Speed	9000rpm
Accessories not included	
Weight	9.1Kg

Auger drill per PD6330/PD5230

MODEL	CODE	DIMENSIONS
PD1150	043263	ø15x80cm
PD1200	043270	ø20x80cm
PD1250	043287	ø25x80cm
PD1300	043294	ø30x80cm


Auger drill per pd6330

MODEL	CODE	DIMENSIONS
PD1590	038092	ø15x80cm
PD2090	038108	ø20x80cm
PD2590	038115	ø25x80cm


3 in 1 Function:

 Blower
 Vaccum
 Chipper

EB3500 | 020356
Electric blower - vacuum

Power	3000W
Air speed	792 m³/h
Air volume	270Km/h
Load speed	15000rpm
Collection Bag	35Lt
Weight	3.1kg

3 in 1 Function:

 Blower
 Vaccum
 Chipper

EB3600 | 034285
Electric blower - vacuum

Power	2600W
Air speed	720m³/h
Air volume	288Km/h
Load speed	15000rpm
Collection Bag	45Lt
Weight	4.1kg

2STROKE

BL2510 | 053378
Gasoline blower

Engine Displacement	25.4cc
Power	1Hp
Fuel tank	450ml
Speed	148Km/h
Air flow rate	720m³/h
Weight	5.5Kg

2STROKE

BL6005 | 078197
Gasoline blower shoulder carried

Engine Displacement	63cc
Power	3.5Hp
Fuel tank	1800ml
Speed	280Km/h
Air flow rate	864m³/h
Weight	10.7Kg

SSF050 | 055679

 Tapetool for plants
 Opening 0-50mm

SSF101 | 073970

Grafting tool



PRO
EH4510 | 053040

Electric hedge trimmer

Power	450W
Speed	3800rpm
Tooth Space	28mm
Guide bar	500mm
Weight	2.15Kg


PRO
EH7750 | 043089

Electric hedge trimmer

Power	710W
Speed	3300rpm
Tooth Space	24mm
Guide bar	710mm
Weight	-90° +90°
Weight	3.8Kg



Rotating handle

LASER CUT 2STROKE
PH2570 | 054108

Hedge trimmer

Engine Displacement	25,4cc
Power	1,2Hp
Speed	3000rpm
Tooth Space	28mm
Guide bar	700mm
Handle Rotary	-90° +90°
Weight	5.8Kg




Rotating handle

 Splitting axe
 Carbon steel head

MODEL	CODE	HANDLE	WEIGHT
BSA1050	028338	35cm	650gr
BSA1100	028345	45cm	950gr
BSA1150	028352	71cm	1.7kg


SSF560 | 056485
 Splitting maul
 with wooden handle

Weight	2Kg
Length	90cm
Steel head	Carbon steel


BSA1000 | 028321

Splitting axe

Weight	2.5Kg
Length	90cm
Handle	Fiberglass
Head	Carbon steel


SSF558 | 056478

 Splitting maul
 with wooden handle

Weight	3Kg
Length	90cm
Handle	Wooden
Head	Carbon steel


SSF277 | 054641

Gear function bypass loppe

Length	675-925mm
Blade	SK5
Teflon coated	
Cutting width	45mm


PRO
SSF519 | 036166

 Telescopic gear
 bypass lopper

Length	540-755mm
Blade	SK5
Teflon coated	
Cutting width	45mm


PRO
SSF521 | 036173

 Hedge shear
 w/telescopic handle

Length	530-745mm
Blade	SK5
Teflon coated	
Cutting width	45mm


PRO
SSF523 | 036180

 Hedge shear
 with telescopic handle

Length	665-885mm
Blade	SK5
Teflon coated	
Cutting width	45mm



PRO
GH9139 | 073826

Water timer

Inlet/Outlet thread	3/4"
Watering Duration	3min-2hours
Watering Frequency	1-72hours and 1week
Waterproof	IP54


PRO
GH9138 | 073819

Water timer

Inlet/Outlet thread	3/4"
Watering Duration	1min-4hours
Watering Frequency	1-12hours and 1week
LCD display	
Waterproof	IPX4


PRO
GH9170

| 062561

Hose cart

 Suitable for 1/2" hose up to 60m
 Hose & accessories not included

PRO
GH9165

| 062554

 Telescopic
 hose cart
 with wheels

 Suitable for 1/2" hose up to 60m
 Hose & accessories not included

PRO
GH9160 | 062547

Auto rewind hose reel

Hose Length	15m
Swivel	180°

Suitable for 1/2" hose

 INCLUDE: Auto reel, 2pcs hose
 connectors 1/2" & 3/4" Tap adaptor,
 Hose nozzle, 15m(1/2") hose and 2m
 leading hose

GH9244

| 062844

 Spiral hose set
 with watering gun

Length	15m
4 positions	


PRO
GH1000 | 024736

 Closed hose reel
 with spray gun
 & 1/2"x10m hose

ATLAS 3-layer hose

MODEL	CODE	DESCRIPTION
GH4100	024002	15M 1/2"
GH4200	024019	25M 1/2"
GH4300	024026	50M 1/2"
GH4400	024033	15M 5/8"
GH4500	024040	25M 5/8"
GH4600	024057	50M 5/8"
GH4700	032427	25M 3/4"
GH4710	072164	25M 1"

PRO

TITAN 3-layer hose

MODEL	CODE	DESCRIPTION
GH6100	019299	15M 1/2"
GH6200	019305	25M 1/2"
GH6300	019312	50M 1/2"
GH6400	019329	15M 5/8"
GH6500	019336	25M 5/8"
GH6600	019343	50M 5/8"
GH6610	072171	50M 3/4"

PRO

POSEIDON 5-layer hose

MODEL	CODE	DESCRIPTION
GH1215	012528	15m 1/2"
GH1225	012535	25M 1/2"
GH1250	012542	50M 1/2"
GH3425	012580	25M 3/4"
GH5815	012559	15M 5/8"
GH5825	012566	25M 5/8"
GH5850	012573	50M 5/8"

PRO

HERCULES 6-layer hose

MODEL	CODE	DESCRIPTION
GH5900	032434	HERCULES 6-layer hose 15m 1/2"
GH5905	032441	HERCULES 6-layer hose 25m 1/2"
GH5910	032458	HERCULES 6-layer hose 50m 1/2"

NEW


from 01/10/26

NP2103 | 087007
Automatic Pressure Pump

Power	750W
Maximum Flow Rate	3000Lt/h
Manometro max	50m
Outlet (Pipe Diameter)	G1"
Tank Capacity	24Lt
Maximum Pressure	3.5Bar
Cable Length	0.3m
Weight	12.5Kg


NP2108 | 036043
Automatic Pressure Pump

Power	750W
Maximum Flow Rate	3000Lt/h
Manometro max	45m
Outlet (Pipe Diameter)	1"
Tank Capacity	24Lt
Maximum Pressure	5Bar
Cable Length	1.5m
Weight	17Kg


PRO
NP2105 | 034674
Automatic Pressure Pump

Power	800W
Maximum Flow Rate	3500Lt/h
Manometro max	38m
Outlet (Pipe Diameter)	1"
Tank Capacity	19Lt
Maximum Pressure	3Bar
Cable Length	1m
Weight	10.7Kg


PRO
NP2150 | 081203
Automatic Pressure Pump with built-in digital controller

Power	1300W
Maximum Flow Rate	6000 Lt/h
Manometro max	53m
Outlet (Pipe Diameter)	1"
Tank Capacity	5Bar
Maximum Pressure	LCD
Cable Length	1.5m
Weight	11.0Kg


PRO
NP2115 | 034681
Automatic Pressure Pump

Power	1100W
Maximum Flow Rate	4100Lt/h
Manometro max	45m
Outlet (Pipe Diameter)	1"
Tank Capacity	24Lt
Maximum Pressure	5Bar
Cable Length	1.5m
Weight	15Kg


PRO
SP9800 | 042815
Gasoline pump

Engine Displacement	97cc
Power	2.5Hp
Maximum Flow Rate	170 lt/min
Manometro max	15m
Outlet (Pipe Diameter)	1.5"
Fuel tank	1Lt
Pump Type	v
Weight	9.8Kg


4-STROKE PRO

INCLUDE: 3 Hose Connectors

NP2120 | 035152
Automatic Pressure Pump with electronic controlle

Power	1100W
Maximum Flow Rate	4200Lt/h
Manometro max	45m
Outlet (Pipe Diameter)	1"
Maximum Pressure	4.5Bar
Cable Length	1m
Weight	9.2Kg


PRO
Suitable for use with pumps up to 1500W and pressure up to 6 bar
NP2085 | 049807
Electronic pressure switch

Starting pressure	1,5-6Bar
Degree of protection	IP65
Spout	1"x1"
Weight	1.2Kg


PRO

PRO
NP2015 | 036029
Water Pump

Power	370W
Maximum Flow Rate	2100Lt/h
Manometro max	40m
Outlet (Pipe Diameter)	1"
Water Temperature	90°C
Impeller	Brass
Pump Body	Cast iron
Weight	4.5Kg


PRO
NP2035 | 034636
Centrifugal pump inox

Power	800W
Maximum Flow Rate	3500 Lt/h
Manometro max	38m
Outlet (Pipe Diameter)	1"
Water Temperature	40°C
Weight	5.9Kg


PRO
NP2027 | 086970
Water Pump

Power	750W
Maximum Flow Rate	3000Lt/min
Manometro max	60m
Inlet / Outlet Pipe	1"
Water Temperature	60 °C
Impeller	Brass
Pump Body	Cast iron
Cable length	0.3m
Weight	8.3Kg


NEW
PRO
NP2047 | 086987
Centrifugal pump Jet

Power	750W
Maximum Flow Rate	3000Lt/min
Manometro max	50m
Inlet / Outlet Pipe	1"
Water Temperature	60 °C
Impeller	SS
Pump Body	Cast iron
Cable length	0.3m
Weight	14.1Kg


NEW
PRO
NP2097 | 086994
Multistage pump

Power	1100W
Maximum Flow Rate	5400Lt/min
Manometro max	55m
Inlet / Outlet Pipe	1x1"
Water Temperature	60 °C
Impeller	PPO
Pump Body	SS
Cable length	0.3m
Weight	12.5Kg


NEW
PRO
NP2075 | 036050
**Centrifugal pump
high flow**

Power	1100W
Maximum Flow Rate	24000Lt/min
Manometro max	20m
Inlet / Outlet Pipe	2"
Water Temperature	90 °C
Impeller	Brass
Pump Body	Cast iron
Weight	19.0Kg


PRO
NP2065 | 069461
Centrifugal pump 2 stages

Power	1500W
Maximum Flow Rate	8400Lt/min
Manometro max	50m
Water Temperature	90°C
Impeller	Brass
Pump Body	Cast iron
Weight	23.5Kg


12V
PRO
SP1210 | 038207
Water Pump

Power	80W
Manometro max	5m
Maximum Flow Rate	4000L/h
Pipe	1"
Pump Dimensions	13x10x23cm
Weight	0.8Kg


NP1160 | 024729
Water Pump

Volatge	12DCV
Maximum Flow Rate	4.180Lt/h
Manometro max	4m
Shaft	29mm
Pump Dimensions	16x6.5cm
Weight	0,25Kg


SP1500 | 011927
**Metallic oil pump
for barrel**

Diameter	25mm
Lift	4m
Suction	1mm
Speed	70rpm
Maximum Flow Rate	22Kg/min
Weight	2.7Kg


PRO
NP1150 | 020004
Stainless submerible

Power	75W
Maximum Flow Rate	2.600Lt/h
Manometro max	2.6m
Shaft	1"
Weight	2.8Kg



PRO

NP1010
 | 019862

Submersible pump

Power	400W
Maximum Flow Rate	7000Lt/h
Manometro max	8m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	24x22x28cm
Weight	4.0Kg

PRO

NP1020
 | 019879

Submersible pump

Power	750W
Maximum Flow Rate	12500Lt/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	24x22x28cm
Weight	4.3Kg

PRO

NP1050
 | 019909

Submersible pump inox

Power	550W
Maximum Flow Rate	8500Lt/h
Manometro max	7.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	15x15x32cm
Weight	5Kg

PRO
**IDEAL
FOR
NARROW
SUMPS**

NP1070 | 019923

 Submersible pump
 With integrated
 float switch

Power	750W
Maximum Flow Rate	13000 L/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Cable Length	10m
Pump Dimensions	24x16x38cm
Weight	5.0Kg


NP1115
 | 070542

 Submersible pump
 with floater

Power	550W
Maximum Flow Rate	17000 L/h
Manometro max	9m
Maximum Pump Submersion	7m
Pipe Connection	1"/1-1/4"/1-1/2"
Maximum Particle Size	5mm
Lowest Suction Level	1mm
Cable Length	10m
Pump Dimensions	32x21x18cm
Weight	6.0Kg

PRO

NP1030
 | 019886

 Dirty water
 submersible pump

Power	550W
Maximum Flow Rate	10000Lt/h
Manometro max	7m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	23x17.5x33.5cm
Weight	5.0Kg

PRO

NP1040
 | 019893

 Dirty water
 submersible pump

Power	900W
Maximum Flow Rate	14000Lt/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	23x24x36cm
Weight	5.5Kg

PRO

NP1100
 | 019954

 Dirty water
 submersible pump

Power	1100W
Maximum Flow Rate	15500L/h
Manometro max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	24x17x43
Weight	6.0Kg

PRO

NP1130
 | 019985

 Dirty water
 submersible pump

Power	1300W
Maximum Flow Rate	25000L/h
Manometro max	11m
Maximum Pump Submersion	7m
Outlet	1"-1/2"/ 2"
Maximum Particle Size	40mm
Cable Length	10m
Pump Dimensions	22x23x40
Weight	7.6Kg

PRO

NP1060 | 019916

Dirty water inox submersible pump

Power	1100W
Maximum Flow Rate	16500Lt/h
Manometrico max	10.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	22x18x42cm
Weight	7.5Kg

PRO
**IDEAL
 FOR
 NARROW
 SUMPS**

NP1080 | 019930

 Dirty water submersible pump
 With integrated float switch

Power	900W
Maximum Flow Rate	15500Lt/h
Manometrico max	8.5m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	35mm
Cable Length	10m
Pump Dimensions	24x17x43cm
Weight	5.5Kg

PRO

SP1115
| 078425

Dirty water submersible pump with cutter

Power	1100W
Maximum Flow Rate	15000Lt/h
Manometrico max	10m
Maximum Pump Submersion	7m
Outlet	2"
Cable Length	8m
Pump Dimensions	35x18x40cm
Weight	17.8Kg

PRO
SP1315
| 051848

 Dirty water submersible pump
 with cutter

Power	1300W
Maximum Flow Rate	18000Lt/h
Manometrico max	12m
Maximum Pump Submersion	7m
Outlet	2"
Cable Length	8m
Pump Dimensions	42x37x20cm
Weight	18.0Kg


PRO
NP1180 | 030362

Submersive pump

Power	1000W
Maximum Flow Rate	6000Lt/h
Manometrico max	45m
Maximum Pump Submersion	12m
Outlet	1"
Maximum Particle Size	1mm
Cable Length	15m
Pump Dimensions	15x15x53cm
Automatic 4-stage operation	
Flow sensor for automatic start and stop	
Dry-run protection (water shortage sensor)	
Weight	15.5Kg


PRO
NP1120
| 019978

 Submersive pump
 inox

Power	1000W
Maximum Flow Rate	6500Lt/h
Manometrico max	40m
Maximum Pump Submersion	7m
Outlet	1"
Maximum Particle Size	1mm
Cable Length	10m
Pump Dimensions	15x15x45cm
Weight	8.5Kg


PRO
NP1185 | 030614

 Inox well pump
 with float switch

Power	1200W
Maximum Flow Rate	5500Lt/h
Manometrico max	54m
Maximum Pump Submersion	7m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	1.5mm
Cable Length	10m
Pump Dimensions	18x18x50cm
Weight	12Kg


PRO
NP1190
| 030621

 Stainless steel well pump
 with control box


Power	900W
Maximum Flow Rate	4500Lt/h
Manometrico max	60m
Maximum Pump Submersion	16m
Outlet	1"/1-1/4"/1-1/2"
Maximum Particle Size	1.0mm
Cable Length	20m
Pump Dimensions	18x18x50cm
Weight	11Kg


PRO
SP6200 | 015925

4" Single-phase well pump

Power	1.5Hp
Maximum Flow Rate	5400Lt/h
Manometrico max	96m
Maximum Pump Submersion	80m
Outlet	4"
Control Box	
Pump Dimensions	112x13x10cm
Weight	16.5Kg





PRO

NP2200 | 080039
Solar-powered peripheral pump

Power	210W
Voltage	24V
Manometro max	25m
Maximum Flow Rate	2000Lt/h
Maximum Pump Submersion	3m
Outlet	1"
Total panel power	450W
Panel dimensions	191x113x3cm
Panel weight	24Kg

INCLUDE: Panel, cable set black/red 10m, connection accessories


PRO

NP2220 | 080053
Solar-powered well pump

Power	400W
Voltage	48V
Manometro max	55m
Maximum Flow Rate	3800Lt/h
Maximum Pump Submersion	18m
Outlet	1.25"
Total panel power	700W
Panel dimensions	153x113x3cm
Panel weight	20Kg

INCLUDE: Panel, cable set black/red 10m, connection accessories


PRO

NP2230 | 080107
Solar-powered well pump

Power	700W
Voltage	96V
Manometro max	95m
Maximum Flow Rate	3800Lt/h
Maximum Pump Submersion	18m
Outlet	1.25"
Total panel power	1650W
Panel dimensions	228x113x3cm
Panel weight	3x28Kg

INCLUDE: Panel, cable set black/red 40m, pump cable 20m, connection parts, support set

2STROKE
PRO

NS2640 | 038153
2 Stroke backpack gasoline sprayer

Engine Displacement	26cc
Power	1Hp
Operating Pressure	25Bar
Flow Rate	5-8Lt/min
Fuel Tank Capacity	0.65Lt
Tank Capacity	15Lt
Weight	9Kg

INCLUDE: Lance 60cm, Triple-Nozzle Lance with Extension, Harness, Service tools, Fuel tank

2STROKE
NS2635 | 032854
2 Stroke backpack gasoline sprayer

Engine Displacement	26cc
Power	1Hp
Operating Pressure	25Bar
Flow Rate	3-8lt/min
Fuel Tank Capacity	0.65Lt
Tank Capacity	25Lt
Weight	9Kg

INCLUDE: Adjustable spray lance 85cm with brass nozzle head, detachable lance with 3 fixed (non-adjustable) nozzles, 135cm in length with extension (75cm without), and 120cm spray hose, Ergonomic backpack harness

3 Different nozzles

NS2631
| 035992
Battery-powered telescopic weed sprayer

Voltage	6V
Tank Capacity	5+1L
Maximum autonomy	~40 hours
Weight	11,5Kg

PRO
PRO

NS2520 | 053569
Power Sprayer

Pressure	21-45Bar
Flow Rate	15-22lt/min
Load speed	1200rpm
Pump Type	Plunger pump
Pistons	3x22mm
Weight	7.1Kg

PRO

NS3610 | 042501
Power Sprayer

Pressure	21-45Bar
Flow Rate	30-45lt/min
Load speed	1200rpm
Pump Type	Plunger pump
Pistons	3x30mm
Weight	9Kg

2STROKE

NS2610 | 032892
2 Stroke sprayer

Engine Displacement	26cc
Power	1Hp
Maximum pressure	15-25Bar
Flow rate	3-8lt/min
Fuel tank capacity	0.65Lt
Weight	9Kg


INCLUDE: 20m hose and 60cm spray gun

2STROKE

NS5210 | 032908
2 Stroke sprayer

Engine Displacement	26cc
Power	1Hp
Maximum pressure	15-25Bar
Flow Rate	3-8lt/min
Hose Length	30m
Tank Capacity	50Lt
Fuel Capacity	0.65Lt
Weight	32.9Kg

INCLUDE: Adjustable spray lance 85cm with brass head, detachable lance with 3 fixed non-adjustable nozzles (135cm long, 75cm without extension), wheels

PRO

High Pressure Spray Hose

MODEL	NS1050	NS1100
CODE	043041	043058
Diameter	8,5mm	
Maximum Pressure	120Bar	
Length	50m	100m

4STROKE

NS4010 | 032861
Gasoline sprayer


Engine Displacement	196cc
Power	6.5Hp
Maximum pressure	25-40Bar
Flow Rate	14-22lt/min
Pump Type	Plunger pump
Fuel Capacity	3.6Lt
Weight	24Kg

INCLUDE: Suction and return pipes, suction filter, anti-vibration mounts, oil sensor

4STROKE

NS4510 | 032885
Gasoline sprayer

Engine Displacement	196cc
Power	6.5Hp
Operating Pressure	25-35Bar
Flow Rate	30-45lt/min
Pump Type	Plunger pump
Fuel Capacity	3.6Lt
Rubber band and lumen	30m
Weight	44Kg

INCLUDE: Hose reel, 30m hose, and 60cm spray gun

NS100 | 010319
Hose reel
Up to 100m hose

4STROKE
With hose reel & hose
NS6200 | 025276
4-Stroke gasoline sprayer 196cc

Engine Displacement	196cc
Power	6.5Hp
Maximum pressure	40Bar
Flow rate	36lt/min
Pump Type	Plunger pump
Hose Length	30m
Tank Capacity	160Lt
Weight	45Kg

INCLUDE: Wheels, Hose Reel, Hose, 3 Pistons Brass Pump

NS8000 | 010210
Pressure sprayer

Tank Capacity	8Lt
---------------	-----


NS1602
| 053576
Pressure sprayer

Capacity | 16Lt

 Installation requires a power supply with a 40A fuse/breaker and a 3x4mm² cable

Animal feed pellet machine

MODEL	BFP1100	BFP1200
CODE	079002	079019
Power	4kw	
Pellet diameter	4mm, 6mm	
Production	50-100kg/h	90-200 kg/h
Number of cylinders	2	3
Voltage	220V/50HZ	
For single-phase power supply		
Weight	78kg	89kg



4 mm



6 mm



NS1619
| 077992
Knapsack battery sprayer

Battery	12V 8Ah
Capacity	16Lt
Pressure	6.8Bar
Liquid supply	4lt/min
Weight	4.95Kg

INCLUDE:
 4 spare parts nozzle

BHC3000
| 022220
Sheep shearing machine

Power	350W
No Load Speed	2400rpm


BDA1500 | 022602
Chicken plucker machine inox

Power	1500W
Rotation speed	275rpm
No.of finger	106pcs
Material	Stainless Steel
Weight	30Kg


NEW

from 05/11/26

NS1628
| 087533
Knapsack lithium battery sprayer

Battery	12V 8Ah
Capacity	16Lt
Pressure	6.8Bar
Liquid supply	4lt/min
Weight	4.95Kg

With agitation

INCLUDE:
 4 spare parts nozzle

BIN1056 | 074229
Fully automatic egg incubator

56eggs with humidity control


FM1100 | 016809
Crushing machine

Power	1100W
Milling Capacity	300kg/h
Iron Hopper & Stand	
Weight	18Kg

INCLUDE:
 Sieves 1,2,3,4mm




NAKAYAMA[®]

PRO

www.nakayamatools.com

info@nakayamatools.com



International Office: Steiermärker Straße 3-5, 70469 Stuttgart, Germany
Head Office - Distribution Center: Markopoulo Industrial Zone, 19003 Athens, Greece
www.nikolaoutools.com